

American College Health Association National College Health Assessment (ACHA-NCHA) Survey Report

Administered
Spring 2006, Fall 2008, Spring 2010, and Spring 2016
Campus Life Office/Institutional Research and
Assessment (beginning in 2016)

Response Rates:

2006: 36.3%

2008: 35.2%

2010: 43.0%

2016: 35.8%

Compiled Summer 2016 by the
Office of Institutional Research and Assessment



American College Health Association **National College Health Assessment**

Instructions:

The following questions ask about various aspects of your health.

To answer the questions, fill in the oval that corresponds to your response.

Select only one response unless instructed otherwise.

Use a No. 2 pencil or blue or black ink pen only. Do not use pens with ink that soaks through the paper.

CORRECT: ● INCORRECT:

This survey is completely voluntary. You may choose not to participate or not to answer any specific question. You may skip any question you are not comfortable in answering.

Please make no marks of any kind on the survey which could identify you individually.

Composite data will then be shared with your campus for use in health promotion activities.

***Thank you for taking the time and
thought to complete this survey.
We appreciate your participation!***



American College Health Association

National College Health Assessment

Copyright © 2011 American College Health Association

PAGE ONE

PLEASE DO NOT WRITE IN THIS AREA



SERIAL #

3/8" spine
perforation

Health, Health Education and Safety

1. How would you describe your general health?

- Excellent
 Very good
 Good
 Fair
 Poor
 Don't know

2. Have you received information on the following topics from your college or university?

3. Are you interested in receiving information on the following topics from your college or university?

(Please mark the appropriate column for each question to the right)

| | No | Yes | No | Yes |
|-----------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Alcohol and other drug use | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Cold/Flu/Sore throat | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Depression/Anxiety | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Eating disorders | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Grief and loss | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| How to help others in distress | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Injury prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Nutrition | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Physical activity | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Pregnancy prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Problem use of Internet/computer games | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Relationship difficulties | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Sexual assault/Relationship violence prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Sexually transmitted disease/infection (STD/I) prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Sleep difficulties | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Stress reduction | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Suicide prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Tobacco use | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Violence prevention | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

4. Within the last 12 months, how often did you:

(Please mark the appropriate column for each row)

N/A, did not do this activity within the last 12 months

| | N/A, did not do this activity within the last 12 months | Never | Rarely | Sometimes | Most of the time | Always |
|---------------------------------------------|---------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Wear a seatbelt when you rode in a car? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Wear a helmet when you rode a bicycle? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Wear a helmet when you rode a motorcycle? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Wear a helmet when you were inline skating? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

5. Within the last 12 months:

(Please mark the appropriate column for each row)

| | No | Yes |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| Were you in a physical fight? | <input type="radio"/> | <input type="radio"/> |
| Were you physically assaulted (do not include sexual assault)? | <input type="radio"/> | <input type="radio"/> |
| Were you verbally threatened? | <input type="radio"/> | <input type="radio"/> |
| Were you sexually touched without your consent? | <input type="radio"/> | <input type="radio"/> |
| Was sexual penetration attempted (vaginal, anal, oral) without your consent? | <input type="radio"/> | <input type="radio"/> |
| Were you sexually penetrated (vaginal, anal, oral) without your consent? | <input type="radio"/> | <input type="radio"/> |
| Were you a victim of stalking (e.g., waiting for you outside your classroom, residence, or office; repeated emails/phone calls)? | <input type="radio"/> | <input type="radio"/> |

6. Within the last 12 months, have you been in an intimate (coupled/partnered) relationship that was:

(Please mark the appropriate column for each row)

- Emotionally abusive? (e.g., called derogatory names, yelled at, ridiculed)
- Physically abusive? (e.g., kicked, slapped, punched)
- Sexually abusive? (e.g., forced to have sex when you didn't want it, forced to perform or have an unwanted sexual act performed on you)

| Yes |
|-----------------------|
| No |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |

7. How safe do you feel:

(Please mark the appropriate column for each row)

- On this campus (daytime)?
- On this campus (nighttime)?
- In the community surrounding this school (daytime)?
- In the community surrounding this school (nighttime)?

| Very safe |
|-----------------------|
| Somewhat safe |
| Somewhat unsafe |
| Not safe at all |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |
| <input type="radio"/> |

Alcohol, Tobacco, and Drugs

8. Within the last 30 days, on how many days did you use:

(Please mark the appropriate column for each row)

- Cigarettes
- Tobacco from a water pipe (hookah)
- Cigars, little cigars, clove cigarettes
- Smokeless tobacco
- Alcohol (beer, wine, liquor)
- Marijuana (pot, weed, hashish, hash oil)
- Cocaine (crack, rock, freebase)
- Methamphetamine (crystal meth, ice, crank)
- Other amphetamines (diet pills, bennies)
- Sedatives (downers, ludes)
- Hallucinogens (LSD, PCP)
- Anabolic steroids (Testosterone)
- Opiates (heroin, smack)
- Inhalants (glue, solvents, gas)
- MDMA (Ecstasy)
- Other club drugs (GHB, Ketamine, Rohypnol)
- Other illegal drugs

| Have used, but not in last 30 days | 3-5 days | 6-9 days |
|------------------------------------|------------|------------|
| | 1-2 days | 10-19 days |
| Never used | 20-29 days | Used daily |

| | | |
|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



9. Within the last 30 days, how often do you think the typical student at your school used:

(State your best estimate; Please mark the appropriate column for each row)

3-5 days 6-9 days
1-2 days 10-19 days
Have used, but not in last 30 days 20-29 days
Never used Used daily

| | Never used | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Used daily |
|--------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Cigarettes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Tobacco from a water pipe (hookah) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Cigars, little cigars, clove cigarettes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Smokeless tobacco | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Alcohol (beer, wine, liquor) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Marijuana (pot, weed, hashish, hash oil) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Cocaine (crack, rock, freebase) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Methamphetamine (crystal meth, ice, crank) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other amphetamines (diet pills, bennies) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Sedatives (downers, ludes) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Hallucinogens (LSD, PCP) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Anabolic steroids (Testosterone) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Opiates (heroin, smack) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Inhalants (glue, solvents, gas) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| MDMA (Ecstasy) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other club drugs (GHB, Ketamine, Rohypnol) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other illegal drugs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

One drink of alcohol is defined as a 12 oz. can or bottle of beer or wine cooler, a 4 oz. glass of wine, or a shot of liquor straight or in a mixed drink.

10. The last time you "partied"/socialized how many drinks of alcohol did you have? (If you did not drink alcohol, please enter 00. If less than 10, enter 01, 02, 03, etc.)

| | | |
|---|----------------------|----------------------|
| D | <input type="text"/> | <input type="text"/> |
| R | <input type="text"/> | <input type="text"/> |
| I | <input type="text"/> | <input type="text"/> |
| N | <input type="text"/> | <input type="text"/> |
| K | <input type="text"/> | <input type="text"/> |
| S | <input type="text"/> | <input type="text"/> |

11. The last time you "partied"/socialized over how many hours did you drink alcohol? (If you did not drink alcohol, please enter 00. If less than 10, enter 01, 02, 03, etc.)

| | | |
|---|----------------------|----------------------|
| H | <input type="text"/> | <input type="text"/> |
| O | <input type="text"/> | <input type="text"/> |
| U | <input type="text"/> | <input type="text"/> |
| R | <input type="text"/> | <input type="text"/> |
| S | <input type="text"/> | <input type="text"/> |

12. How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized? (If you think the typical student at your school does not drink alcohol, please enter 00. If less than 10, enter 01, 02, 03, etc.)

| | | |
|---|----------------------|----------------------|
| D | <input type="text"/> | <input type="text"/> |
| R | <input type="text"/> | <input type="text"/> |
| I | <input type="text"/> | <input type="text"/> |
| N | <input type="text"/> | <input type="text"/> |
| K | <input type="text"/> | <input type="text"/> |
| S | <input type="text"/> | <input type="text"/> |

13. Over the last two weeks, how many times have you had five or more drinks of alcohol at a sitting?

- N/A, don't drink 2 times 5 times 8 times
 None 3 times 6 times 9 times
 1 time 4 times 7 times 10 or more times

14. Within the last 30 days, did you:

(Please mark the appropriate column for each row)

Yes
No
N/A, don't drink
N/A, don't drive

| | | | | |
|-----------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Drive after drinking any alcohol at all | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Drive after drinking five or more drinks of alcohol | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Sex Behavior and Contraception

19. Within the last 12 months, with how many partners have you had oral sex, vaginal intercourse, or anal intercourse? (If you did not have a sex partner within the last 12 months, please enter 00. If less than 10, enter 01, 02, 03, etc.) →

| | | |
|---|---|---|
| P | | |
| A | ① | ① |
| R | ① | ① |
| T | ② | ② |
| N | ③ | ③ |
| E | ④ | ④ |
| R | ⑤ | ⑤ |
| S | ⑥ | ⑥ |
| | ⑦ | ⑦ |
| | ⑧ | ⑧ |
| | ⑨ | ⑨ |

20. Within last 12 months, did you have sexual partner(s) who were:

(Please mark the appropriate column for each row)

| | No | Yes |
|-------------|-----------------------|-----------------------|
| Female | <input type="radio"/> | <input type="radio"/> |
| Male | <input type="radio"/> | <input type="radio"/> |
| Transgender | <input type="radio"/> | <input type="radio"/> |

21. Within the last 30 days, did you have:

(Please mark the appropriate column for each row)

- Oral sex?
- Vaginal intercourse?
- Anal intercourse?

| | No, have never done this sexual activity | No, have done this sexual activity in the past but not in the last 30 days | Yes |
|----------------------|------------------------------------------|----------------------------------------------------------------------------|-----------------------|
| Oral sex? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Vaginal intercourse? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Anal intercourse? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

22. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

(Please mark the appropriate column for each row)

- Oral sex?
- Vaginal intercourse?
- Anal intercourse?

| | N/A, never did this sexual activity | Have not done this sexual activity during the last 30 days | Never | Rarely | Sometimes | Most of the time | Always | CONDOM/ BARRIER USE |
|----------------------|-------------------------------------|------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------------|
| Oral sex? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Vaginal intercourse? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Anal intercourse? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

23A. Did you or your partner use a method of birth control to prevent pregnancy the last time you had vaginal intercourse?

- Yes (continue to item 23B)
- N/A, have not had vaginal intercourse (skip to item 24)
- No, have not had vaginal intercourse that could result in a pregnancy (skip to item 24)
- No, did not want to prevent pregnancy (skip to item 24)
- No, did not use any birth control method (skip to item 24)
- Don't know (skip to item 24)

23B. Please indicate whether or not you or your partner used each of the following methods of birth control to prevent pregnancy the last time you had vaginal intercourse. (Please mark the appropriate column for each row)

| | No | Yes | | No | Yes |
|-------------------------------------------------|-----------------------|-----------------------|----------------------------------------------------------------------|-----------------------|-----------------------|
| Birth control pills (monthly or extended cycle) | <input type="radio"/> | <input type="radio"/> | Diaphragm or cervical cap | <input type="radio"/> | <input type="radio"/> |
| Birth control shots | <input type="radio"/> | <input type="radio"/> | Contraceptive sponge | <input type="radio"/> | <input type="radio"/> |
| Birth control implants | <input type="radio"/> | <input type="radio"/> | Spermicide (e.g., foam, jelly, cream) | <input type="radio"/> | <input type="radio"/> |
| Birth control patch | <input type="radio"/> | <input type="radio"/> | Fertility awareness (e.g., calendar, mucous, basal body temperature) | <input type="radio"/> | <input type="radio"/> |
| Vaginal ring | <input type="radio"/> | <input type="radio"/> | Withdrawal | <input type="radio"/> | <input type="radio"/> |
| Intrauterine device (IUD) | <input type="radio"/> | <input type="radio"/> | Sterilization (e.g., hysterectomy, tubes tied, or vasectomy) | <input type="radio"/> | <input type="radio"/> |
| Male condom | <input type="radio"/> | <input type="radio"/> | Other method | <input type="radio"/> | <input type="radio"/> |
| Female condom | <input type="radio"/> | <input type="radio"/> | | | |

24. Within the last 12 months, have you or your partner(s) used emergency contraception (“morning after pill”)?

- N/A, have not had vaginal intercourse in the last 12 months
- No
- Yes
- Don't know

25. Within the last 12 months, have you or your partner(s) become pregnant?

- N/A, have not had vaginal intercourse in the last 12 months
- No
- Yes, unintentionally
- Yes, intentionally
- Don't know

Weight, Nutrition, and Exercise

26. How do you describe your weight?

- Very underweight
- Slightly underweight
- About the right weight
- Slightly overweight
- Very overweight

27. Are you trying to do any of the following about your weight?

- I am not trying to do anything about my weight
- Stay the same weight
- Lose weight
- Gain weight

28. How many servings of fruits and vegetables do you usually have per day? (1 serving = 1 medium piece of fruit; 1/2 cup fresh, frozen, or canned fruits/vegetables; 3/4 cup fruit/vegetable juice; 1 cup salad greens; or 1/4 cup dried fruit)

- 0 servings per day
- 1–2 servings per day
- 3–4 servings per day
- 5 or more servings per day

29. On how many of the past 7 days did you:

(Please mark the appropriate column for each row)

- Do moderate-intensity cardio or aerobic exercise (caused a noticeable increase in heart rate, such as a brisk walk) for at least 30 minutes?
- Do vigorous-intensity cardio or aerobic exercise (caused large increases in breathing or heart rate, such as jogging) for at least 20 minutes?
- Do 8-10 strength training exercises (such as resistance weight machines) for 8-12 repetitions each?

| | 0 days | 1 day | 2 days | 3 days | 4 days | 5 days | 6 days | 7 days |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Do moderate-intensity cardio or aerobic exercise (caused a noticeable increase in heart rate, such as a brisk walk) for at least 30 minutes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Do vigorous-intensity cardio or aerobic exercise (caused large increases in breathing or heart rate, such as jogging) for at least 20 minutes? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Do 8-10 strength training exercises (such as resistance weight machines) for 8-12 repetitions each? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Mental Health

30. Have you ever:

(Please mark the appropriate column for each row)

- Felt things were hopeless
- Felt overwhelmed by all you had to do
- Felt exhausted (not from physical activity)
- Felt very lonely
- Felt very sad
- Felt so depressed that it was difficult to function
- Felt overwhelming anxiety
- Felt overwhelming anger
- Intentionally cut, burned, bruised, or otherwise injured yourself
- Seriously considered suicide
- Attempted suicide

| | No, not in last 12 months | Yes, in the last 2 weeks | Yes, in the last 30 days | Yes, in the last 12 months |
|-------------------------------------------------------------------|---------------------------|--------------------------|--------------------------|----------------------------|
| Felt things were hopeless | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt overwhelmed by all you had to do | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt exhausted (not from physical activity) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt very lonely | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt very sad | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt so depressed that it was difficult to function | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt overwhelming anxiety | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Felt overwhelming anger | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Intentionally cut, burned, bruised, or otherwise injured yourself | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Seriously considered suicide | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Attempted suicide | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

3/8" spine part

35. Have you ever received psychological or mental health services from your current college/university's Counseling or Health Service?

- No Yes

36. If in the future you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional?

- No Yes

37. Within the last 12 months, how would you rate the overall level of stress you have experienced?

- No stress
 Less than average stress
 Average stress
 More than average stress
 Tremendous stress

Physical Health

38. Within the last 30 days, did you do any of the following?

(Please mark the appropriate column for each row)

Exercise to lose weight

Diet to lose weight

Vomit or take laxatives to lose weight

Take diet pills to lose weight

| | No | Yes |
|----------------------------------------|-----------------------|-----------------------|
| Exercise to lose weight | <input type="radio"/> | <input type="radio"/> |
| Diet to lose weight | <input type="radio"/> | <input type="radio"/> |
| Vomit or take laxatives to lose weight | <input type="radio"/> | <input type="radio"/> |
| Take diet pills to lose weight | <input type="radio"/> | <input type="radio"/> |

39. Have you:

(Please mark the appropriate column for each row)

Had a dental exam and cleaning in the last 12 months?

(Males) Performed testicular self exam in the last 30 days?

(Females) Performed breast self exam in the last 30 days?

(Females) Had a routine gynecological exam in the last 12 months?

Used sunscreen regularly with sun exposure?

Ever been tested for Human Immunodeficiency Virus (HIV) infection?

| | No | Yes | Don't know |
|--------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|
| Had a dental exam and cleaning in the last 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| (Males) Performed testicular self exam in the last 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| (Females) Performed breast self exam in the last 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| (Females) Had a routine gynecological exam in the last 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Used sunscreen regularly with sun exposure? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Ever been tested for Human Immunodeficiency Virus (HIV) infection? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

40. Have you received the following vaccinations (shots)?

(Please mark the appropriate column for each row)

Hepatitis B

Human Papillomavirus/HPV (cervical cancer vaccine)

Influenza (the flu) in the last 12 months (shot or nasal mist)

Measles, Mumps, Rubella

Meningococcal disease (meningococcal meningitis)

Varicella (chicken pox)

| | No | Yes | Don't know |
|----------------------------------------------------------------|-----------------------|-----------------------|-----------------------|
| Hepatitis B | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Human Papillomavirus/HPV (cervical cancer vaccine) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Influenza (the flu) in the last 12 months (shot or nasal mist) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Measles, Mumps, Rubella | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Meningococcal disease (meningococcal meningitis) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Varicella (chicken pox) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Impediments to Academic Performance

(Please select the most serious outcome for each item below)

Significant disruption in thesis, dissertation, research, or practicum work

Received an incomplete or dropped the course

Received a lower grade in the course

Received a lower grade on an exam or important project

I have experienced this issue but my academics have not been affected

This did not happen to me/not applicable

45. Within the last 12 months, have any of the following affected your academic performance?

| | |
|--------------------------------------------------------------------------------------------|-------------|
| Alcohol use | ○ ○ ○ ○ ○ ○ |
| Allergies | ○ ○ ○ ○ ○ ○ |
| Anxiety | ○ ○ ○ ○ ○ ○ |
| Assault (physical) | ○ ○ ○ ○ ○ ○ |
| Assault (sexual) | ○ ○ ○ ○ ○ ○ |
| Attention Deficit and Hyperactivity Disorder (ADHD) | ○ ○ ○ ○ ○ ○ |
| Cold/Flu/Sore throat | ○ ○ ○ ○ ○ ○ |
| Concern for a troubled friend or family member | ○ ○ ○ ○ ○ ○ |
| Chronic health problem or serious illness (e.g., diabetes, asthma, cancer) | ○ ○ ○ ○ ○ ○ |
| Chronic pain | ○ ○ ○ ○ ○ ○ |
| Death of a friend or family member | ○ ○ ○ ○ ○ ○ |
| Depression | ○ ○ ○ ○ ○ ○ |
| Discrimination (e.g., homophobia, racism, sexism) | ○ ○ ○ ○ ○ ○ |
| Drug use | ○ ○ ○ ○ ○ ○ |
| Eating disorder/problem | ○ ○ ○ ○ ○ ○ |
| Finances | ○ ○ ○ ○ ○ ○ |
| Gambling | ○ ○ ○ ○ ○ ○ |
| Homesickness | ○ ○ ○ ○ ○ ○ |
| Injury (fracture, sprain, strain, cut) | ○ ○ ○ ○ ○ ○ |
| Internet use/computer games | ○ ○ ○ ○ ○ ○ |
| Learning disability | ○ ○ ○ ○ ○ ○ |
| Participation in extracurricular activities (e.g., campus clubs, organizations, athletics) | ○ ○ ○ ○ ○ ○ |
| Pregnancy (yours or your partner's) | ○ ○ ○ ○ ○ ○ |
| Relationship difficulties | ○ ○ ○ ○ ○ ○ |
| Roommate difficulties | ○ ○ ○ ○ ○ ○ |
| Sexually transmitted disease/infection (STD/I) | ○ ○ ○ ○ ○ ○ |
| Sinus infection/Ear infection/Bronchitis/Strep throat | ○ ○ ○ ○ ○ ○ |
| Sleep difficulties | ○ ○ ○ ○ ○ ○ |
| Stress | ○ ○ ○ ○ ○ ○ |
| Work | ○ ○ ○ ○ ○ ○ |
| Other (please specify _____) | ○ ○ ○ ○ ○ ○ |

Demographic Characteristics

46. How old are you? →

| Years | |
|-------|--|
| | |

47. What is your gender?

Female

| | |
|---|---|
| 0 | 0 |
|---|---|

Male

| | |
|---|---|
| 1 | 1 |
|---|---|

Transgender

| | |
|---|---|
| 2 | 2 |
|---|---|

| | |
|---|---|
| 3 | 3 |
|---|---|

| | |
|---|---|
| 4 | 4 |
|---|---|

48. What is your sexual orientation?

Heterosexual

| | |
|---|---|
| 5 | 5 |
|---|---|

Gay/Lesbian

| | |
|---|---|
| 6 | 6 |
|---|---|

Bisexual

| | |
|---|---|
| 7 | 7 |
|---|---|

Unsure

| | |
|---|---|
| 8 | 8 |
|---|---|

| | |
|---|---|
| 9 | 9 |
|---|---|

49. What is your height in feet and inches? →

| Ft. | Inch |
|-----|------|
| 0 | 0 |
| 1 | 1 |
| 2 | 2 |
| 3 | 3 |
| 4 | 4 |
| 5 | 5 |
| 6 | 6 |
| 7 | 7 |
| 8 | 8 |
| 9 | 9 |

50. What is your weight in pounds? →

| Pounds |
|--------|
| 0 |
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |
| 8 |
| 9 |

3/8" spine part

51. What is your year in school?

- 1st year undergraduate
2nd year undergraduate
3rd year undergraduate
4th year undergraduate
5th year or more undergraduate
Graduate or professional
Not seeking a degree
Other

52. What is your enrollment status?

- Full-time
Part-time
Other

53. Have you transferred to this college or university within the last 12 months?

- No
Yes

54. How do you usually describe yourself?

(Mark all that apply)

- White
Black or African American
Hispanic or Latino/a
Asian or Pacific Islander
American Indian, Alaskan Native, or Native Hawaiian
Biracial or Multiracial
Other

55. Are you an international student?

- No
Yes

56. What is your relationship status?

- Not in a relationship
In a relationship but not living together
In a relationship and living together

57. What is your marital status?

- Single
Married/Partnered
Separated
Divorced
Other

58. Where do you currently live?

- Campus residence hall
Fraternity or sorority house
Other college/university housing
Parent/guardian's home
Other off-campus housing
Other

59. Are you a member of a social fraternity or sorority? (e.g., National Interfraternity Conference, National Panhellenic Conference, National Pan-Hellenic Council, National Association of Latino Fraternal Organizations)

- No
Yes

60. How many hours a week do you work for pay?

- 0 hours
1-9 hours
10-19 hours
20-29 hours
30-39 hours
40 hours
More than 40 hours

61. How many hours a week do you volunteer?

- 0 hours
1-9 hours
10-19 hours
20-29 hours
30-39 hours
40 hours
More than 40 hours

62. What is your primary source of health insurance?

- My college/university sponsored plan
My parents' plan
Another plan
I don't have health insurance
I am not sure if I have health insurance

63. What is your approximate cumulative grade average?

- A
B
C
D/F
N/A

64. Within the last 12 months, have you participated in organized college athletics at any of the following levels?

(Please mark the appropriate column for each row) Table with 2 columns: Yes, No. Rows: Varsity, Club sports, Intramurals.

65. Do you have any of the following?

(Please mark the appropriate column for each row) Table with 2 columns: Yes, No. Rows: Attention Deficit and Hyperactivity Disorder (ADHD), Chronic illness (e.g., cancer, diabetes, auto-immune disorders), Deafness/Hearing loss, Learning disability, Mobility/Dexterity disability, Partial sightedness/Blindness, Psychiatric condition, Speech or language disorder, Other disability.

66. Are you currently or have you been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

- No
Yes and I have deployed to an area of hazardous duty
Yes and I have not deployed to an area of hazardous duty

THANK YOU FOR COMPLETING THIS SURVEY



Office of the Academic Vice President and Dean of the Faculty

Chad Berry

CPO 2204, Berea, KY 40404

Phone: 859.985.3486 | Fax: 859.985.3637

chad_berry@berea.edu

March 2, 2016

Valerie Hartman, Research Coordinator
American College Health Association – National College Health Assessment (ACHA-NCHA)
1362 Mellon Road
Suite 180
Hanover, MD 21076

Dear Ms. Hartman,

The Berea College Institutional Review Board (IRB) has determined that the ACHA-NCHA survey is exempt from review. Therefore, I grant your organization permission to administer the survey on the Berea College campus.

Thank you,

Dr. Chad Berry
Academic Vice President and Dean of the Faculty

From: Lyle Roelofs <ncha-web@acha.org>
Sent: Monday, March 14, 2016 6:30 AM
To:
Subject: Your Response is Needed to Assess Student Health Behaviors

Dear Berea Student,

All Berea students are being asked to participate in the National College Health Assessment (NCHA) sponsored and distributed by the American College Health Association (ACHA). The ACHA-NCHA is a survey designed to assess student health behaviors in order to provide better services and support for Berea College students. You may benefit by knowing that you have assisted in providing accurate information regarding health/wellness behaviors on our campus. The information will be used to develop wellness programs and services for Berea College.

The NCHA-Web is completed online via the Internet. We encourage you to complete the survey in one sitting, which typically takes about 20-30 minutes.

There may be some personal discomfort with the content of certain questions. For example, there are questions regarding illegal substance use, interpersonal violence, and sexual behavior. If you'd like to talk with someone about issues addressed in the survey, you may contact Sue Reimondo, Director of Counseling Services, at 859-985-3212.

Your participation is completely voluntary and confidential. To ensure confidentiality, e-mail addresses are destroyed by ACHA before data are compiled and shared with Berea College. The raw data file that is shared with your school will not contain any unique identifiers. If you feel that answering specific demographic questions might reveal your identity, you may leave them blank. You may answer only some questions, or you may choose not to participate in the survey at all. Any reports or publications based on this research will use only group data and will not identify you or any individual as being affiliated with this project.

By taking this survey, you consent to participate in the study and agree that the purpose of this study has been satisfactorily explained to you. You understand you are free to discontinue participation at any time if you so choose and that the researcher will gladly answer any questions that may arise during the course of the research. Refusing or withdrawing from this study will be at no penalty or loss of benefits to you.

You may contact Clara Chapman, Assistant Director of Institutional Research and Assessment, (859-985-3790 or chapmanc@berea.edu) if you have questions or concerns about the survey.

Data transmission is encrypted and firewall securities are in place. After you submit the survey to the secure server, a message thanking you for taking the NCHA-Web will be displayed in your browser window, and you will receive a confirmation email.

If you agree to participate in the ACHA NCHA-Web survey, click on the following Internet address to continue:

[Take the Survey](#)

Or copy and paste the URL below into your internet browser:

https://achasurveying.qualtrics.com/SE?Q_DL=3ltl1SdwExgxHVj_cM8Qf8xBp3vXiDP_MLRP_8jkjk7G6o85gmlD&Q_CHL=email

Thank you for your cooperation!

President Roelofs and the American College Health Association

If you do not want to receive reminder messages about completing the survey, please click here to remove yourself from the survey mailing list:

[Click here to unsubscribe](#)

From: Lyle Roelofs <ncha-web@acha.org>
Sent: Sunday, March 20, 2016 10:01 AM
To:
Subject: REMINDER: Your Response Needed to Assess Student Health Behaviors

Dear Berea Student,

Please take a few minutes to complete the student health behavior survey linked here:

[Take the Survey](#)

The original e-mail describing the study is below.

All Berea students are being asked to participate in the National College Health Assessment (NCHA) sponsored and distributed by the American College Health Association (ACHA). The ACHA-NCHA is a survey designed to assess student health behaviors in order to provide better services and support for Berea College students. You may benefit by knowing that you have assisted in providing accurate information regarding health/wellness behaviors on our campus. The information will be used to develop wellness programs and services for Berea College.

The NCHA-Web is completed online via the Internet. We encourage you to complete the survey in one sitting, which typically takes about 20-30 minutes.

There may be some personal discomfort with the content of certain questions. For example, there are questions regarding illegal substance use, interpersonal violence, and sexual behavior. If you'd like to talk with someone about issues addressed in the survey, you may contact Sue Reimondo, Director of Counseling Services, at 859-985-3212.

Your participation is completely voluntary and confidential. To ensure confidentiality, e-mail addresses are destroyed by ACHA before data are compiled and shared with Berea College. The raw data file that is shared with your school will not contain any unique identifiers. If you feel that answering specific demographic questions might reveal your identity, you may leave them blank. You may answer only some questions, or you may choose not to participate in the survey at all. Any reports or publications based on this research will use only group data and will not identify you or any individual as being affiliated with this project.

By taking this survey, you consent to participate in the study and agree that the purpose of this study has been satisfactorily explained to you. You understand you are free to discontinue participation at any time if you so choose and that the researcher will gladly answer any questions that may arise during the course of the research. Refusing or withdrawing from this study will be at no penalty or loss of benefits to you.

You may contact Clara Chapman, Assistant Director of Institutional Research and Assessment, (859-985-3790 or chapmanc@berea.edu) if you have questions or concerns about the survey.

Data transmission is encrypted and firewall securities are in place. After you submit the survey to the secure server, a message thanking you for taking the NCHA-Web will be displayed in your browser window, and you will receive a confirmation email.

If you agree to participate in the ACHA NCHA-Web survey, click on the following Internet address to continue:

[Take the Survey](#)

Or copy and paste the URL below into your internet browser:

https://achasurveying.qualtrics.com/SE?Q_DL=3ltl1SdwExgxHVj_cM8Qf8xBp3vXiDP_MLRP_8jkjk7G6o85gmlD&Q_CHL=email

Thank you for your cooperation!

President Roelofs and the American College Health Association

If you do not want to receive reminder messages about completing the survey, please click here to remove yourself from the survey mailing list:

[Click here to unsubscribe](#)

From: Judith Weckman
Sent: Monday, March 21, 2016 3:40 PM
Subject: need your help regarding a student health survey

Dear Labor Supervisor,

All students received an e-mail invitation from President Roelofs to complete a national health survey (the latest reminder e-mail was yesterday, Sunday, March 20). We administer this every few years so that we can monitor trends and have comparative data from other colleges. The survey covers many health issues including safety behaviors, infectious disease, assault/abuse, exercise, emotional problems, etc.

The results are used for a wide variety of purposes (e.g., wellness programming, first-year initiatives, medical and psychological services resources, etc.). Also, the data will be very important in efforts related to the QEP (Quality Enhancement Plan) which is all about promoting health and well-being.

It is important for Berea to get a high response rate. Currently, only about 12% of our students have responded.

Please consider giving your labor students time to complete the survey during work time. If this is not possible, encourage them to complete it on their own time. In the past when we have asked Labor Supervisors to help us with survey responses, it has been highly successful (up to 90% response rates!).

Thank you for your help. It is greatly appreciated.

Judith Weckman, Director
Office of Institutional Research and Assessment

From: Lyle Roelofs <ncha-web@acha.org>
Sent: Monday, March 28, 2016 9:01 AM
To:
Subject: REMINDER: Your Response is Needed to Assess Student Health Behaviors

Dear Berea Student,

Please take a few minutes to complete the student health behavior survey linked here:

[Take the Survey](#)

Ten lucky respondents who complete the survey will receive a cash prize of \$50.

The original e-mail describing the study is below.

All Berea students are being asked to participate in the National College Health Assessment (NCHA) sponsored and distributed by the American College Health Association (ACHA). The ACHA-NCHA is a survey designed to assess student health behaviors in order to provide better services and support for Berea College students. You may benefit by knowing that you have assisted in providing accurate information regarding health/wellness behaviors on our campus. The information will be used to develop wellness programs and services for Berea College.

The NCHA-Web is completed online via the Internet. We encourage you to complete the survey in one sitting, which typically takes about 20-30 minutes.

There may be some personal discomfort with the content of certain questions. For example, there are questions regarding illegal substance use, interpersonal violence, and sexual behavior. If you'd like to talk with someone about issues addressed in the survey, you may contact Sue Reimondo, Director of Counseling Services, at 859-985-3212.

Your participation is completely voluntary and confidential. To ensure confidentiality, e-mail addresses are destroyed by ACHA before data are compiled and shared with Berea College. The raw data file that is shared with your school will not contain any unique identifiers. If you feel that answering specific demographic questions might reveal your identity, you may leave them blank. You may answer only some questions, or you may choose not to participate in the survey at all. Any reports or publications based on this research will use only group data and will not identify you or any individual as being affiliated with this project.

By taking this survey, you consent to participate in the study and agree that the purpose of this study has been satisfactorily explained to you. You understand you are free to discontinue participation at any time if you so choose and that the researcher will gladly answer any questions that may arise during the course of the research. Refusing or withdrawing from this study will be at no penalty or loss of benefits to you.

You may contact Clara Chapman, Assistant Director of Institutional Research and Assessment, (859-985-3790 or chapmanc@berea.edu) if you have questions or concerns about the survey.

Data transmission is encrypted and firewall securities are in place. After you submit the survey to the secure

server, a message thanking you for taking the NCHA-Web will be displayed in your browser window, and you will receive a confirmation email.

If you agree to participate in the ACHA NCHA-Web survey, click on the following Internet address to continue:

[Take the Survey](#)

Or copy and paste the URL below into your internet browser:

https://achasurveying.co1.qualtrics.com/SE?Q_DL=3lt11SdwExgxHVj_cM8Qf8xBp3vXiDP_MLRP_8jkjk7G6o85gmlD&Q_CHL=email

Thank you for your cooperation!
President Roelofs and the American College Health Association

If you do not want to receive reminder messages about completing the survey, please click here to remove yourself from the survey mailing list:

[Click here to unsubscribe](#)

From: Judith Weckman
Sent: Tuesday, March 29, 2016 4:27 PM
Cc: Lyle D. Roelofs
Subject: Response rate for student health survey

Dear Labor Supervisor,

Thank you for encouraging your labor students to complete the national health survey! Your help has resulted in about 500 respondents. However, we do need a higher response rate so please ask your students to respond *if they have not already*. Only students who have NOT completed the survey will be sent reminders.

Over a week ago, all students received an e-mail invitation from President Roelofs to complete the survey (**the latest reminder e-mail with the survey link was sent yesterday--Monday, March 28**). Ten students will be randomly selected to win \$50 each.

We administer this survey every few years so that we can monitor trends and have comparative data from other colleges. The survey covers many health issues including safety behaviors, infectious disease, assault/abuse, exercise, emotional problems, etc. Also, the results will be very useful to our current QEP work regarding wellness.

Again, thank you for your help. It is greatly appreciated.

Judith Weckman, Director
Office of Institutional Research and Assessment

From: Lyle Roelofs <ncha-web@acha.org>
Sent: Friday, April 01, 2016 10:01 AM
To:
Subject: FINAL REMINDER: Your Response Needed to Assess Student Health Behaviors

Dear Berea Student,

Please take a few minutes to complete the student health behavior survey linked here:

[Take the Survey](#)

Ten lucky respondents who complete the survey will receive a cash prize of \$50.

The original e-mail describing the study is below. We need your completed survey by April 4 at midnight.

All Berea students are being asked to participate in the National College Health Assessment (NCHA) sponsored and distributed by the American College Health Association (ACHA). The ACHA-NCHA is a survey designed to assess student health behaviors in order to provide better services and support for Berea College students. You may benefit by knowing that you have assisted in providing accurate information regarding health/wellness behaviors on our campus. The information will be used to develop wellness programs and services for Berea College.

The NCHA-Web is completed online via the Internet. We encourage you to complete the survey in one sitting, which typically takes about 20-30 minutes.

There may be some personal discomfort with the content of certain questions. For example, there are questions regarding illegal substance use, interpersonal violence, and sexual behavior. If you'd like to talk with someone about issues addressed in the survey, you may contact Sue Reimondo, Director of Counseling Services, at 859-985-3212.

Your participation is completely voluntary and confidential. To ensure confidentiality, e-mail addresses are destroyed by ACHA before data are compiled and shared with Berea College. The raw data file that is shared with your school will not contain any unique identifiers. If you feel that answering specific demographic questions might reveal your identity, you may leave them blank. You may answer only some questions, or you may choose not to participate in the survey at all. Any reports or publications based on this research will use only group data and will not identify you or any individual as being affiliated with this project.

By taking this survey, you consent to participate in the study and agree that the purpose of this study has been satisfactorily explained to you. You understand you are free to discontinue participation at any time if you so choose and that the researcher will gladly answer any questions that may arise during the course of the research. Refusing or withdrawing from this study will be at no penalty or loss of benefits to you.

You may contact Clara Chapman, Assistant Director of Institutional Research and Assessment, (859-985-3790 or chapmanc@berea.edu) if you have questions or concerns about the survey.

Data transmission is encrypted and firewall securities are in place. After you submit the survey to the secure server, a message thanking you for taking the NCHA-Web will be displayed in your browser window, and you will receive a confirmation email.

If you agree to participate in the ACHA NCHA-Web survey, click on the following Internet address to continue:

[Take the Survey](#)

Or copy and paste the URL below into your internet browser:

https://achasurveying.co1.qualtrics.com/SE?Q_DL=3lt11SdwExgxHVj_cM8Qf8xBp3vXiDP_MLRP_8jkjk7G6o85gmlD&Q_CHL=email

Thank you for your cooperation!

President Roelofs and the American College Health Association

If you do not want to receive reminder messages about completing the survey, please click here to remove yourself from the survey mailing list:


[Click here to unsubscribe](#)

**Complete the
Health Behaviors
Survey**

**Look for the survey link in an
e-mail from President Roelofs
on Monday, March 14th**



If you
complete the
Health Behaviors Survey,
you will have a chance
to win one of ten
\$50 cash prizes.



**Look for the survey link in an
e-mail from President Roelofs
on Sunday, March 20th**

Final reminder
to complete the
Health Behaviors Survey.

You will have
a chance to win
one of ten
\$50 cash prizes.



**Survey must be completed by midnight, Monday, April 4th.
Check your e-mail (from President Roelofs) to find the link.**

Sent via e-mail

April 8, 2016

Dear FirstName,

Thank you for your participation in the National College Health Assessment survey.

You are one of the 10 students who won \$50 for your participation. If you are set up for direct deposit, that is how you will receive your prize money. If not, you will receive a check.

Overall, about 40% of all students responded to the survey. The results of the survey will be used to help the College understand and address the health and wellness needs of students.

Sincerely,

Clara Chapman, Assistant Director
Office of Institutional Research and Assessment

NOTES ABOUT THIS NCHA REPORT AND HOW THE REPORT IS ORGANIZED

A note about the use of sex and gender in this report (as determined by ACHA-NCHA):

Beginning with the administration in Spring 2016, survey responses are reported by sex based on the responses to questions 47a, 47b, and 47c (see below for text and Berea’s responses). **For the purpose of the ACHA-NCHA report documents, respondents are reported as male or female only when their responses to these three questions are consistent with one another. If students’ gender identity is consistent with their sex at birth AND the student selects “no” for transgender, then respondents are designated as either *male* or *female*. These are the categories used in the trend report when responses are reported by males versus females.** If a respondent selects “yes” for transgender OR their sex at birth is not consistent with their gender identity, then they are designated as *non-binary*. A respondent that skips any of the three questions is designated as *unknown*. Only 3 of the 4 categories are displayed in the report. Students categorized as *non-binary* are included in the *Total* column, but are not presented in a separate column. When the total of any given row is higher than the sum of the *male*, *female*, and *unknown* students, the difference can be attributed to *non-binary* students that selected the response option presented in that row. (To see how the unknown and total column responded to a certain item, please see the report from NCHA that is bookmarked in **red bold** in this pdf.)

If you want to see how other groups (e.g., transgender, non-binary) responded to a specific item, please contact Clara Chapman in the office of Institutional Research and Assessment via e-mail (chapmanc@berea.edu or at ext. 3790.)

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------------------------|-------------------------------------|----------|----------------------|----------|------------------------|----------|-----------------------------------------|----------------------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| What is your gender? (In 2006, "your sex") | | | | | | | | |
| Female | 70.6% | 63.4% | 66.3% | 67.9% | 64.5% | 62.5% | <i>asked differently; see below</i> | |
| Male | 29.4% | 36.6% | 31.0% | 29.8% | 34.7% | 35.1% | | |
| Transgender | <i>not an option</i> | | 0.4% | 0.2% | 0.0% | 0.2% | | |
| 47a. What sex were you assigned at birth, such as on an original birth certificate? | | | | | | | | |
| Female | <i>asked differently; see above</i> | | | | | | 64.8% | <i>not available</i> |
| Male | | | | | | | 35.2% | |
| 47b. Do you identify as transgender? | | | | | | | | |
| No | <i>not asked</i> | | | | | | 97.6% | <i>not available</i> |
| Yes | | | | | | | 2.4% | |
| 47c. Which term do you use to describe your gender identity? | | | | | | | | |
| Woman | <i>not asked</i> | | | | | | 61.9% | <i>National data unavailable</i> |
| Man | | | | | | | 34.1% | |
| Trans woman | | | | | | | 0.2% | |
| Trans man | | | | | | | 0.3% | |
| Genderqueer | | | | | | | 0.9% | |
| Another identity | | | | | | | 2.6% | |

Berea College

Executive Summary

Spring 2016

American College Health Association
National College Health Assessment II



ACHA-NCHA II

The ACHA-NCHA II supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.

Table of Contents

| | |
|--------------------------------------------------------|----|
| I. Introduction | 2 |
| II. Findings | |
| A. General Health of College Students | 3 |
| B. Disease and Injury Prevention | 4 |
| C. Academic Impacts | 5 |
| D. Violence, Abusive Relationships and Personal Safety | 5 |
| E. Tobacco, Alcohol, and Marijuana Use | 6 |
| F. Sexual Behavior | 10 |
| G. Nutrition and Exercise | 12 |
| H. Mental Health | 13 |
| I. Sleep | 16 |
| III. Demographics and Student Characteristics | 17 |

ACHA, the nation's principal advocate and leadership organization for college and university health, represents a diverse membership that provides and supports the delivery of health care and prevention and wellness services for the nation's 20 million college students. For more information about the association's programs and services, visit www.acha.org, and www.achancho.org.

Suggested citation for this document:

American College Health Association. American College Health Association-National College Health Assessment II: Berea College Executive Summary Spring 2016. Hanover, MD: American College Health Association; 2016.

Introduction

The ACHA-National College Health Assessment II (ACHA-NCHA II) is a national research survey organized by the American College Health Association (ACHA) to assist college health service providers, health educators, counselors, and administrators in collecting data about their students' habits, behaviors, and perceptions on the most prevalent health topics.

ACHA initiated the original ACHA-NCHA in 2000 and the instrument was used nation wide through the spring 2008 data collection period. The ACHA-NCHA now provides the largest known comprehensive data set on the health of college students, providing the college health and higher education fields with a vast spectrum of information on student health. A revised survey, the ACHA-NCHA-II, has been in use since the fall 2008 data collection period.

Please note the ACHA-NCHA II is not appropriate for trend comparison with items from the original ACHA-NCHA survey. Directly comparing pre- and post-redesign estimates on similar data points, without taking into account the impact of the survey's redesign, can lead to an erroneous conclusion.

Notes about this report:

1. Missing values have been excluded from analysis and only valid percents are included in this document.
2. Students responding "not applicable" were excluded from several analyses, which are specifically noted throughout this document. This will often explain differences observed between this document and the full data report.
3. ***A note about the use of sex and gender in this report:*** Survey responses are reported by sex based on the responses to questions 47a, 47b, and 47c. For the purpose of the ACHA-NCHA report documents, respondents are reported as male or female only when their responses to these three questions are consistent with one another. If students' gender identity is consistent with their sex at birth AND the student selects "no" for transgender, then respondents are designated as either male or female. If respondents select "yes" for transgender OR their sex at birth is not consistent with their gender identity, then they are designated as non-binary. A respondent that skips any of the three questions is designated as unknown. Totals displayed in this report include non-binary and unknown students.

For additional information about the survey's development, design, and methodology, email Mary T Hoban, PhD, MCHES, (mhoban@acha.org), E. Victor Leino, PhD (vleino@acha.org), or visit www.acha-ncha.org.

This Executive Summary highlights results of the ACHA-NCHA II Spring 2016 survey for Berea College consisting of 588 respondents.

The overall response proportion was 40.4%.

Findings

A. General Health of College Students

■ 32.9 % of college students surveyed (44.3 % male and 27.4 % female) described their health as *very good or excellent*.

■ 71.0 % of college students surveyed (75.3 % male and 69.1 % female) described their health as *good, very good or excellent*.

Proportion of college students who reported being diagnosed or treated by a professional for any of the following health problems within the last 12 months:

| | | | |
|------------------------------|--------|------------------------------|--------|
| Allergies: | 20.8 % | Hepatitis B or C: | 0.5 % |
| Asthma: | 8.1 % | High blood pressure: | 4.1 % |
| Back pain: | 13.8 % | High cholesterol: | 1.9 % |
| Broken bone/Fracture/Sprain: | 8.0 % | HIV infection: | 0.3 % |
| Bronchitis: | 7.8 % | Irritable Bowel Syndrome: | 2.9 % |
| Chlamydia: | 1.7 % | Migraine headache: | 10.2 % |
| Diabetes: | 0.9 % | Mononucleosis: | 2.1 % |
| Ear infection: | 7.6 % | Pelvic Inflammatory Disease: | 0.3 % |
| Endometriosis: | 1.2 % | Repetitive stress injury: | 1.4 % |
| Genital herpes: | 0.5 % | Sinus infection: | 20.5 % |
| Genital warts/HPV: | 0.2 % | Strep throat: | 12.6 % |
| Gonorrhea: | 0.5 % | Tuberculosis: | 0.3 % |
| | | Urinary tract infection: | 9.5 % |

■ 51.4 % of college students (38.1 % male, 58.4 % female) reported being diagnosed or treated by a professional with one or more of the above conditions within the last 12 months.

Proportion of college students who reported any of the following:

| | |
|-----------------------------------------------------------------|-------|
| Attention Deficit and Hyperactivity Disorder (ADHD) | 6.3 % |
| Chronic illness (e.g., cancer, diabetes, auto-immune disorders) | 5.7 % |
| Deafness/Hearing loss | 4.5 % |
| Learning disability | 6.5 % |
| Mobility/Dexterity disability | 0.2 % |
| Partial sightedness/Blindness | 3.6 % |
| Psychiatric condition | 7.1 % |
| Speech or language disorder | 1.0 % |
| Other disability | 5.3 % |

B. Disease and Injury Prevention

College students reported receiving the following vaccinations (shots):

- 56.1 % reported receiving vaccination against hepatitis B.
- 43.8 % reported receiving vaccination against Human Papillomavirus/HPV (cervical cancer vaccine).
- 43.3 % reported receiving vaccination against influenza (flu) in the last 12 months (shot or nasal mist).
- 63.7 % reported receiving vaccination against measles, mumps, rubella.
- 53.1 % reported receiving vaccination against meningococcal meningitis.
- 56.7 % reported receiving vaccination against varicella (chicken pox).

Other disease prevention practices reported by college students:

- 52.9 % reported having a dental exam and cleaning in the last 12 months.
- 28.4 % of males reported performing a testicular self exam in the last 30 days.
- 37.8 % of females reported performing a breast self exam in the last 30 days.
- 26.6 % of females reported having a routine gynecological exam in the last 12 months.
- 31.2 % reported using sunscreen regularly with sun exposure.
- 21.7 % reported ever being tested for Human Immunodeficiency Virus (HIV) infection.

College students reported the following behaviors within the last 12 months:

| <i>Percent (%)</i> | N/A, did not do this activity within the last 12 months | | Never* | Rarely or sometimes* | Mostly or always* |
|--------------------------------------------|---------------------------------------------------------|--|--------|----------------------|-------------------|
| Wear a seatbelt when you rode in a car | 0.3 | | 0.5 | 3.1 | 96.4 |
| Wear a helmet when you rode a bicycle | 57.0 | | 57.8 | 20.3 | 21.9 |
| Wear a helmet when you rode a motorcycle | 85.6 | | 14.3 | 3.6 | 82.1 |
| Wear a helmet when you were inline skating | 85.1 | | 62.1 | 9.2 | 28.7 |

* Students responding "N/A, did not do this activity within the last 12 months" were excluded.

C. Academic Impacts

Within the last 12 months, students reported the following factors affecting their individual academic performance, defined as: received a lower grade on an exam, or an important project; received a lower grade in the course; received an incomplete or dropped the course; or experienced a significant disruption in thesis, dissertation, research, or practicum work; (listed alphabetically):

| | | | |
|-------------------------------------------------|--------|--------------------------------------------------------|--------|
| Alcohol use: | 2.4 % | Gambling: | 0.5 % |
| Allergies: | 3.1 % | Homesickness: | 7.1 % |
| Anxiety: | 32.3 % | Injury: | 4.0 % |
| Assault (physical): | 1.6 % | Internet use/computer games: | 11.5 % |
| Assault (sexual): | 3.1 % | Learning disability: | 4.8 % |
| Attention Deficit/Hyperactivity Disorder: | 5.5 % | Participation in extracurricular activities: | 8.7 % |
| Cold/Flu/Sore throat: | 14.7 % | Pregnancy (yours or partner's): | 1.2 % |
| Concern for a troubled friend or family member: | 15.1 % | Relationship difficulties: | 12.3 % |
| Chronic health problem or serious illness: | 4.8 % | Roommate difficulties: | 8.1 % |
| Chronic pain: | 5.6 % | Sexually transmitted disease/infection (STD/I): | 0.5 % |
| Death of a friend or family member: | 7.4 % | Sinus infection/Ear infection/Bronchitis/Strep throat: | 6.9 % |
| Depression: | 24.7 % | Sleep difficulties: | 29.5 % |
| Discrimination: | 1.7 % | Stress: | 43.3 % |
| Drug use: | 2.1 % | Work: | 16.1 % |
| Eating disorder/problem: | 1.9 % | Other: | 4.6 % |
| Finances: | 8.3 % | | |

D. Violence, Abusive Relationships and Personal Safety

Within the last 12 months, college students reported experiencing:

| | Percent (%) | Male | Female | Total |
|--------------------------------------------------|-------------|------|--------|-------|
| A physical fight | | 5.7 | 3.1 | 3.9 |
| A physical assault (not sexual assault) | | 4.6 | 4.8 | 4.6 |
| A verbal threat | | 20.1 | 20.5 | 20.7 |
| Sexual touching without their consent | | 5.7 | 14.6 | 13.1 |
| Sexual penetration attempt without their consent | | 1.0 | 8.0 | 6.1 |
| Sexual penetration without their consent | | 1.0 | 5.4 | 4.1 |
| Stalking | | 3.1 | 10.6 | 8.5 |
| An emotionally abusive intimate relationship | | 8.2 | 14.3 | 12.6 |
| A physically abusive intimate relationship | | 2.6 | 4.0 | 3.6 |
| A sexually abusive intimate relationship | | 0.5 | 4.0 | 3.2 |

Findings continued

College students reported feeling *very safe* :

| | Percent (%) | Male | Female | Total |
|-------------------------------------------------------|--------------------|-------------|---------------|--------------|
| On their campus (daytime) | | 86.1 | 76.1 | 79.8 |
| On their campus (nighttime) | | 58.5 | 17.5 | 33.0 |
| In the community surrounding their school (daytime) | | 57.7 | 40.2 | 46.9 |
| In the community surrounding their school (nighttime) | | 37.1 | 8.5 | 19.0 |

E. Tobacco, Alcohol and Marijuana Use

Reported use versus perceived use - reported use for all students within the past 30 days compared with how often students perceived the typical student on campus used substances within the same time period. The last line of each table combines all categories of any use in the last 30 days.

Cigarette

| | Percent (%) | Actual Use | | |
|-----------------------------------------------|--------------------|-------------------|---------------|--------------|
| | | Male | Female | Total |
| Never used | | 74.6 | 77.8 | 76.1 |
| Used, but not in the last 30 days | | 9.3 | 11.0 | 10.5 |
| Used 1-9 days | | 9.8 | 5.5 | 6.9 |
| Used 10-29 days | | 3.1 | 2.0 | 2.4 |
| Used all 30 days | | 3.1 | 3.7 | 4.1 |
| <i>Any use within the last 30 days</i> | | 16.1 | 11.2 | 13.4 |

| Perceived Use | | |
|----------------------|---------------|--------------|
| Male | Female | Total |
| 11.9 | 12.9 | 12.3 |
| 7.3 | 4.3 | 5.3 |
| 30.1 | 33.1 | 31.7 |
| 23.3 | 21.4 | 22.1 |
| 27.5 | 28.3 | 28.5 |
| 80.8 | 82.9 | 82.3 |

E-Cigarette

| | Percent (%) | Actual Use | | |
|-----------------------------------------------|--------------------|-------------------|---------------|--------------|
| | | Male | Female | Total |
| Never used | | 81.7 | 87.2 | 85.4 |
| Used, but not in the last 30 days | | 10.5 | 9.0 | 9.4 |
| Used 1-9 days | | 4.7 | 2.0 | 3.1 |
| Used 10-29 days | | 1.0 | 0.9 | 0.9 |
| Used all 30 days | | 2.1 | 0.9 | 1.2 |
| <i>Any use within the last 30 days</i> | | 7.9 | 3.8 | 5.2 |

| Perceived Use | | |
|----------------------|---------------|--------------|
| Male | Female | Total |
| 15.0 | 16.9 | 16.3 |
| 6.7 | 6.9 | 6.7 |
| 39.9 | 38.0 | 38.4 |
| 16.1 | 17.7 | 17.5 |
| 22.3 | 20.6 | 21.1 |
| 78.2 | 76.3 | 77.0 |

Tobacco from a water pipe (hookah)

| | Percent (%) | Actual Use | | |
|-----------------------------------------------|--------------------|-------------------|---------------|--------------|
| | | Male | Female | Total |
| Never used | | 84.5 | 80.6 | 81.9 |
| Used, but not in the last 30 days | | 12.4 | 15.0 | 14.0 |
| Used 1-9 days | | 2.6 | 3.2 | 3.3 |
| Used 10-29 days | | 0.5 | 1.2 | 0.9 |
| Used all 30 days | | 0.0 | 0.0 | 0.0 |
| <i>Any use within the last 30 days</i> | | 3.1 | 4.3 | 4.1 |

| Perceived Use | | |
|----------------------|---------------|--------------|
| Male | Female | Total |
| 21.4 | 18.9 | 20.5 |
| 15.1 | 11.5 | 12.6 |
| 46.4 | 50.1 | 48.5 |
| 10.4 | 13.2 | 11.9 |
| 6.8 | 6.3 | 6.5 |
| 63.5 | 69.6 | 67.0 |

Alcohol

| | Percent (%) | Actual Use | | | Perceived Use | | |
|----------------------------------------|-------------|-------------|-------------|-------------|---------------|-------------|-------------|
| | | Male | Female | Total | Male | Female | Total |
| Never used | | 33.7 | 36.6 | 35.5 | 7.3 | 6.6 | 7.2 |
| Used, but not in the last 30 days | | 20.7 | 18.2 | 18.1 | 3.1 | 4.0 | 3.4 |
| Used 1-9 days | | 35.2 | 36.0 | 36.7 | 47.2 | 41.3 | 43.4 |
| Used 10-29 days | | 8.8 | 9.2 | 9.0 | 29.0 | 35.8 | 33.2 |
| Used all 30 days | | 1.6 | 0.0 | 0.9 | 13.5 | 12.3 | 12.7 |
| Any use within the last 30 days | | 45.6 | 45.2 | 46.5 | 89.6 | 89.4 | 89.3 |

Marijuana

| | Percent (%) | Actual Use | | | Perceived Use | | |
|----------------------------------------|-------------|-------------|-------------|-------------|---------------|-------------|-------------|
| | | Male | Female | Total | Male | Female | Total |
| Never used | | 64.6 | 66.3 | 65.0 | 11.9 | 10.3 | 11.0 |
| Used, but not in the last 30 days | | 14.1 | 16.4 | 16.0 | 3.1 | 4.0 | 4.0 |
| Used 1-9 days | | 10.9 | 11.2 | 11.2 | 42.5 | 37.9 | 39.3 |
| Used 10-29 days | | 4.7 | 5.5 | 5.0 | 23.8 | 29.9 | 27.4 |
| Used all 30 days | | 5.7 | 0.6 | 2.8 | 18.7 | 17.8 | 18.3 |
| Any use within the last 30 days | | 21.4 | 17.3 | 19.0 | 85.0 | 85.6 | 85.0 |

Drinking and Driving

■ 2.1 % of college students reported driving after having **5 or more drinks** in the last 30 days.*

■ 12.3 % of college students reported driving after having **any alcohol** in the last 30 days.*

*Students responding "N/A, don't drive" and "N/A don't drink" were excluded from this analysis.

Estimated Blood Alcohol Concentration (or eBAC) of college students reporting 1 or more drinks the last time they "partied" or socialized. **Students reporting 0 drinks were excluded from the analysis.**

Due to the improbability of a student surviving a drinking episode resulting in an extremely high eBAC, all students with an eBAC of 0.50 or higher are also omitted from these eBAC figures. eBAC is an estimated figure based on the reported number of drinks consumed during the last time they "partied" or socialized, their approximate time of consumption, sex, weight, and the average rate of ethanol metabolism.

| Estimated BAC | Percent (%) | Male | Female | Total |
|---------------|-------------|------|--------|-------|
| < .08 | | 71.6 | 76.8 | 74.8 |
| < .10 | | 82.4 | 84.5 | 83.7 |
| Mean | | 0.06 | 0.06 | 0.06 |
| Median | | 0.04 | 0.03 | 0.04 |
| Std Dev | | 0.08 | 0.08 | 0.08 |

Findings continued

Reported number of drinks consumed the last time students "partied" or socialized. Only students reporting one or more drinks were included.

| Number of drinks* | Percent (%) | Male | Female | Total |
|--------------------------|--------------------|-------------|---------------|--------------|
| 4 or fewer | | 52.0 | 72.1 | 65.2 |
| 5 | | 8.8 | 7.0 | 7.7 |
| 6 | | 7.8 | 6.4 | 6.4 |
| 7 or more | | 31.4 | 14.5 | 20.7 |
| Mean | | 5.35 | 3.82 | 4.33 |
| Median | | 4.00 | 3.00 | 3.00 |
| Std Dev | | 3.89 | 3.34 | 3.56 |

* Students reporting 0 drinks were excluded.

Reported number of times college students consumed five or more drinks in a sitting within the last two weeks:

| | Percent (%) | Male | Female | Total |
|-----------------|--------------------|-------------|---------------|--------------|
| N/A don't drink | | 40.7 | 44.0 | 42.0 |
| None | | 31.4 | 38.0 | 36.3 |
| 1-2 times | | 18.0 | 12.6 | 14.4 |
| 3-5 times | | 5.7 | 4.9 | 5.3 |
| 6 or more times | | 4.1 | 0.6 | 2.1 |

Percent of college students who reported using prescription drugs that were not prescribed to them within the last 12 months:

| | Percent (%) | Male | Female | Total |
|------------------------------------|--------------------|-------------|---------------|--------------|
| Antidepressants | | 2.1 | 2.0 | 2.1 |
| Erectile dysfunction drugs | | 0.0 | 0.0 | 0.2 |
| Pain killers | | 3.6 | 3.4 | 3.8 |
| Sedatives | | 0.0 | 1.4 | 1.2 |
| Stimulants | | 2.1 | 4.3 | 3.8 |
| | | | | |
| <i>Used 1 or more of the above</i> | | 6.2 | 8.6 | 8.7 |

Findings continued

College students reported doing the following *most of the time* or *always* when they "partied" or socialized during the last 12 months:*

| | Percent (%) | Male | Female | Total |
|--------------------------------------------------------------|--------------------|-------------|---------------|--------------|
| Alternate non-alcoholic with alcoholic beverages | | 31.9 | 44.3 | 40.5 |
| Avoid drinking games | | 36.6 | 41.4 | 41.1 |
| Choose not to drink alcohol | | 27.0 | 33.0 | 30.3 |
| Determine in advance not to exceed a set number of drinks | | 46.0 | 46.7 | 46.4 |
| Eat before and/or during drinking | | 68.1 | 76.7 | 73.9 |
| Have a friend let you know when you have had enough | | 45.6 | 46.4 | 45.2 |
| Keep track of how many drinks being consumed | | 68.4 | 71.5 | 70.1 |
| Pace drinks to one or fewer an hour | | 30.1 | 43.5 | 38.1 |
| Stay with the same group of friends the entire time drinking | | 84.2 | 91.1 | 88.8 |
| Stick with only one kind of alcohol when drinking | | 60.7 | 60.0 | 61.0 |
| Use a designated driver | | 86.4 | 90.7 | 89.5 |
| | | | | |
| Reported one or more of the above | | 95.7 | 95.7 | 96.0 |

*Students responding "N/A, don't drink" were excluded from this analysis.

College students who drank alcohol reported experiencing the following in the last 12 months when drinking alcohol:*

| | Percent (%) | Male | Female | Total |
|--------------------------------------------|--------------------|-------------|---------------|--------------|
| Did something you later regretted | | 27.9 | 28.1 | 29.6 |
| Forgot where you were or what you did | | 17.9 | 20.3 | 19.1 |
| Got in trouble with the police | | 2.7 | 0.5 | 1.2 |
| Someone had sex with me without my consent | | 0.9 | 4.7 | 3.6 |
| Had sex with someone without their consent | | 0.0 | 0.5 | 0.6 |
| Had unprotected sex | | 17.0 | 20.3 | 19.1 |
| Physically injured yourself | | 11.6 | 11.6 | 12.9 |
| Physically injured another person | | 1.8 | 0.5 | 1.2 |
| Seriously considered suicide | | 8.0 | 8.9 | 8.5 |
| | | | | |
| Reported one or more of the above | | 42.9 | 47.7 | 47.0 |

*Students responding "N/A, don't drink" were excluded from this analysis.

F. Sexual Behavior

College students reported having the following number of sexual partners (oral sex, vaginal or anal intercourse) within the last 12 months:

| | Percent (%) | Male | Female | Total |
|-----------|-------------|------|--------|-------|
| None | | 43.5 | 42.7 | 42.4 |
| 1 | | 34.2 | 32.6 | 33.7 |
| 2 | | 4.7 | 10.8 | 8.3 |
| 3 | | 6.2 | 5.2 | 5.9 |
| 4 or more | | 11.4 | 8.7 | 9.7 |

Number of partners among students reporting to have at least one sexual partner within the last 12 months:*

| | Male | Female | Total |
|---------|------|--------|-------|
| Mean | 2.42 | 2.10 | 2.39 |
| Median | 1.00 | 1.00 | 1.00 |
| Std Dev | 2.63 | 1.81 | 3.70 |

*Students reporting 0 sexual partners within the last 12 months were excluded.

College students reported having oral, vaginal or anal sex in the last 30 days:

Oral sex within the past 30 days

| | Percent (%) | Male | Female | Total |
|----------------------------------------------------------------|-------------|------|--------|-------|
| No, have never done this sexual activity | | 36.8 | 39.9 | 38.6 |
| No, have done this sexual activity but not in the last 30 days | | 22.3 | 22.7 | 22.4 |
| Yes | | 40.9 | 37.4 | 39.0 |

Vaginal sex within the past 30 days

| | Percent (%) | Male | Female | Total |
|----------------------------------------------------------------|-------------|------|--------|-------|
| No, have never done this sexual activity | | 46.4 | 42.1 | 43.5 |
| No, have done this sexual activity but not in the last 30 days | | 19.3 | 16.0 | 17.4 |
| Yes | | 34.4 | 41.8 | 39.1 |

Anal sex within the past 30 days

| | Percent (%) | Male | Female | Total |
|----------------------------------------------------------------|-------------|------|--------|-------|
| No, have never done this sexual activity | | 71.5 | 74.9 | 73.2 |
| No, have done this sexual activity but not in the last 30 days | | 18.1 | 19.9 | 19.9 |
| Yes | | 10.4 | 5.2 | 6.9 |

Findings continued

Using a condom or other protective barrier within the last 30 days (*mostly or always*):

| | Percent (%) | Male | Female | Total |
|-------------------------------------------|-------------|------|--------|-------|
| <i>Sexually active students reported*</i> | | | | |
| Oral sex | | 2.5 | 5.5 | 4.9 |
| Vaginal intercourse | | 58.6 | 49.7 | 52.5 |
| Anal intercourse | | 30.0 | 28.2 | 30.7 |

*Students responding "Never did this sexual activity" or "Have not done this during the last thirty days" were excluded from the analysis.

Contraceptive use reported by students or their partner the last time they had vaginal intercourse:

| | Percent (%) | Male | Female | Total |
|-----------------------------------------------|-------------|-------------|-------------|-------------|
| Yes, used a method of contraception | | 39.2 | 46.1 | 43.5 |
| Not applicable/Didn't use a method/Don't know | | 60.8 | 53.9 | 56.5 |

If YES to contraceptive use the last time student had vaginal intercourse, reported means of birth control used among college students or their partner to prevent pregnancy:

| | Percent (%) | Male | Female | Total |
|----------------------------------------------------------------|-------------|-------------|-------------|-------------|
| Birth control pills (monthly or extended cycle) | | 56.6 | 48.4 | 51.2 |
| Birth control shots | | 9.2 | 8.8 | 10.0 |
| Birth control implants | | 3.9 | 5.7 | 5.2 |
| Birth control patch | | 1.3 | 0.6 | 1.6 |
| Vaginal ring | | 1.3 | 3.1 | 3.2 |
| Intrauterine device | | 2.6 | 7.5 | 6.0 |
| Male condom | | 75.0 | 66.9 | 70.0 |
| Female condom | | 0.0 | 0.6 | 0.8 |
| Diaphragm or cervical cap | | 0.0 | 0.0 | 0.4 |
| Contraceptive sponge | | 0.0 | 0.0 | 0.4 |
| Spermicide (foam, jelly, cream) | | 9.2 | 7.5 | 9.1 |
| Fertility awareness (calendar, mucous, basal body temperature) | | 3.9 | 15.7 | 12.0 |
| Withdrawal | | 34.2 | 45.6 | 42.0 |
| Sterilization (hysterectomy, tubes tied, vasectomy) | | 0.0 | 0.6 | 0.8 |
| Other method | | 4.0 | 1.3 | 3.2 |
| | | | | |
| Male condom use plus another method | | 60.5 | 51.9 | 55.7 |
| Any two or more methods (excluding male condoms) | | 34.2 | 44.4 | 41.9 |

■ 18.5 % of sexually active college students reported using (or reported their partner used) emergency contraception ("morning after pill") within the last 12 months.

(male: 13.3 %; female: 18.9 %).*

*Students responding "Not sexually active" were excluded from the analysis.

■ 2.2 % of college students who had vaginal intercourse within the last 12 months reported experiencing an unintentional pregnancy or got someone pregnant within the last 12 months.

(male: 2.9 %; female: 1.5 %).**

**Students responding "Have not had vaginal intercourse within the last 12 months" were excluded from the analysis.

G. Nutrition and Exercise

College students reported usually eating the following number of servings of fruits and vegetables per day:

| | <i>Percent (%)</i> | Male | Female | Total |
|--------------------|--------------------|-------------|---------------|--------------|
| 0 servings per day | | 9.3 | 6.3 | 7.5 |
| 1-2 per day | | 58.2 | 67.8 | 63.4 |
| 3-4 per day | | 26.8 | 21.7 | 24.3 |
| 5 or more per day | | 5.7 | 4.3 | 4.8 |

College students reported the following behaviors within the past 7 days:

Do moderate-intensity cardio or aerobic exercise for at least 30 minutes:

| | <i>Percent (%)</i> | Male | Female | Total |
|----------|--------------------|-------------|---------------|--------------|
| 0 days | | 19.8 | 20.1 | 20.5 |
| 1-4 days | | 53.6 | 61.2 | 58.7 |
| 5-7 days | | 26.6 | 18.7 | 20.8 |

Do vigorous-intensity cardio or aerobic exercise for at least 20 minutes:

| | <i>Percent (%)</i> | Male | Female | Total |
|----------|--------------------|-------------|---------------|--------------|
| 0 days | | 35.6 | 45.2 | 42.7 |
| 1-2 days | | 30.9 | 29.4 | 29.6 |
| 3-7 days | | 33.5 | 25.4 | 27.7 |

Physical Activity and Public Health: Updated Recommendations for Adults. From the American College of Sports Medicine and the American Heart Association (2007): Moderate-intensity cardio or aerobic exercise for at least 30 minutes on 5 or more days per week, or vigorous-intensity cardio or aerobic exercise for at least 20 minutes on 3 or more days per week.

Students meeting the Recommendations for moderate-intensity exercise, vigorous-intensity exercise, or a combination of the two (2 moderate-intensity exercise periods = 1 vigorous-intensity exercise period).

| | <i>Percent (%)</i> | Male | Female | Total |
|----------------|--------------------|-------------|---------------|--------------|
| Guidelines met | | 55.7 | 44.3 | 47.5 |

Estimated average Body Mass Index (BMI): This figure incorporates reported height, and weight to form a general indicator of physical health. Categories defined by The World Health Organization (WHO) 2000, reprinted 2004. Obesity: Preventing and Managing the Global Epidemic. WHO Tech Report Series: 894.

| BMI | Percent (%) | Male | Female | Total |
|--------------------------|--------------------|-------------|---------------|--------------|
| <18.5 Underweight | | 2.6 | 2.6 | 2.6 |
| 18.5-24.9 Healthy Weight | | 51.8 | 45.8 | 48.5 |
| 25-29.9 Overweight | | 25.4 | 21.4 | 23.2 |
| 30-34.9 Class I Obesity | | 11.4 | 14.8 | 13.3 |
| 35-39.9 Class II Obesity | | 4.7 | 7.2 | 5.9 |
| ≥40 Class III Obesity | | 4.1 | 8.1 | 6.4 |
| Mean | | 26.13 | 27.38 | 27.08 |
| Median | | 24.41 | 25.24 | 24.90 |
| Std Dev | | 6.64 | 7.75 | 10.49 |

H. Mental Health

Students reported experiencing the following within the last 12 months:

Felt things were hopeless

| | Percent (%) | Male | Female | Total |
|-------------------------------------------|--------------------|-------------|---------------|--------------|
| No, never | | 33.0 | 18.9 | 23.8 |
| No, not last 12 months | | 16.0 | 15.2 | 14.9 |
| Yes, last 2 weeks | | 25.8 | 32.7 | 30.3 |
| Yes, last 30 days | | 8.2 | 15.8 | 13.7 |
| Yes, in last 12 months | | 17.0 | 17.5 | 17.4 |
| <i>Any time within the last 12 months</i> | | 51.0 | 65.9 | 61.4 |

Felt overwhelmed by all you had to do

| | Percent (%) | Male | Female | Total |
|-------------------------------------------|--------------------|-------------|---------------|--------------|
| No, never | | 19.2 | 5.4 | 10.6 |
| No, not last 12 months | | 4.7 | 2.3 | 2.9 |
| Yes, last 2 weeks | | 45.1 | 65.9 | 58.2 |
| Yes, last 30 days | | 14.5 | 16.3 | 15.6 |
| Yes, in last 12 months | | 16.6 | 10.0 | 12.7 |
| <i>Any time within the last 12 months</i> | | 76.2 | 92.3 | 86.5 |

Felt exhausted (not from physical activity)

| | Percent (%) | Male | Female | Total |
|-------------------------------------------|--------------------|-------------|---------------|--------------|
| No, never | | 21.2 | 6.6 | 11.6 |
| No, not last 12 months | | 6.7 | 1.7 | 3.6 |
| Yes, last 2 weeks | | 45.1 | 66.0 | 58.8 |
| Yes, last 30 days | | 13.0 | 17.4 | 15.7 |
| Yes, in last 12 months | | 14.0 | 8.3 | 10.3 |
| <i>Any time within the last 12 months</i> | | 72.0 | 91.7 | 84.8 |

Felt very lonely

| | Percent (%) | Male | Female | Total |
|-------------------------------------------|--------------------|-------------|---------------|--------------|
| No, never | | 31.6 | 10.6 | 17.8 |
| No, not last 12 months | | 14.0 | 16.6 | 15.4 |
| Yes, last 2 weeks | | 28.5 | 38.4 | 34.8 |
| Yes, last 30 days | | 6.2 | 14.9 | 12.3 |
| Yes, in last 12 months | | 19.7 | 19.5 | 19.7 |
| <i>Any time within the last 12 months</i> | | 54.4 | 72.8 | 66.8 |

Felt very sad

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 27.8 | 10.7 | 17.3 |
| No, not last 12 months | 12.9 | 11.5 | 11.7 |
| Yes, last 2 weeks | 28.4 | 43.5 | 38.4 |
| Yes, last 30 days | 12.4 | 17.9 | 15.4 |
| Yes, in last 12 months | 18.6 | 16.4 | 17.2 |
| <i>Any time within the last 12 months</i> | 59.3 | 77.8 | 71.0 |

Felt overwhelming anxiety

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 36.3 | 19.3 | 25.9 |
| No, not last 12 months | 14.0 | 8.4 | 9.8 |
| Yes, last 2 weeks | 19.2 | 35.4 | 30.4 |
| Yes, last 30 days | 13.0 | 17.9 | 15.8 |
| Yes, in last 12 months | 17.6 | 19.0 | 18.0 |
| <i>Any time within the last 12 months</i> | 49.7 | 72.3 | 64.3 |

Seriously considered suicide

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 72.9 | 62.0 | 64.9 |
| No, not last 12 months | 12.0 | 19.7 | 17.4 |
| Yes, last 2 weeks | 4.7 | 4.1 | 4.3 |
| Yes, last 30 days | 2.6 | 3.8 | 3.5 |
| Yes, in last 12 months | 7.8 | 10.4 | 9.8 |
| <i>Any time within the last 12 months</i> | 15.1 | 18.3 | 17.6 |

Intentionally cut, burned, bruised, or otherwise injured yourself

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 81.3 | 70.7 | 73.6 |
| No, not last 12 months | 10.4 | 18.8 | 15.9 |
| Yes, last 2 weeks | 3.1 | 2.3 | 2.8 |
| Yes, last 30 days | 2.1 | 2.6 | 2.2 |
| Yes, in last 12 months | 3.1 | 5.5 | 5.5 |
| <i>Any time within the last 12 months</i> | 8.3 | 10.4 | 10.5 |

Felt so depressed that it was difficult to function

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 42.1 | 27.5 | 32.8 |
| No, not last 12 months | 14.7 | 21.4 | 18.2 |
| Yes, last 2 weeks | 17.4 | 21.4 | 21.1 |
| Yes, last 30 days | 9.5 | 11.3 | 10.7 |
| Yes, in last 12 months | 16.3 | 18.3 | 17.2 |
| <i>Any time within the last 12 months</i> | 43.2 | 51.0 | 49.0 |

Felt overwhelming anger

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 38.7 | 26.5 | 30.7 |
| No, not last 12 months | 18.3 | 21.9 | 20.2 |
| Yes, last 2 weeks | 13.1 | 21.0 | 18.6 |
| Yes, last 30 days | 11.5 | 13.0 | 12.4 |
| Yes, in last 12 months | 18.3 | 17.6 | 18.1 |
| <i>Any time within the last 12 months</i> | 42.9 | 51.6 | 49.1 |

Attempted suicide

| Percent (%) | Male | Female | Total |
|-------------------------------------------|------|--------|-------|
| No, never | 87.5 | 81.2 | 82.9 |
| No, not last 12 months | 10.4 | 15.4 | 13.6 |
| Yes, last 2 weeks | 1.0 | 0.9 | 0.9 |
| Yes, last 30 days | 0.0 | 0.0 | 0.0 |
| Yes, in last 12 months | 1.0 | 2.6 | 2.6 |
| <i>Any time within the last 12 months</i> | 2.1 | 3.5 | 3.5 |

Findings continued

Within the last 12 months, diagnosed or treated by a professional for the following:

| | Percent (%) | Male | Female | Total |
|------------------------------------------------------------------------------------------------------------|-------------|------|--------|-------|
| Anorexia | | 0.0 | 1.4 | 1.0 |
| Anxiety | | 8.3 | 24.0 | 19.1 |
| Attention Deficit and Hyperactivity Disorder | | 4.7 | 3.4 | 3.9 |
| Bipolar Disorder | | 0.5 | 1.2 | 1.7 |
| Bulimia | | 0.0 | 0.9 | 0.7 |
| Depression | | 8.3 | 19.6 | 16.5 |
| Insomnia | | 1.0 | 3.7 | 3.1 |
| Other sleep disorder | | 1.6 | 1.7 | 1.7 |
| Obsessive Compulsive Disorder | | 2.6 | 2.3 | 3.1 |
| Panic attacks | | 4.6 | 16.4 | 12.9 |
| Phobia | | 0.0 | 1.4 | 1.0 |
| Schizophrenia | | 0.0 | 0.0 | 0.2 |
| Substance abuse or addiction | | 0.0 | 0.3 | 0.7 |
| Other addiction | | 0.5 | 0.6 | 1.2 |
| Other mental health condition | | 1.0 | 6.3 | 4.8 |
| | | | | |
| <i>Students reporting none of the above</i> | | 86.1 | 67.9 | 73.7 |
| <i>Students reporting only one of the above</i> | | 5.7 | 9.5 | 7.9 |
| <i>Students reporting both Depression and Anxiety</i> | | 6.7 | 15.5 | 13.2 |
| <i>Students reporting any two or more of the above excluding the combination of Depression and Anxiety</i> | | 4.6 | 8.6 | 8.0 |

Within the last 12 months, any of the following been traumatic or very difficult to handle:

| | Percent (%) | Male | Female | Total |
|--------------------------------------------------|-------------|------|--------|-------|
| Academics | | 42.3 | 63.3 | 56.2 |
| Career-related issue | | 26.8 | 33.9 | 31.8 |
| Death of family member or friend | | 14.4 | 20.1 | 18.5 |
| Family problems | | 23.7 | 41.3 | 36.4 |
| Intimate relationships | | 30.2 | 37.9 | 35.7 |
| Other social relationships | | 25.8 | 36.2 | 33.2 |
| Finances | | 28.9 | 46.0 | 40.8 |
| Health problem of family member or partner | | 20.1 | 27.9 | 25.9 |
| Personal appearance | | 18.0 | 34.1 | 28.5 |
| Personal health issue | | 17.5 | 30.9 | 27.0 |
| Sleep difficulties | | 33.5 | 40.1 | 38.4 |
| Other | | 13.1 | 17.4 | 16.8 |
| | | | | |
| <i>Students reporting none of the above</i> | | 30.4 | 19.2 | 22.9 |
| <i>Students reporting only one of the above</i> | | 13.4 | 7.7 | 9.6 |
| <i>Students reporting 2 of the above</i> | | 9.8 | 8.6 | 8.7 |
| <i>Students reporting 3 or more of the above</i> | | 46.4 | 64.5 | 58.8 |

Within the last 12 months, how would you rate the overall level of stress experienced:

| | <i>Percent (%)</i> | Male | Female | Total |
|--------------------------|--------------------|-------------|---------------|--------------|
| No stress | | 6.2 | 0.6 | 2.9 |
| Less than average stress | | 10.4 | 2.6 | 5.3 |
| Average stress | | 28.5 | 25.4 | 25.8 |
| More than average stress | | 39.9 | 48.0 | 45.0 |
| Tremendous stress | | 15.0 | 23.4 | 21.0 |

I. Sleep

Past 7 days, getting enough sleep to feel rested in the morning:

| | <i>Percent (%)</i> | Male | Female | Total |
|----------|--------------------|-------------|---------------|--------------|
| 0 days | | 18.0 | 19.2 | 19.9 |
| 1-2 days | | 30.9 | 36.4 | 33.8 |
| 3-5 days | | 40.2 | 38.7 | 38.8 |
| 6+ days | | 10.8 | 5.7 | 7.5 |

Past 7 days, how often felt tired, dragged out, or sleepy during the day:

| | <i>Percent (%)</i> | Male | Female | Total |
|----------|--------------------|-------------|---------------|--------------|
| 0 days | | 15.0 | 6.6 | 9.8 |
| 1-2 days | | 27.5 | 14.9 | 19.0 |
| 3-5 days | | 34.2 | 48.0 | 42.7 |
| 6+ days | | 23.3 | 30.6 | 28.5 |

Past 7 days, how much of a problem with sleepiness during daytime activities:

| | <i>Percent (%)</i> | Male | Female | Total |
|----------------------------|--------------------|-------------|---------------|--------------|
| No problem | | 11.3 | 4.0 | 7.0 |
| A little problem | | 36.6 | 32.7 | 33.9 |
| More than a little problem | | 27.8 | 37.2 | 33.0 |
| A big problem | | 17.0 | 18.3 | 18.2 |
| A very big problem | | 7.2 | 7.7 | 7.9 |

Demographics and Student Characteristics

| | | | |
|----------------------------------------------|--------|-------------------------------------------------------|--------|
| ■ Age: | | ■ Students describe themselves as: | |
| 18 - 20 years: | 60.3 % | White: | 72.8 % |
| 21 - 24 years: | 34.7 % | Black or African American: | 16.0 % |
| 25 - 29 years: | 3.8 % | Hispanic or Latino/a: | 7.8 % |
| 30+ years: | 1.2 % | Asian or Pacific Islander: | 4.4 % |
| ■ Gender* | | American Indian, Alaskan | |
| Female: | 60.6 % | Native or Native Hawaiian: | 2.7 % |
| Male: | 33.5 % | Biracial or Multiracial: | 7.0 % |
| Non-binary | 5.9 % | Other: | 6.0 % |
| ■ Student status: | | ■ International Student: | |
| 1st year undergraduate: | 29.3 % | International: | 7.4 % |
| 2nd year undergraduate: | 28.3 % | ■ Students describe themselves as: | |
| 3rd year undergraduate: | 20.1 % | Asexual: | 4.6 % |
| 4th year undergraduate: | 19.4 % | Bisexual: | 6.7 % |
| 5th year or more undergraduate: | 2.7 % | Gay: | 2.4 % |
| Graduate or professional: | 0.0 % | Lesbian: | 1.4 % |
| Not seeking a degree: | 0.0 % | Pansexual: | 4.1 % |
| Other: | 0.2 % | Queer: | 1.0 % |
| ■ Relationship status: | | Questioning: | 1.5 % |
| Not in a relationship: | 56.5 % | Same Gender Loving | 0.0 % |
| In a relationship but not living together: | 35.3 % | Straight/Heterosexual | 76.5 % |
| In a relationship and living together: | 8.2 % | Another identity: | 1.7 % |
| ■ Marital status: | | ■ Housing: | |
| Single: | 91.4 % | Campus residence hall: | 86.6 % |
| Married/Partnered: | 5.5 % | Fraternity or sorority house: | 0.0 % |
| Separated/Divorced/Other: | 3.1 % | Other university housing: | 2.8 % |
| ■ Primary Source of Health Insurance: | | Parent/guardian home: | 0.2 % |
| College/university sponsored | | Other off-campus housing: | 9.5 % |
| plan: | 16.2 % | Other: | 1.0 % |
| Parents' plan: | 54.4 % | ■ Participated in organized college athletics: | |
| Another plan: | 17.9 % | Varsity: | 13.0 % |
| Don't have health insurance: | 7.5 % | Club sports: | 8.3 % |
| Not sure if have plan: | 3.9 % | Intramurals: | 19.0 % |
| | | ■ Member of a social fraternity or sorority: | |
| | | Greek member: | 3.1 % |

* See note on page 2 regarding gender categories

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

A note about the use of sex and gender in this report:

Survey responses are reported by sex based on the responses to questions 47a, 47b, and 47c. For the purpose of the ACHA-NCHA report documents, respondents are reported as male or female only when their responses to these three questions are consistent with one another. If students' gender identity is consistent with their sex at birth AND the student selects "no" for transgender, then respondents are designated as either *male* or *female*. If a respondent selects "yes" for transgender OR their sex at birth is not consistent with their gender identity, then they are designated as *non-binary*. A respondent that skips any of the three questions is designated as *unknown*. Only 3 of the 4 categories are displayed in this report. Students categorized as *non-binary* are included in the *Total* column, but are not presented in a separate column. When the *Total* of any given row is higher than the sum of the *male*, *female*, and *unknown* students, the difference can be attributed to *non-binary* students that selected the response option presented in that row.

1. How would you describe your general health?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Excellent | 31 | 16 | 20 | 6 | 1 | 11 | 55 | 9.4 |
| 2 Very good | 55 | 28 | 76 | 22 | 0 | 0 | 138 | 23.5 |
| 3 Good | 60 | 31 | 146 | 42 | 5 | 56 | 224 | 38.2 |
| 4 Fair | 35 | 18 | 75 | 21 | 1 | 11 | 117 | 19.9 |
| 5 Poor | 12 | 6 | 24 | 7 | 1 | 11 | 41 | 7.0 |
| 6 Don't know | 1 | 1 | 9 | 3 | 1 | 11 | 12 | 2.0 |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 |

Invalid responses include no response or multiple responses.

2A1. Have you received information on the following topics from your college or university?

Alcohol and other drug use

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 24 | 12 | 61 | 18 | 2 | 22 | 91 | 15.5 |
| 2 Yes | 170 | 88 | 288 | 83 | 7 | 78 | 495 | 84.5 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

2A2. Have you received information on the following topics from your college or university?

Cold/Flu/Sore Throat

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 78 | 40 | 149 | 43 | 5 | 56 | 247 | 42.3 |
| 2 Yes | 115 | 60 | 200 | 57 | 4 | 44 | 337 | 57.7 |
| Valid responses = | 193 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

2A3. Have you received information on the following topics from your college or university?

Depression/Anxiety

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 61 | 31 | 133 | 38 | 4 | 44 | 209 | 35.7 |
| 2 Yes | 133 | 69 | 216 | 62 | 5 | 56 | 376 | 64.3 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2A4. Have you received information on the following topics from your college or university?

Eating disorders

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 102 | 53 | 221 | 63 | 8 | 89 | 350 | 59.8 |
| 2 Yes | 92 | 47 | 128 | 37 | 1 | 11 | 235 | 40.2 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2A5. Have you received information on the following topics from your college or university?

Grief and loss

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 105 | 54 | 237 | 68 | 7 | 78 | 371 | 63.4 |
| 2 Yes | 89 | 46 | 112 | 32 | 2 | 22 | 214 | 36.6 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

2A6. Have you received information on the following topics from your college or university?

How to help others in distress

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 71 | 37 | 157 | 45 | 7 | 78 | 247 | 42.2 |
| 2 Yes | 122 | 63 | 192 | 55 | 2 | 22 | 338 | 57.8 |
| Valid responses = | 193 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2A7. Have you received information on the following topics from your college or university?

Injury prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 84 | 43 | 204 | 59 | 6 | 67 | 308 | 52.6 |
| 2 Yes | 110 | 57 | 145 | 42 | 3 | 33 | 277 | 47.4 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2A8. Have you received information on the following topics from your college or university?

Nutrition

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 29 | 15 | 86 | 25 | 2 | 22 | 127 | 21.8 |
| 2 Yes | 164 | 85 | 262 | 75 | 7 | 78 | 456 | 78.2 |
| Valid responses = | 193 | 33 | 348 | 60 | 9 | 2 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

2A9. Have you received information on the following topics from your college or university?

Physical activity

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 17 | 9 | 42 | 12 | 2 | 22 | 68 | 11.6 |
| 2 Yes | 177 | 91 | 306 | 88 | 7 | 78 | 516 | 88.4 |
| Valid responses = | 194 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

2A10. Have you received information on the following topics from your college or university?

Pregnancy prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 77 | 40 | 161 | 46 | 7 | 78 | 264 | 45.1 |
| 2 Yes | 117 | 60 | 188 | 54 | 2 | 22 | 321 | 54.9 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2B1. Have you received information on the following topics from your college or university?

Problem use of internet/computer games

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 139 | 72 | 253 | 73 | 8 | 89 | 418 | 71.5 |
| 2 Yes | 54 | 28 | 96 | 28 | 1 | 11 | 167 | 28.5 |
| Valid responses = | 193 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2B2. Have you received information on the following topics from your college or university?

Relationship difficulties

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 113 | 58 | 187 | 54 | 8 | 89 | 322 | 55.0 |
| 2 Yes | 81 | 42 | 162 | 46 | 1 | 11 | 263 | 45.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

2B3. Have you received information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 29 | 15 | 81 | 23 | 4 | 44 | 119 | 20.3 |
| 2 Yes | 165 | 85 | 268 | 77 | 5 | 56 | 466 | 79.7 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2B4. Have you received information on the following topics from your college or university?

Sexually transmitted disease/ Infection (STD/I) prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 54 | 28 | 136 | 39 | 5 | 56 | 206 | 35.3 |
| 2 Yes | 140 | 72 | 212 | 61 | 4 | 44 | 378 | 64.7 |
| Valid responses = | 194 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

2B5. Have you received information on the following topics from your college or university?

Sleep difficulties

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 68 | 35 | 160 | 46 | 5 | 56 | 245 | 42.0 |
| 2 Yes | 126 | 65 | 188 | 54 | 4 | 44 | 339 | 58.0 |
| Valid responses = | 194 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

2B6. Have you received information on the following topics from your college or university?

Stress reduction

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 57 | 29 | 116 | 33 | 1 | 11 | 186 | 31.7 |
| 2 Yes | 137 | 71 | 233 | 67 | 8 | 89 | 400 | 68.3 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

2B7. Have you received information on the following topics from your college or university?

Suicide prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 90 | 46 | 202 | 58 | 7 | 78 | 318 | 54.5 |
| 2 Yes | 104 | 54 | 146 | 42 | 2 | 22 | 266 | 45.5 |
| Valid responses = | 194 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

2B8. Have you received information on the following topics from your college or university?

Tobacco use

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 83 | 43 | 189 | 54 | 6 | 67 | 292 | 49.9 |
| 2 Yes | 111 | 57 | 160 | 46 | 3 | 33 | 293 | 50.1 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

2B9. Have you received information on the following topics from your college or university?

Violence prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 60 | 31 | 153 | 44 | 6 | 67 | 228 | 39.0 |
| 2 Yes | 133 | 69 | 196 | 56 | 3 | 33 | 356 | 61.0 |
| Valid responses = | 193 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

3A1. Are you interested in receiving information on the following topics from your college or university?

Alcohol and other drug use

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 132 | 68 | 241 | 70 | 7 | 78 | 404 | 69.4 |
| 2 Yes | 62 | 32 | 106 | 31 | 2 | 22 | 178 | 30.6 |
| Valid responses = | 194 | 33 | 347 | 60 | 9 | 2 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

3A2. Are you interested in receiving information on the following topics from your college or university?

Cold/Flu/Sore throat

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 123 | 63 | 196 | 57 | 7 | 78 | 347 | 59.6 |
| 2 Yes | 71 | 37 | 151 | 44 | 2 | 22 | 235 | 40.4 |
| Valid responses = | 194 | 33 | 347 | 60 | 9 | 2 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

3A3. Are you interested in receiving information on the following topics from your college or university?

Depression/Anxiety

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 93 | 48 | 114 | 33 | 6 | 67 | 225 | 38.5 |
| 2 Yes | 101 | 52 | 235 | 67 | 3 | 33 | 359 | 61.5 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3A4. Are you interested in receiving information on the following topics from your college or university?

Eating disorders

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 119 | 61 | 173 | 50 | 6 | 67 | 317 | 54.3 |
| 2 Yes | 75 | 39 | 176 | 50 | 3 | 33 | 267 | 45.7 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3A5. Are you interested in receiving information on the following topics from your college or university?

Grief and loss

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 104 | 54 | 143 | 41 | 6 | 67 | 272 | 46.7 |
| 2 Yes | 88 | 46 | 206 | 59 | 3 | 33 | 310 | 53.3 |
| Valid responses = | 192 | 33 | 349 | 60 | 9 | 2 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

3A6. Are you interested in receiving information on the following topics from your college or university?

How to help others in distress

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 83 | 43 | 94 | 27 | 6 | 67 | 195 | 33.4 |
| 2 Yes | 111 | 57 | 255 | 73 | 3 | 33 | 389 | 66.6 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3A7. Are you interested in receiving information on the following topics from your college or university?

Injury prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 101 | 52 | 151 | 43 | 8 | 89 | 273 | 46.7 |
| 2 Yes | 93 | 48 | 198 | 57 | 1 | 11 | 311 | 53.3 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

3A8. Are you interested in receiving information on the following topics from your college or university?

Nutrition

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 88 | 45 | 116 | 33 | 5 | 56 | 222 | 38.0 |
| 2 Yes | 106 | 55 | 233 | 67 | 4 | 44 | 362 | 62.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3A9. Are you interested in receiving information on the following topics from your college or university?

Physical activity

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 97 | 50 | 132 | 38 | 7 | 78 | 250 | 42.8 |
| 2 Yes | 97 | 50 | 217 | 62 | 2 | 22 | 334 | 57.2 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3A10. Are you interested in receiving information on the following topics from your college or university?

Pregnancy prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 117 | 61 | 190 | 54 | 6 | 67 | 330 | 56.7 |
| 2 Yes | 75 | 39 | 159 | 46 | 3 | 33 | 252 | 43.3 |
| Valid responses = | 192 | 33 | 349 | 60 | 9 | 2 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

3B1. Are you interested in receiving information on the following topics from your college or university?

Problem use of Internet/computer games

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 120 | 62 | 247 | 71 | 7 | 78 | 398 | 67.8 |
| 2 Yes | 74 | 38 | 103 | 29 | 2 | 22 | 189 | 32.2 |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 |

Invalid responses include no response or multiple responses.

3B2. Are you interested in receiving information on the following topics from your college or university?

Relationship difficulties

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 105 | 54 | 161 | 46 | 6 | 67 | 289 | 49.3 |
| 2 Yes | 89 | 46 | 189 | 54 | 3 | 33 | 297 | 50.7 |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

3B3. Are you interested in receiving information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 105 | 54 | 127 | 36 | 6 | 67 | 251 | 43.0 |
| 2 Yes | 89 | 46 | 222 | 64 | 3 | 33 | 333 | 57.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3B4. Are you interested in receiving information on the following topics from your college or university?

Sexually transmitted disease/Infection (STD/I) prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 108 | 56 | 158 | 45 | 7 | 78 | 287 | 49.1 |
| 2 Yes | 86 | 44 | 191 | 55 | 2 | 22 | 297 | 50.9 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

3B5. Are you interested in receiving information on the following topics from your college or university?

Sleep difficulties

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 74 | 39 | 100 | 29 | 7 | 78 | 191 | 32.7 |
| 2 Yes | 118 | 62 | 250 | 71 | 2 | 22 | 393 | 67.3 |
| Valid responses = | 192 | 33 | 350 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3B6. Are you interested in receiving information on the following topics from your college or university?

Stress reduction

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 70 | 36 | 85 | 24 | 6 | 67 | 170 | 29.0 |
| 2 Yes | 124 | 64 | 265 | 76 | 3 | 33 | 417 | 71.0 |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 |

Invalid responses include no response or multiple responses.

3B7. Are you interested in receiving information on the following topics from your college or university?

Suicide prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 93 | 48 | 127 | 36 | 6 | 67 | 237 | 40.6 |
| 2 Yes | 99 | 52 | 223 | 64 | 3 | 33 | 347 | 59.4 |
| Valid responses = | 192 | 33 | 350 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

3B8. Are you interested in receiving information on the following topics from your college or university?

Tobacco use

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 131 | 68 | 227 | 65 | 7 | 78 | 387 | 66.5 |
| 2 Yes | 61 | 32 | 121 | 35 | 2 | 22 | 195 | 33.5 |
| Valid responses = | 192 | 33 | 348 | 60 | 9 | 2 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

3B9. Are you interested in receiving information on the following topics from your college or university?

Violence prevention

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 106 | 55 | 140 | 40 | 5 | 56 | 266 | 45.5 |
| 2 Yes | 88 | 45 | 210 | 60 | 4 | 44 | 319 | 54.5 |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

4A. Within the last 12 months, how often did you:

Wear a seatbelt when you rode in car?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 N/A didn't do this last 12 months | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| 2 Never | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |
| 3 Rarely | 4 | 2 | 2 | 1 | 0 | 0 | 6 | 1.0 |
| 4 Sometimes | 3 | 2 | 7 | 2 | 2 | 22 | 12 | 2.0 |
| 5 Most of the time | 43 | 22 | 63 | 18 | 0 | 0 | 115 | 19.6 |
| 6 Always | 142 | 73 | 275 | 79 | 7 | 78 | 448 | 76.5 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016








Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

4B. Within the last 12 months, how often did you:







Wear a helmet when you rode a bicycle?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A didn't do this last 12 months: | 88 | 46 | 225 | 65 | 2 | 22 | 333 | 57.0 |  |
| 2 Never | 66 | 34 | 66 | 19 | 7 | 78 | 145 | 24.8 |  |
| 3 Rarely | 14 | 7 | 16 | 5 | 0 | 0 | 32 | 5.5 |  |
| 4 Sometimes | 7 | 4 | 12 | 3 | 0 | 0 | 19 | 3.3 |  |
| 5 Most of the time | 5 | 3 | 12 | 3 | 0 | 0 | 18 | 3.1 |  |
| 6 Always | 13 | 7 | 17 | 5 | 0 | 0 | 37 | 6.3 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

4C. Within the last 12 months, how often did you:








Wear a helmet when you rode a motorcycle?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A didn't do this last 12 months: | 157 | 81 | 311 | 89 | 7 | 78 | 500 | 85.6 |  |
| 2 Never | 7 | 4 | 3 | 1 | 1 | 11 | 12 | 2.1 |  |
| 3 Rarely | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 4 Sometimes | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |  |
| 5 Most of the time | 3 | 2 | 5 | 1 | 0 | 0 | 9 | 1.5 |  |
| 6 Always | 26 | 14 | 26 | 8 | 1 | 11 | 60 | 10.3 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

4D. Within the last 12 months, how often did you:




Wear a helmet when you were inline skating?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A didn't do this last 12 months: | 161 | 83 | 305 | 88 | 5 | 56 | 497 | 85.1 |  |
| 2 Never | 20 | 10 | 25 | 7 | 4 | 44 | 54 | 9.2 |  |
| 3 Rarely | 2 | 1 | 5 | 1 | 0 | 0 | 7 | 1.2 |  |
| 4 Sometimes | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |  |
| 5 Most of the time | 3 | 2 | 5 | 1 | 0 | 0 | 8 | 1.4 |  |
| 6 Always | 7 | 4 | 7 | 2 | 0 | 0 | 17 | 2.9 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 9 | 2 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

5A. Within the last 12 months:




Were you in a physical fight?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 182 | 94 | 340 | 97 | 9 | 100 | 564 | 96.1 |  |
| 2 Yes | 11 | 6 | 11 | 3 | 0 | 0 | 23 | 3.9 |  |
| Valid responses = | 193 | 33 | 351 | 60 | 9 | 2 | 587 | 99.8 | |

Invalid responses include no response or multiple responses.

5B. Within the last 12 months:

Were you physically assaulted (do not include sexual assault)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|-------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 185 | 95 | 334 | 95 | 9 | 100 | 561 | 95.4 |  |
| 2 Yes | 9 | 5 | 17 | 5 | 0 | 0 | 27 | 4.6 |  |
| Valid responses = | 194 | 33 | 351 | 60 | 9 | 2 | 588 | 100.0 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016


Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

5C. Within the last 12 months:


Were you verbally threatened?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|-------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 155 | 80 | 279 | 80 | 8 | 89 | 466 | 79.3 | |
| 2 Yes | 39 | 20 | 72 | 21 | 1 | 11 | 122 | 20.7 | |
| Valid responses = | 194 | 33 | 351 | 60 | 9 | 2 | 588 | 100.0 | |

Invalid responses include no response or multiple responses.

5D. Within the last 12 months:


Were you sexually touched without your consent?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 183 | 94 | 299 | 85 | 6 | 67 | 510 | 86.9 | |
| 2 Yes | 11 | 6 | 51 | 15 | 3 | 33 | 77 | 13.1 | |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 | |

Invalid responses include no response or multiple responses.

5E. Within the last 12 months:


Was sexual penetration attempted (vaginal, anal, oral) without your consent?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 192 | 99 | 321 | 92 | 8 | 89 | 550 | 93.9 | |
| 2 Yes | 2 | 1 | 28 | 8 | 1 | 11 | 36 | 6.1 | |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 | |

Invalid responses include no response or multiple responses.

5F. Within the last 12 months:


Were you sexually penetrated (vaginal, anal, oral) without your consent?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 192 | 99 | 331 | 95 | 9 | 100 | 563 | 95.9 | |
| 2 Yes | 2 | 1 | 19 | 5 | 0 | 0 | 24 | 4.1 | |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 | |

Invalid responses include no response or multiple responses.

5G. Within the last 12 months:


Were you a victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated emails/phone calls)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 188 | 97 | 313 | 89 | 8 | 89 | 537 | 91.5 | |
| 2 Yes | 6 | 3 | 37 | 11 | 1 | 11 | 50 | 8.5 | |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 | |

Invalid responses include no response or multiple responses.

6A. Within the last 12 months, have you been in an intimate (coupled/partnered) relationship that was:


Emotionally abusive? (e.g., called derogatory names, yelled at, ridiculed)

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 178 | 92 | 299 | 86 | 8 | 89 | 512 | 87.4 | |
| 2 Yes | 16 | 8 | 50 | 14 | 1 | 11 | 74 | 12.6 | |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 | |

Invalid responses include no response or multiple responses.

6B. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was:

Physically abusive? (e.g., kicked, slapped, punched)

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 189 | 97 | 336 | 96 | 9 | 100 | 566 | 96.4 | |
| 2 Yes | 5 | 3 | 14 | 4 | 0 | 0 | 21 | 3.6 | |
| Valid responses = | 194 | 33 | 350 | 60 | 9 | 2 | 587 | 99.8 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**6C. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was:
Sexually abusive? (e.g., forced to have sex when you didn't want it, forced to perform or have an
unwanted sexual act performed on you)**

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 335 | 96 | 9 | 100 | 567 | 96.8 |
| 2 Yes | 1 | 1 | 14 | 4 | 0 | 0 | 19 | 3.2 |
| Valid responses = | 194 | 33 | 349 | 60 | 9 | 2 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

7A. Do you feel safe on this campus (daytime)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|-------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not safe at all | 3 | 2 | 0 | 0 | 0 | 0 | 3 | 0.5 |
| 2 Somewhat unsafe | 2 | 1 | 4 | 1 | 0 | 0 | 6 | 1.0 |
| 3 Somewhat safe | 22 | 11 | 80 | 23 | 0 | 0 | 110 | 18.7 |
| 4 Very safe | 167 | 86 | 267 | 76 | 9 | 100 | 469 | 79.8 |
| Valid responses = | 194 | 33 | 351 | 60 | 9 | 2 | 588 | 100.0 |

Invalid responses include no response or multiple responses.

7B. Do you feel safe on this campus (nighttime)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not safe at all | 5 | 3 | 17 | 5 | 1 | 11 | 26 | 4.5 |
| 2 Somewhat unsafe | 8 | 4 | 101 | 29 | 1 | 11 | 112 | 19.2 |
| 3 Somewhat safe | 67 | 35 | 170 | 49 | 2 | 22 | 253 | 43.3 |
| 4 Very safe | 113 | 59 | 61 | 18 | 5 | 56 | 193 | 33.0 |
| Valid responses = | 193 | 33 | 349 | 60 | 9 | 2 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

7C. Do you feel safe in the community surrounding this school (daytime)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|-------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not safe at all | 6 | 3 | 7 | 2 | 0 | 0 | 13 | 2.2 |
| 2 Somewhat unsafe | 16 | 8 | 34 | 10 | 1 | 11 | 54 | 9.2 |
| 3 Somewhat safe | 60 | 31 | 169 | 48 | 3 | 33 | 245 | 41.7 |
| 4 Very safe | 112 | 58 | 141 | 40 | 5 | 56 | 276 | 46.9 |
| Valid responses = | 194 | 33 | 351 | 60 | 9 | 2 | 588 | 100.0 |

Invalid responses include no response or multiple responses.

7D. Do you feel safe in the community surrounding this school (nighttime)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|-------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not safe at all | 13 | 7 | 69 | 20 | 1 | 11 | 87 | 14.8 |
| 2 Somewhat unsafe | 40 | 21 | 136 | 39 | 1 | 11 | 185 | 31.5 |
| 3 Somewhat safe | 69 | 36 | 116 | 33 | 5 | 56 | 204 | 34.7 |
| 4 Very safe | 72 | 37 | 30 | 9 | 2 | 22 | 112 | 19.0 |
| Valid responses = | 194 | 33 | 351 | 60 | 9 | 2 | 588 | 100.0 |

Invalid responses include no response or multiple responses.

8A1. Within the last thirty days, on how many days did you use: Cigarettes?

| | Male | | Female | | Unknown | | Total | |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Never used | 144 | 75 | 270 | 78 | 3 | 43 | 442 | 76.1 |
| 2 Have used, but not in last 30 | 18 | 9 | 38 | 11 | 3 | 43 | 61 | 10.5 |
| 3 1 - 2 days | 7 | 4 | 12 | 4 | 0 | 0 | 19 | 3.3 |
| 4 3 - 5 days | 7 | 4 | 6 | 2 | 1 | 14 | 14 | 2.4 |
| 5 6 - 9 days | 5 | 3 | 1 | 0 | 0 | 0 | 7 | 1.2 |
| 6 10 - 19 days | 4 | 2 | 4 | 1 | 0 | 0 | 9 | 1.5 |
| 7 20 - 29 days | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 8 Used daily | 6 | 3 | 13 | 4 | 0 | 0 | 24 | 4.1 |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

May 4, 2016

1362 Mellon Road, Suite 180

FREQUENCY REPORT

Hanover, MD 21076

Number of Surveys (n) = 588 Web Surveys

(410) 859-1500

www.acha.org

8A10. Within the last thirty days, on how many days did you use:

E-cigarettes?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 156 | 82 | 301 | 87 | 5 | 71 | 493 | 85.4 | |
| 2 Have used, but not in last 30 | 20 | 11 | 31 | 9 | 2 | 29 | 54 | 9.4 | |
| 3 1 - 2 days | 5 | 3 | 4 | 1 | 0 | 0 | 11 | 1.9 | |
| 4 3 - 5 days | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 | |
| 5 6 - 9 days | 2 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 | |
| 6 10 - 19 days | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 | |
| 7 20 - 29 days | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| 8 Used daily | 4 | 2 | 3 | 1 | 0 | 0 | 7 | 1.2 | |
| Valid responses = | 191 | 33 | 345 | 60 | 7 | 1 | 577 | 98.1 | |

Invalid responses include no response or multiple responses.

8A2. Within the last thirty days, on how many days did you use:

Tobacco from a water pipe (hookah)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 163 | 85 | 279 | 81 | 4 | 57 | 475 | 81.9 | |
| 2 Have used, but not in last 30 | 24 | 12 | 52 | 15 | 0 | 0 | 81 | 14.0 | |
| 3 1 - 2 days | 3 | 2 | 7 | 2 | 2 | 29 | 12 | 2.1 | |
| 4 3 - 5 days | 2 | 1 | 3 | 1 | 1 | 14 | 6 | 1.0 | |
| 5 6 - 9 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 | |
| 6 10 - 19 days | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 | |
| 7 20 - 29 days | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

8A3. Within the last thirty days, on how many days did you use:

Cigars, little cigars, clove cigarettes?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 147 | 77 | 297 | 86 | 5 | 71 | 478 | 82.6 | |
| 2 Have used, but not in last 30 | 24 | 13 | 37 | 11 | 1 | 14 | 64 | 11.1 | |
| 3 1 - 2 days | 9 | 5 | 8 | 2 | 1 | 14 | 19 | 3.3 | |
| 4 3 - 5 days | 7 | 4 | 2 | 1 | 0 | 0 | 9 | 1.6 | |
| 5 6 - 9 days | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 | |
| 6 10 - 19 days | 2 | 1 | 2 | 1 | 0 | 0 | 6 | 1.0 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

8A4. Within the last thirty days, on how many days did you use:

Smokeless tobacco?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 172 | 91 | 329 | 95 | 5 | 71 | 539 | 93.9 | |
| 2 Have used, but not in last 30 | 11 | 6 | 15 | 4 | 1 | 14 | 27 | 4.7 | |
| 3 1 - 2 days | 0 | 0 | 1 | 0 | 1 | 14 | 2 | 0.3 | |
| 4 3 - 5 days | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 8 Used daily | 4 | 2 | 0 | 0 | 0 | 0 | 4 | 0.7 | |
| Valid responses = | 189 | 33 | 345 | 60 | 7 | 1 | 574 | 97.6 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

May 4, 2016

1362 Mellon Road, Suite 180

FREQUENCY REPORT

Hanover, MD 21076

Number of Surveys (n) =

588 Web

Surveys

(410) 859-1500

www.acha.org

8A5. Within the last thirty days, on how many days did you use:

Alcohol (beer, wine, liquor)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 65 | 34 | 127 | 37 | 2 | 29 | 206 | 35.5 | |
| 2 Have used, but not in last 30 | 40 | 21 | 63 | 18 | 1 | 14 | 105 | 18.1 | |
| 3 1 - 2 days | 31 | 16 | 61 | 18 | 1 | 14 | 104 | 17.9 | |
| 4 3 - 5 days | 23 | 12 | 44 | 13 | 3 | 43 | 73 | 12.6 | |
| 5 6 - 9 days | 14 | 7 | 20 | 6 | 0 | 0 | 36 | 6.2 | |
| 6 10 - 19 days | 14 | 7 | 21 | 6 | 0 | 0 | 37 | 6.4 | |
| 7 20 - 29 days | 3 | 2 | 11 | 3 | 0 | 0 | 15 | 2.6 | |
| 8 Used daily | 3 | 2 | 0 | 0 | 0 | 0 | 5 | 0.9 | |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

8A6. Within the last thirty days, on how many days did you use:

Marijuana (pot, weed, hashish, hash oil)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 124 | 65 | 230 | 66 | 1 | 14 | 377 | 65.0 | |
| 2 Have used, but not in last 30 | 27 | 14 | 57 | 16 | 5 | 71 | 93 | 16.0 | |
| 3 1 - 2 days | 12 | 6 | 24 | 7 | 0 | 0 | 39 | 6.7 | |
| 4 3 - 5 days | 5 | 3 | 7 | 2 | 0 | 0 | 13 | 2.2 | |
| 5 6 - 9 days | 4 | 2 | 8 | 2 | 0 | 0 | 13 | 2.2 | |
| 6 10 - 19 days | 6 | 3 | 12 | 4 | 0 | 0 | 19 | 3.3 | |
| 7 20 - 29 days | 3 | 2 | 7 | 2 | 0 | 0 | 10 | 1.7 | |
| 8 Used daily | 11 | 6 | 2 | 1 | 1 | 14 | 16 | 2.8 | |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

8A7. Within the last thirty days, on how many days did you use:

Cocaine (crack, rock, freebase)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 182 | 94 | 337 | 97 | 6 | 86 | 558 | 96.2 | |
| 2 Have used, but not in last 30 | 10 | 5 | 8 | 2 | 1 | 14 | 20 | 3.4 | |
| 3 1 - 2 days | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 5 6 - 9 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

8A8. Within the last thirty days, on how many days did you use:

Methamphetamine (crystal, meth, ice, crank)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 190 | 98 | 343 | 99 | 7 | 100 | 572 | 98.8 | |
| 2 Have used, but not in last 30 | 3 | 2 | 3 | 1 | 0 | 0 | 7 | 1.2 | |
| 3 1 - 2 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

May 4, 2016

1362 Mellon Road, Suite 180

FREQUENCY REPORT

Hanover, MD 21076

Number of Surveys (n) = 588 Web Surveys

(410) 859-1500

www.acha.org

8A9. Within the last thirty days, on how many days did you use: Other amphetamines (diet pills, bennies)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 183 | 95 | 331 | 95 | 6 | 86 | 553 | 95.3 | |
| 2 Have used, but not in last 30 | 5 | 3 | 12 | 4 | 1 | 14 | 19 | 3.3 | |
| 3 1 - 2 days | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| 4 3 - 5 days | 2 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 | |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 | |
| 8 Used daily | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

8B1. Within the last thirty days, on how many days did you use: Sedatives (downers, ludes)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 186 | 96 | 333 | 95 | 5 | 71 | 555 | 95.0 | |
| 2 Have used, but not in last 30 | 6 | 3 | 12 | 3 | 2 | 29 | 22 | 3.8 | |
| 3 1 - 2 days | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0.5 | |
| 4 3 - 5 days | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 5 6 - 9 days | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 6 10 - 19 days | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 194 | 33 | 349 | 60 | 7 | 1 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

8B2. Within the last thirty days, on how many days did you use: Hallucinogens (LSD, PCP)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 176 | 91 | 333 | 95 | 4 | 57 | 544 | 93.0 | |
| 2 Have used, but not in last 30 | 14 | 7 | 14 | 4 | 3 | 43 | 34 | 5.8 | |
| 3 1 - 2 days | 3 | 2 | 2 | 1 | 0 | 0 | 5 | 0.9 | |
| 4 3 - 5 days | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 585 | 99.5 | |

Invalid responses include no response or multiple responses.

8B3. Within the last thirty days, on how many days did you use: Anabolic steroids (Testosterone)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Never used | 193 | 100 | 347 | 99 | 7 | 100 | 580 | 99.1 | |
| 2 Have used, but not in last 30 | 1 | 1 | 3 | 1 | 0 | 0 | 4 | 0.7 | |
| 3 1 - 2 days | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 585 | 99.5 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

May 4, 2016

1362 Mellon Road, Suite 180

FREQUENCY REPORT

Hanover, MD 21076

Number of Surveys (n) = 588 Web Surveys

(410) 859-1500

www.acha.org

8B4. Within the last thirty days, on how many days did you use: Opiates (heroin, smack)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 189 | 98 | 342 | 99 | 7 | 100 | 572 | 98.5 |
| 2 Have used, but not in last 30 | 4 | 2 | 5 | 1 | 0 | 0 | 9 | 1.5 |
| 3 1 - 2 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

8B5. Within the last thirty days, on how many days did you use: Inhalants (glue, solvents, gas)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 192 | 100 | 346 | 99 | 7 | 100 | 576 | 98.8 |
| 2 Have used, but not in last 30 | 1 | 1 | 4 | 1 | 0 | 0 | 6 | 1.0 |
| 3 1 - 2 days | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

8B6. Within the last thirty days, on how many days did you use: MDMA (Ecstasy)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 187 | 96 | 340 | 97 | 5 | 71 | 564 | 96.7 |
| 2 Have used, but not in last 30 | 6 | 3 | 9 | 3 | 1 | 14 | 16 | 2.7 |
| 3 1 - 2 days | 1 | 1 | 0 | 0 | 1 | 14 | 3 | 0.5 |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

8B7. Within the last thirty days, on how many days did you use: Other club drugs (GHB, Ketamine, Rohypnol)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 191 | 99 | 344 | 98 | 6 | 86 | 574 | 98.3 |
| 2 Have used, but not in last 30 | 3 | 2 | 5 | 1 | 1 | 14 | 9 | 1.5 |
| 3 1 - 2 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 4 3 - 5 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 6 - 9 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

8B8. Within the last thirty days, on how many days did you use: Other illegal drugs?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 185 | 95 | 338 | 97 | 7 | 100 | 562 | 96.2 |
| 2 Have used, but not in last 30 | 9 | 5 | 8 | 2 | 0 | 0 | 18 | 3.1 |
| 3 1 - 2 days | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 4 3 - 5 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 6 - 9 days | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 6 10 - 19 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 20 - 29 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Used daily | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

9A1. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 23 | 12 | 45 | 13 | 1 | 14 | 72 | 12.3 |
| 2 Have used, but not in last 30 | 14 | 7 | 15 | 4 | 0 | 0 | 31 | 5.3 |
| 3 1 - 2 days | 16 | 8 | 39 | 11 | 0 | 0 | 58 | 9.9 |
| 4 3 - 5 days | 17 | 9 | 34 | 10 | 1 | 14 | 54 | 9.3 |
| 5 6 - 9 days | 25 | 13 | 43 | 12 | 0 | 0 | 73 | 12.5 |
| 6 10 - 19 days | 30 | 16 | 56 | 16 | 2 | 29 | 91 | 15.6 |
| 7 20 - 29 days | 15 | 8 | 19 | 5 | 2 | 29 | 38 | 6.5 |
| 8 Used daily | 53 | 28 | 99 | 28 | 1 | 14 | 166 | 28.5 |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

9A10. Within the last thirty days, how often do you think the typical student at your school used: E-cigarettes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 29 | 15 | 59 | 17 | 2 | 29 | 95 | 16.3 |
| 2 Have used, but not in last 30 | 13 | 7 | 24 | 7 | 0 | 0 | 39 | 6.7 |
| 3 1 - 2 days | 23 | 12 | 53 | 15 | 0 | 0 | 81 | 13.9 |
| 4 3 - 5 days | 24 | 12 | 38 | 11 | 1 | 14 | 65 | 11.1 |
| 5 6 - 9 days | 30 | 16 | 42 | 12 | 2 | 29 | 78 | 13.4 |
| 6 10 - 19 days | 23 | 12 | 43 | 12 | 0 | 0 | 70 | 12.0 |
| 7 20 - 29 days | 8 | 4 | 19 | 5 | 2 | 29 | 32 | 5.5 |
| 8 Used daily | 43 | 22 | 72 | 21 | 0 | 0 | 123 | 21.1 |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

9A2. Within the last thirty days, how often do you think the typical student at your school used: Tobacco from a water pipe (hookah)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never used | 41 | 21 | 66 | 19 | 3 | 43 | 119 | 20.5 |
| 2 Have used, but not in last 30 | 29 | 15 | 40 | 12 | 0 | 0 | 73 | 12.6 |
| 3 1 - 2 days | 41 | 21 | 85 | 24 | 1 | 14 | 132 | 22.7 |
| 4 3 - 5 days | 27 | 14 | 54 | 16 | 2 | 29 | 88 | 15.1 |
| 5 6 - 9 days | 21 | 11 | 36 | 10 | 1 | 14 | 62 | 10.7 |
| 6 10 - 19 days | 14 | 7 | 30 | 9 | 0 | 0 | 47 | 8.1 |
| 7 20 - 29 days | 6 | 3 | 16 | 5 | 0 | 0 | 22 | 3.8 |
| 8 Used daily | 13 | 7 | 22 | 6 | 0 | 0 | 38 | 6.5 |
| Valid responses = | 192 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org










May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

9A3. Within the last thirty days, how often do you think the typical student at your school used:










Cigars, little cigars, clove cigarettes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 40 | 21 | 75 | 22 | 2 | 29 | 128 | 22.0 |  |
| 2 Have used, but not in last 30 | 31 | 16 | 47 | 14 | 0 | 0 | 84 | 14.5 |  |
| 3 1 - 2 days | 37 | 19 | 77 | 22 | 3 | 43 | 122 | 21.0 |  |
| 4 3 - 5 days | 29 | 15 | 51 | 15 | 2 | 29 | 85 | 14.6 |  |
| 5 6 - 9 days | 15 | 8 | 27 | 8 | 0 | 0 | 44 | 7.6 |  |
| 6 10 - 19 days | 14 | 7 | 31 | 9 | 0 | 0 | 48 | 8.3 |  |
| 7 20 - 29 days | 6 | 3 | 12 | 3 | 0 | 0 | 19 | 3.3 |  |
| 8 Used daily | 21 | 11 | 28 | 8 | 0 | 0 | 51 | 8.8 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

9A4. Within the last thirty days, how often do you think the typical student at your school used:










Smokeless tobacco?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 44 | 23 | 80 | 23 | 2 | 29 | 136 | 23.4 |  |
| 2 Have used, but not in last 30 | 24 | 12 | 32 | 9 | 1 | 14 | 61 | 10.5 |  |
| 3 1 - 2 days | 40 | 21 | 68 | 20 | 1 | 14 | 112 | 19.3 |  |
| 4 3 - 5 days | 19 | 10 | 47 | 14 | 2 | 29 | 74 | 12.8 |  |
| 5 6 - 9 days | 18 | 9 | 36 | 10 | 0 | 0 | 58 | 10.0 |  |
| 6 10 - 19 days | 16 | 8 | 30 | 9 | 1 | 14 | 50 | 8.6 |  |
| 7 20 - 29 days | 9 | 5 | 21 | 6 | 0 | 0 | 30 | 5.2 |  |
| 8 Used daily | 23 | 12 | 33 | 10 | 0 | 0 | 59 | 10.2 |  |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

9A5. Within the last thirty days, how often do you think the typical student at your school used:










Alcohol (beer, wine, liquor)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 14 | 7 | 23 | 7 | 1 | 14 | 42 | 7.2 |  |
| 2 Have used, but not in last 30 | 6 | 3 | 14 | 4 | 0 | 0 | 20 | 3.4 |  |
| 3 1 - 2 days | 20 | 10 | 37 | 11 | 1 | 14 | 64 | 11.0 |  |
| 4 3 - 5 days | 27 | 14 | 47 | 14 | 1 | 14 | 77 | 13.3 |  |
| 5 6 - 9 days | 44 | 23 | 60 | 17 | 3 | 43 | 111 | 19.1 |  |
| 6 10 - 19 days | 42 | 22 | 80 | 23 | 1 | 14 | 131 | 22.5 |  |
| 7 20 - 29 days | 14 | 7 | 45 | 13 | 0 | 0 | 62 | 10.7 |  |
| 8 Used daily | 26 | 14 | 43 | 12 | 0 | 0 | 74 | 12.7 |  |
| Valid responses = | 193 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

9A6. Within the last thirty days, how often do you think the typical student at your school used:

Marijuana (pot, weed, hashish, hash oil)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 23 | 12 | 36 | 10 | 0 | 0 | 64 | 11.0 |  |
| 2 Have used, but not in last 30 | 6 | 3 | 14 | 4 | 1 | 14 | 23 | 4.0 |  |
| 3 1 - 2 days | 27 | 14 | 55 | 16 | 1 | 14 | 88 | 15.2 |  |
| 4 3 - 5 days | 25 | 13 | 35 | 10 | 1 | 14 | 63 | 10.9 |  |
| 5 6 - 9 days | 30 | 16 | 42 | 12 | 1 | 14 | 77 | 13.3 |  |
| 6 10 - 19 days | 30 | 16 | 60 | 17 | 1 | 14 | 96 | 16.6 |  |
| 7 20 - 29 days | 16 | 8 | 44 | 13 | 1 | 14 | 63 | 10.9 |  |
| 8 Used daily | 36 | 19 | 62 | 18 | 1 | 14 | 106 | 18.3 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)


Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org


May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**9A7. Within the last thirty days, how often do you think the typical student at your school used:
Cocaine (crack, rock, freebase)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 93 | 48 | 159 | 46 | 3 | 43 | 271 | 46.8 | |
| 2 Have used, but not in last 30 | 34 | 18 | 64 | 18 | 2 | 29 | 108 | 18.7 | |
| 3 1 - 2 days | 33 | 17 | 67 | 19 | 1 | 14 | 107 | 18.5 | |
| 4 3 - 5 days | 17 | 9 | 19 | 6 | 0 | 0 | 37 | 6.4 | |
| 5 6 - 9 days | 6 | 3 | 18 | 5 | 1 | 14 | 25 | 4.3 | |
| 6 10 - 19 days | 4 | 2 | 9 | 3 | 0 | 0 | 14 | 2.4 | |
| 7 20 - 29 days | 3 | 2 | 9 | 3 | 0 | 0 | 12 | 2.1 | |
| 8 Used daily | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 | |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 579 | 98.5 | |


Invalid responses include no response or multiple responses.

**9A8. Within the last thirty days, how often do you think the typical student at your school used:
Methamphetamine (crystal meth, ice, crank)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 127 | 66 | 182 | 53 | 5 | 71 | 335 | 58.0 | |
| 2 Have used, but not in last 30 | 30 | 16 | 75 | 22 | 1 | 14 | 112 | 19.4 | |
| 3 1 - 2 days | 19 | 10 | 43 | 12 | 1 | 14 | 66 | 11.4 | |
| 4 3 - 5 days | 9 | 5 | 17 | 5 | 0 | 0 | 27 | 4.7 | |
| 5 6 - 9 days | 3 | 2 | 11 | 3 | 0 | 0 | 14 | 2.4 | |
| 6 10 - 19 days | 2 | 1 | 6 | 2 | 0 | 0 | 9 | 1.6 | |
| 7 20 - 29 days | 2 | 1 | 10 | 3 | 0 | 0 | 12 | 2.1 | |
| 8 Used daily | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 | |


Invalid responses include no response or multiple responses.

**9A9. Within the last thirty days, how often do you think the typical student at your school used:
Other amphetamine (diet pills, bennies)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 111 | 58 | 152 | 44 | 4 | 57 | 285 | 49.1 | |
| 2 Have used, but not in last 30 | 26 | 14 | 73 | 21 | 1 | 14 | 103 | 17.8 | |
| 3 1 - 2 days | 23 | 12 | 53 | 15 | 2 | 29 | 81 | 14.0 | |
| 4 3 - 5 days | 15 | 8 | 25 | 7 | 0 | 0 | 44 | 7.6 | |
| 5 6 - 9 days | 7 | 4 | 15 | 4 | 0 | 0 | 22 | 3.8 | |
| 6 10 - 19 days | 4 | 2 | 10 | 3 | 0 | 0 | 18 | 3.1 | |
| 7 20 - 29 days | 4 | 2 | 10 | 3 | 0 | 0 | 14 | 2.4 | |
| 8 Used daily | 3 | 2 | 10 | 3 | 0 | 0 | 13 | 2.2 | |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

**9B1. Within the last thirty days, how often do you think the typical student at your school used:
Sedatives (downers, ludes)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 99 | 51 | 135 | 39 | 4 | 57 | 256 | 44.1 | |
| 2 Have used, but not in last 30 | 21 | 11 | 66 | 19 | 2 | 29 | 95 | 16.4 | |
| 3 1 - 2 days | 35 | 18 | 54 | 16 | 0 | 0 | 93 | 16.0 | |
| 4 3 - 5 days | 17 | 9 | 35 | 10 | 0 | 0 | 55 | 9.5 | |
| 5 6 - 9 days | 8 | 4 | 22 | 6 | 1 | 14 | 33 | 5.7 | |
| 6 10 - 19 days | 9 | 5 | 16 | 5 | 0 | 0 | 26 | 4.5 | |
| 7 20 - 29 days | 2 | 1 | 9 | 3 | 0 | 0 | 11 | 1.9 | |
| 8 Used daily | 2 | 1 | 10 | 3 | 0 | 0 | 12 | 2.1 | |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**9B2. Within the last thirty days, how often do you think the typical student at your school used:
Hallucinogens (LSD, PCP)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 83 | 43 | 142 | 41 | 4 | 57 | 244 | 42.1 | |
| 2 Have used, but not in last 30 | 26 | 14 | 74 | 21 | 1 | 14 | 107 | 18.5 | |
| 3 1 - 2 days | 44 | 23 | 64 | 19 | 0 | 0 | 115 | 19.9 | |
| 4 3 - 5 days | 17 | 9 | 27 | 8 | 0 | 0 | 47 | 8.1 | |
| 5 6 - 9 days | 10 | 5 | 15 | 4 | 1 | 14 | 27 | 4.7 | |
| 6 10 - 19 days | 8 | 4 | 14 | 4 | 0 | 0 | 23 | 4.0 | |
| 7 20 - 29 days | 2 | 1 | 5 | 1 | 0 | 0 | 8 | 1.4 | |
| 8 Used daily | 2 | 1 | 5 | 1 | 1 | 14 | 8 | 1.4 | |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

**9B3. Within the last thirty days, how often do you think the typical student at your school used:
Anabolic steroids (Testosterone)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 114 | 59 | 161 | 47 | 5 | 71 | 298 | 51.4 | |
| 2 Have used, but not in last 30 | 18 | 9 | 75 | 22 | 0 | 0 | 100 | 17.2 | |
| 3 1 - 2 days | 34 | 18 | 49 | 14 | 1 | 14 | 88 | 15.2 | |
| 4 3 - 5 days | 14 | 7 | 20 | 6 | 1 | 14 | 37 | 6.4 | |
| 5 6 - 9 days | 4 | 2 | 17 | 5 | 0 | 0 | 23 | 4.0 | |
| 6 10 - 19 days | 5 | 3 | 13 | 4 | 0 | 0 | 19 | 3.3 | |
| 7 20 - 29 days | 0 | 0 | 8 | 2 | 0 | 0 | 8 | 1.4 | |
| 8 Used daily | 4 | 2 | 3 | 1 | 0 | 0 | 7 | 1.2 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

**9B4. Within the last thirty days, how often do you think the typical student at your school used:
Opiates (heroin, smack)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 125 | 65 | 184 | 53 | 6 | 86 | 334 | 57.8 | |
| 2 Have used, but not in last 30 | 24 | 13 | 74 | 21 | 1 | 14 | 107 | 18.5 | |
| 3 1 - 2 days | 28 | 15 | 48 | 14 | 0 | 0 | 79 | 13.7 | |
| 4 3 - 5 days | 5 | 3 | 14 | 4 | 0 | 0 | 20 | 3.5 | |
| 5 6 - 9 days | 3 | 2 | 9 | 3 | 0 | 0 | 13 | 2.2 | |
| 6 10 - 19 days | 5 | 3 | 9 | 3 | 0 | 0 | 14 | 2.4 | |
| 7 20 - 29 days | 1 | 1 | 4 | 1 | 0 | 0 | 5 | 0.9 | |
| 8 Used daily | 1 | 1 | 4 | 1 | 0 | 0 | 6 | 1.0 | |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

**9B5. Within the last thirty days, how often do you think the typical student at your school used:
Inhalants (glue, solvents, gas)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 124 | 64 | 167 | 48 | 5 | 71 | 319 | 54.9 | |
| 2 Have used, but not in last 30 | 31 | 16 | 83 | 24 | 1 | 14 | 121 | 20.8 | |
| 3 1 - 2 days | 23 | 12 | 46 | 13 | 1 | 14 | 73 | 12.6 | |
| 4 3 - 5 days | 5 | 3 | 18 | 5 | 0 | 0 | 23 | 4.0 | |
| 5 6 - 9 days | 3 | 2 | 12 | 4 | 0 | 0 | 15 | 2.6 | |
| 6 10 - 19 days | 1 | 1 | 10 | 3 | 0 | 0 | 13 | 2.2 | |
| 7 20 - 29 days | 3 | 2 | 6 | 2 | 0 | 0 | 9 | 1.5 | |
| 8 Used daily | 3 | 2 | 5 | 1 | 0 | 0 | 8 | 1.4 | |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**9B6. Within the last thirty days, how often do you think the typical student at your school used:
MDMA (Ecstasy)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 107 | 56 | 158 | 46 | 4 | 57 | 284 | 49.1 | |
| 2 Have used, but not in last 30 | 34 | 18 | 87 | 25 | 1 | 14 | 131 | 22.6 | |
| 3 1 - 2 days | 33 | 17 | 47 | 14 | 1 | 14 | 87 | 15.0 | |
| 4 3 - 5 days | 4 | 2 | 20 | 6 | 1 | 14 | 27 | 4.7 | |
| 5 6 - 9 days | 6 | 3 | 13 | 4 | 0 | 0 | 20 | 3.5 | |
| 6 10 - 19 days | 1 | 1 | 10 | 3 | 0 | 0 | 11 | 1.9 | |
| 7 20 - 29 days | 4 | 2 | 6 | 2 | 0 | 0 | 11 | 1.9 | |
| 8 Used daily | 3 | 2 | 5 | 1 | 0 | 0 | 8 | 1.4 | |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

**9B7. Within the last thirty days, how often do you think the typical student at your school used:
Other club drugs (GHB, Ketamine, Rohypnol)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 128 | 66 | 179 | 52 | 5 | 71 | 333 | 57.4 | |
| 2 Have used, but not in last 30 | 30 | 16 | 77 | 22 | 1 | 14 | 114 | 19.7 | |
| 3 1 - 2 days | 21 | 11 | 43 | 12 | 0 | 0 | 69 | 11.9 | |
| 4 3 - 5 days | 6 | 3 | 15 | 4 | 1 | 14 | 23 | 4.0 | |
| 5 6 - 9 days | 2 | 1 | 13 | 4 | 0 | 0 | 16 | 2.8 | |
| 6 10 - 19 days | 1 | 1 | 8 | 2 | 0 | 0 | 9 | 1.6 | |
| 7 20 - 29 days | 3 | 2 | 6 | 2 | 0 | 0 | 9 | 1.6 | |
| 8 Used daily | 2 | 1 | 5 | 1 | 0 | 0 | 7 | 1.2 | |
| Valid responses = | 193 | 33 | 346 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

**9B8. Within the last thirty days, how often do you think the typical student at your school used:
Other illegal drugs?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|---------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never used | 107 | 56 | 152 | 44 | 5 | 71 | 282 | 48.6 | |
| 2 Have used, but not in last 30 | 33 | 17 | 84 | 24 | 1 | 14 | 127 | 21.9 | |
| 3 1 - 2 days | 29 | 15 | 52 | 15 | 0 | 0 | 85 | 14.7 | |
| 4 3 - 5 days | 10 | 5 | 15 | 4 | 0 | 0 | 27 | 4.7 | |
| 5 6 - 9 days | 6 | 3 | 19 | 6 | 0 | 0 | 26 | 4.5 | |
| 6 10 - 19 days | 1 | 1 | 12 | 4 | 1 | 14 | 14 | 2.4 | |
| 7 20 - 29 days | 2 | 1 | 4 | 1 | 0 | 0 | 6 | 1.0 | |
| 8 Used daily | 4 | 2 | 9 | 3 | 0 | 0 | 13 | 2.2 | |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

10. The last time you "partied"/socialized, how many alcoholic drinks did you have?

| Drinks | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 0 | 89 | 47 | 175 | 51 | 3 | 50 | 279 | 48.4 | |
| 1-2 | 26 | 14 | 75 | 22 | 2 | 33 | 113 | 19.6 | |
| 3-4 | 27 | 14 | 49 | 14 | 0 | 0 | 82 | 14.2 | |
| 5-6 | 17 | 9 | 22 | 6 | 0 | 0 | 41 | 7.1 | |
| 7-8 | 13 | 7 | 13 | 4 | 1 | 17 | 29 | 5.0 | |
| 9-10 | 11 | 6 | 6 | 2 | 0 | 0 | 18 | 3.1 | |
| 11-12 | 3 | 2 | 1 | 0 | 0 | 0 | 5 | 0.9 | |
| 13-14 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 15-16 | 3 | 2 | 4 | 1 | 0 | 0 | 7 | 1.2 | |
| GE 17 | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| Valid responses = | 191 | 33 | 346 | 60 | 6 | 1 | 577 | 98.1 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 2.86 | 1.00 | 3.9 | 0 | 20 |
| Female | 1.89 | 0.00 | 3.03 | 0 | 25 |
| Overall | 2.24 | 1.00 | 3.35 | 0 | 25 |

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

11. The last time you "partied"/socialized, how many hours did you drink alcohol?

| Hours | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 0 | 90 | 47 | 176 | 52 | 3 | 50 | 281 | 49.3 | |
| 1-2 | 41 | 22 | 62 | 18 | 1 | 17 | 116 | 20.4 | |
| 3-4 | 28 | 15 | 61 | 18 | 1 | 17 | 94 | 16.5 | |
| 5-6 | 26 | 14 | 34 | 10 | 1 | 17 | 63 | 11.1 | |
| 7-8 | 5 | 3 | 6 | 2 | 0 | 0 | 13 | 2.3 | |
| 9-10 | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 | |
| 11-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 15-16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| GE 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| Valid responses = | 191 | 34 | 340 | 60 | 6 | 1 | 570 | 96.9 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 1.81 | 1.00 | 2.26 | 0 | 10 |
| Female | 1.64 | 0.00 | 2.08 | 0 | 10 |
| Overall | 1.72 | 1.00 | 2.16 | 0 | 10 |

12. How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized?

| Drinks | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 0 | 30 | 16 | 54 | 16 | 0 | 0 | 89 | 15.5 | |
| 1-2 | 28 | 15 | 58 | 17 | 1 | 17 | 95 | 16.5 | |
| 3-4 | 48 | 25 | 101 | 29 | 3 | 50 | 164 | 28.5 | |
| 5-6 | 60 | 31 | 93 | 27 | 1 | 17 | 160 | 27.8 | |
| 7-8 | 11 | 6 | 22 | 6 | 1 | 17 | 35 | 6.1 | |
| 9-10 | 8 | 4 | 12 | 4 | 0 | 0 | 21 | 3.7 | |
| 11-12 | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 | |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 15-16 | 3 | 2 | 1 | 0 | 0 | 0 | 4 | 0.7 | |
| GE 17 | 3 | 2 | 2 | 1 | 0 | 0 | 5 | 0.9 | |
| Valid responses = | 193 | 34 | 343 | 60 | 6 | 1 | 575 | 97.8 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 4.30 | 4.00 | 3.76 | 0 | 27 |
| Female | 3.75 | 4.00 | 2.81 | 0 | 20 |
| Overall | 3.89 | 4.00 | 3.14 | 0 | 27 |

13. Over the last two weeks, how many times have you had five or more drinks of alcohol at a sitting?

| | Male | | Female | | Unknown | | Total | | Pct. |
|---------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 N/A, Don't drink | 79 | 41 | 154 | 44 | 2 | 29 | 245 | 42.0 | |
| 2 None | 61 | 31 | 133 | 38 | 4 | 57 | 212 | 36.3 | |
| 3 1 time | 21 | 11 | 29 | 8 | 0 | 0 | 53 | 9.1 | |
| 4 2 times | 14 | 7 | 15 | 4 | 0 | 0 | 31 | 5.3 | |
| 5 3 times | 4 | 2 | 8 | 2 | 0 | 0 | 13 | 2.2 | |
| 6 4 times | 4 | 2 | 6 | 2 | 0 | 0 | 11 | 1.9 | |
| 7 5 times | 3 | 2 | 3 | 1 | 1 | 14 | 7 | 1.2 | |
| 8 6 times | 3 | 2 | 1 | 0 | 0 | 0 | 5 | 0.9 | |
| 9 7 times | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 10 8 times | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 | |
| 11 9 times | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| 12 10 or more times | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 | |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

14A. Within the last thirty days, did you: Drive after drinking any alcohol at all?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 Not applicable/Don't drive | 62 | 32 | 84 | 24 | 2 | 29 | 163 | 28.0 | |
| 2 Not applicable/Don't drink | 50 | 26 | 114 | 33 | 2 | 29 | 175 | 30.1 | |
| 3 No | 69 | 36 | 135 | 39 | 2 | 29 | 214 | 36.8 | |
| 4 Yes | 12 | 6 | 16 | 5 | 1 | 14 | 30 | 5.2 | |
| Valid responses = | 193 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

14B. Within the last thirty days, did you: Drive after having 5 or more drinks?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drive | 61 | 32 | 86 | 25 | 2 | 29 | 164 | 28.3 |
| 2 Not applicable/Don't drink | 50 | 26 | 113 | 32 | 2 | 29 | 172 | 29.7 |
| 3 No | 79 | 41 | 147 | 42 | 3 | 43 | 238 | 41.1 |
| 4 Yes | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| Valid responses = | 192 | 33 | 349 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

15A. During the last 12 months, when you "partied"/socialized, how often did you: Alternate non-alcoholic with alcoholic beverages?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drink | 80 | 42 | 155 | 44 | 4 | 57 | 251 | 43.1 |
| 2 Never | 28 | 15 | 30 | 9 | 0 | 0 | 61 | 10.5 |
| 3 Rarely | 21 | 11 | 28 | 8 | 0 | 0 | 51 | 8.8 |
| 4 Sometimes | 28 | 15 | 50 | 14 | 2 | 29 | 85 | 14.6 |
| 5 Most of the time | 24 | 12 | 54 | 16 | 1 | 14 | 81 | 13.9 |
| 6 Always | 12 | 6 | 32 | 9 | 0 | 0 | 53 | 9.1 |
| Valid responses= | 193 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

15B. During the last 12 months, when you "partied"/socialized, how often did you: Avoid drinking games?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drink | 82 | 42 | 150 | 43 | 4 | 57 | 248 | 42.7 |
| 2 Never | 30 | 16 | 32 | 9 | 1 | 14 | 68 | 11.7 |
| 3 Rarely | 24 | 12 | 41 | 12 | 1 | 14 | 67 | 11.5 |
| 4 Sometimes | 17 | 9 | 43 | 12 | 1 | 14 | 61 | 10.5 |
| 5 Most of the time | 18 | 9 | 35 | 10 | 0 | 0 | 57 | 9.8 |
| 6 Always | 23 | 12 | 47 | 14 | 0 | 0 | 80 | 13.8 |
| Valid responses= | 194 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

15C. During the last 12 months, when you "partied"/socialized, how often did you: Choose not to drink alcohol?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drink | 79 | 41 | 142 | 41 | 4 | 57 | 235 | 40.4 |
| 2 Never | 21 | 11 | 23 | 7 | 0 | 0 | 49 | 8.4 |
| 3 Rarely | 25 | 13 | 34 | 10 | 0 | 0 | 62 | 10.7 |
| 4 Sometimes | 38 | 20 | 81 | 23 | 3 | 43 | 130 | 22.4 |
| 5 Most of the time | 26 | 13 | 54 | 16 | 0 | 0 | 84 | 14.5 |
| 6 Always | 5 | 3 | 14 | 4 | 0 | 0 | 21 | 3.6 |
| Valid responses= | 194 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

15D. During the last 12 months, when you "partied"/socialized, how often did you: Determine, in advance, not to exceed a set number of drinks?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drink | 80 | 42 | 151 | 44 | 4 | 57 | 246 | 42.6 |
| 2 Never | 23 | 12 | 37 | 11 | 0 | 0 | 67 | 11.6 |
| 3 Rarely | 19 | 10 | 19 | 6 | 0 | 0 | 38 | 6.6 |
| 4 Sometimes | 19 | 10 | 48 | 14 | 3 | 43 | 73 | 12.6 |
| 5 Most of the time | 27 | 14 | 40 | 12 | 0 | 0 | 73 | 12.6 |
| 6 Always | 25 | 13 | 51 | 15 | 0 | 0 | 81 | 14.0 |
| Valid responses= | 193 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

15E. During the last 12 months, when you "partied"/socialized, how often did you: Eat before and/or during drinking?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not applicable/Don't drink | 81 | 42 | 157 | 45 | 4 | 57 | 254 | 43.5 |
| 2 Never | 8 | 4 | 5 | 1 | 0 | 0 | 14 | 2.4 |
| 3 Rarely | 4 | 2 | 5 | 1 | 0 | 0 | 9 | 1.5 |
| 4 Sometimes | 24 | 12 | 35 | 10 | 1 | 14 | 63 | 10.8 |
| 5 Most of the time | 41 | 21 | 77 | 22 | 1 | 14 | 124 | 21.2 |
| 6 Always | 36 | 19 | 71 | 20 | 1 | 14 | 120 | 20.5 |
| Valid responses= | 194 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

15F. During the last 12 months, when you "partied"/socialized, how often did you:

Have a friend let you know when you've had enough?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 80 | 41 | 157 | 45 | 4 | 57 | 252 | 43.3 | |
| 2 Never | 33 | 17 | 42 | 12 | 1 | 14 | 80 | 13.7 | |
| 3 Rarely | 11 | 6 | 29 | 8 | 1 | 14 | 45 | 7.7 | |
| 4 Sometimes | 18 | 9 | 32 | 9 | 1 | 14 | 56 | 9.6 | |
| 5 Most of the time | 25 | 13 | 28 | 8 | 0 | 0 | 56 | 9.6 | |
| 6 Always | 27 | 14 | 61 | 18 | 0 | 0 | 93 | 16.0 | |
| Valid responses= | 194 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

15G. During the last 12 months, when you "partied"/socialized, how often did you:

Keep track of how many drinks you were having?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 79 | 41 | 155 | 45 | 4 | 57 | 249 | 42.9 | |
| 2 Never | 15 | 8 | 13 | 4 | 0 | 0 | 31 | 5.3 | |
| 3 Rarely | 5 | 3 | 11 | 3 | 0 | 0 | 17 | 2.9 | |
| 4 Sometimes | 16 | 8 | 31 | 9 | 0 | 0 | 51 | 8.8 | |
| 5 Most of the time | 26 | 14 | 36 | 10 | 0 | 0 | 65 | 11.2 | |
| 6 Always | 52 | 27 | 102 | 29 | 3 | 43 | 167 | 28.8 | |
| Valid responses= | 193 | 33 | 348 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

15H. During the last 12 months, when you "partied"/socialized, how often did you:

Pace your drinks to 1 or fewer per hour?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 80 | 42 | 156 | 45 | 4 | 57 | 252 | 43.4 | |
| 2 Never | 35 | 18 | 30 | 9 | 0 | 0 | 73 | 12.6 | |
| 3 Rarely | 22 | 11 | 30 | 9 | 2 | 29 | 56 | 9.7 | |
| 4 Sometimes | 22 | 11 | 48 | 14 | 0 | 0 | 74 | 12.8 | |
| 5 Most of the time | 17 | 9 | 39 | 11 | 1 | 14 | 60 | 10.3 | |
| 6 Always | 17 | 9 | 44 | 13 | 0 | 0 | 65 | 11.2 | |
| Valid responses= | 193 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

15I. During the last 12 months, when you "partied"/socialized, how often did you:

Stay with the same group of friends the entire time you were drinking?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 80 | 41 | 156 | 45 | 4 | 57 | 252 | 43.4 | |
| 2 Never | 5 | 3 | 5 | 1 | 0 | 0 | 11 | 1.9 | |
| 3 Rarely | 3 | 2 | 0 | 0 | 0 | 0 | 3 | 0.5 | |
| 4 Sometimes | 10 | 5 | 12 | 4 | 1 | 14 | 23 | 4.0 | |
| 5 Most of the time | 45 | 23 | 48 | 14 | 2 | 29 | 99 | 17.0 | |
| 6 Always | 51 | 26 | 126 | 36 | 0 | 0 | 193 | 33.2 | |
| Valid responses= | 194 | 33 | 347 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

15J. During the last 12 months, when you "partied"/socialized, how often did you:

Stick with only one kind of alcohol when drinking?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 81 | 42 | 156 | 45 | 4 | 57 | 252 | 43.6 | |
| 2 Never | 11 | 6 | 11 | 3 | 0 | 0 | 24 | 4.2 | |
| 3 Rarely | 8 | 4 | 17 | 5 | 0 | 0 | 26 | 4.5 | |
| 4 Sometimes | 25 | 13 | 48 | 14 | 1 | 14 | 77 | 13.3 | |
| 5 Most of the time | 47 | 24 | 64 | 19 | 2 | 29 | 117 | 20.2 | |
| 6 Always | 21 | 11 | 50 | 15 | 0 | 0 | 82 | 14.2 | |
| Valid responses= | 193 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

15K. During the last 12 months, when you "partied"/socialized, how often did you:

Use a designated driver?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Not applicable/Don't drink | 83 | 43 | 163 | 47 | 3 | 50 | 262 | 45.4 | |
| 2 Never | 8 | 4 | 10 | 3 | 0 | 0 | 19 | 3.3 | |
| 3 Rarely | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 | |
| 4 Sometimes | 6 | 3 | 5 | 1 | 0 | 0 | 11 | 1.9 | |
| 5 Most of the time | 18 | 9 | 21 | 6 | 2 | 33 | 44 | 7.6 | |
| 6 Always | 77 | 40 | 145 | 42 | 1 | 17 | 238 | 41.2 | |
| Valid responses= | 193 | 33 | 346 | 60 | 6 | 1 | 577 | 98.1 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**16A. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Did something you later regretted?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 43 | 158 | 45 | 4 | 57 | 255 | 43.7 | |
| 2 No | 80 | 42 | 138 | 39 | 0 | 0 | 231 | 39.6 | |
| 3 Yes | 31 | 16 | 54 | 15 | 3 | 43 | 97 | 16.6 | |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 | |

Invalid responses include no response or multiple responses.

**16B. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Forgot where you were or what you did?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 157 | 45 | 4 | 57 | 253 | 43.5 | |
| 2 No | 92 | 47 | 153 | 44 | 2 | 29 | 266 | 45.7 | |
| 3 Yes | 20 | 10 | 39 | 11 | 1 | 14 | 63 | 10.8 | |
| Valid responses = | 194 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

**16C. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Got in trouble with the police?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 81 | 42 | 157 | 45 | 4 | 57 | 252 | 43.4 | |
| 2 No | 109 | 57 | 191 | 55 | 3 | 43 | 325 | 55.9 | |
| 3 Yes | 3 | 2 | 1 | 0 | 0 | 0 | 4 | 0.7 | |
| Valid responses = | 193 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

**16D. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Someone had sex with me without my consent?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 158 | 45 | 4 | 57 | 254 | 43.6 | |
| 2 No | 111 | 57 | 183 | 52 | 3 | 43 | 317 | 54.4 | |
| 3 Yes | 1 | 1 | 9 | 3 | 0 | 0 | 12 | 2.1 | |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 | |

Invalid responses include no response or multiple responses.

**16E. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Had sex with someone without their consent?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 81 | 42 | 158 | 45 | 4 | 57 | 253 | 43.5 | |
| 2 No | 112 | 58 | 191 | 55 | 3 | 43 | 327 | 56.2 | |
| 3 Yes | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

**16F. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Had unprotected sex?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 159 | 45 | 4 | 57 | 256 | 43.8 | |
| 2 No | 93 | 48 | 153 | 44 | 3 | 43 | 266 | 45.5 | |
| 3 Yes | 19 | 10 | 39 | 11 | 0 | 0 | 63 | 10.8 | |
| Valid responses = | 194 | 33 | 351 | 60 | 7 | 1 | 585 | 99.5 | |

Invalid responses include no response or multiple responses.

**16G. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Physically injured yourself?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 158 | 46 | 4 | 57 | 254 | 43.8 | |
| 2 No | 99 | 51 | 167 | 48 | 1 | 14 | 284 | 49.0 | |
| 3 Yes | 13 | 7 | 22 | 6 | 2 | 29 | 42 | 7.2 | |
| Valid responses = | 194 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

**16H. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Physically injured another person?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 158 | 45 | 4 | 57 | 254 | 43.6 | |
| 2 No | 110 | 57 | 191 | 55 | 3 | 43 | 325 | 55.7 | |
| 3 Yes | 2 | 1 | 1 | 0 | 0 | 0 | 4 | 0.7 | |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 | |

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**16I. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Seriously considered suicide?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|--------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 N/A, Don't drink | 82 | 42 | 157 | 45 | 4 | 57 | 253 | 43.5 | |
| 2 No | 103 | 53 | 175 | 50 | 3 | 43 | 301 | 51.7 | |
| 3 Yes | 9 | 5 | 17 | 5 | 0 | 0 | 28 | 4.8 | |
| Valid responses = | 194 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

17A. Within the last 30 days, what percent of students at your school used cigarettes? State your best estimate.

| Percent | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 0 | 7 | 4 | 4 | 1 | 0 | 0 | 12 | 2.1 | |
| 1-10 | 20 | 10 | 35 | 10 | 0 | 0 | 63 | 10.9 | |
| 11-20 | 38 | 20 | 62 | 18 | 0 | 0 | 101 | 17.5 | |
| 21-30 | 45 | 23 | 70 | 20 | 2 | 29 | 121 | 20.9 | |
| 31-40 | 33 | 17 | 47 | 14 | 2 | 29 | 90 | 15.6 | |
| 41-50 | 23 | 12 | 61 | 18 | 1 | 14 | 91 | 15.7 | |
| 51-60 | 10 | 5 | 27 | 8 | 0 | 0 | 38 | 6.6 | |
| 61-70 | 8 | 4 | 15 | 4 | 0 | 0 | 24 | 4.2 | |
| 71-80 | 6 | 3 | 18 | 5 | 1 | 14 | 27 | 4.7 | |
| 81-90 | 1 | 1 | 5 | 1 | 0 | 0 | 7 | 1.2 | |
| 91-99 | 1 | 1 | 1 | 0 | 1 | 14 | 4 | 0.7 | |
| Valid responses = | 192 | 33 | 345 | 60 | 7 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 32.66 | 30.00 | 19.97 | 0 | 100 |
| Female | 36.33 | 34.00 | 20.48 | 0 | 95 |
| Overall | 35.26 | 30.00 | 20.80 | 0 | 100 |

17B. Within the last 30 days, what percent of students at your school used alcohol? State your best estimate.

| Percent | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 0 | 6 | 3 | 4 | 1 | 0 | 0 | 11 | 1.9 | |
| 1-10 | 9 | 5 | 5 | 2 | 0 | 0 | 19 | 3.3 | |
| 11-20 | 12 | 6 | 16 | 5 | 0 | 0 | 33 | 5.7 | |
| 21-30 | 17 | 9 | 30 | 9 | 0 | 0 | 50 | 8.6 | |
| 31-40 | 30 | 16 | 41 | 12 | 0 | 0 | 72 | 12.4 | |
| 41-50 | 33 | 17 | 69 | 20 | 3 | 43 | 108 | 18.7 | |
| 51-60 | 28 | 14 | 53 | 15 | 0 | 0 | 85 | 14.7 | |
| 61-70 | 25 | 13 | 49 | 14 | 1 | 14 | 81 | 14.0 | |
| 71-80 | 20 | 10 | 54 | 16 | 2 | 29 | 79 | 13.6 | |
| 81-90 | 11 | 6 | 19 | 6 | 0 | 0 | 33 | 5.7 | |
| 91-99 | 3 | 2 | 4 | 1 | 1 | 14 | 8 | 1.4 | |
| Valid responses = | 194 | 34 | 344 | 59 | 7 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 49.97 | 50.00 | 23.17 | 0 | 98 |
| Female | 54.79 | 55.00 | 20.83 | 0 | 100 |
| Overall | 52.71 | 50.00 | 22.29 | 0 | 100 |

17C. Within the last 30 days, what percent of students at your school used marijuana? State your best estimate.

| Percent | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 0 | 6 | 3 | 5 | 2 | 0 | 0 | 12 | 2.1 | |
| 1-10 | 25 | 13 | 49 | 14 | 1 | 17 | 83 | 14.4 | |
| 11-20 | 49 | 26 | 52 | 15 | 1 | 17 | 106 | 18.4 | |
| 21-30 | 29 | 15 | 49 | 14 | 0 | 0 | 81 | 14.1 | |
| 31-40 | 18 | 9 | 45 | 13 | 1 | 17 | 68 | 11.8 | |
| 41-50 | 25 | 13 | 44 | 13 | 1 | 17 | 75 | 13.0 | |
| 51-60 | 11 | 6 | 39 | 11 | 0 | 0 | 54 | 9.4 | |
| 61-70 | 14 | 7 | 21 | 6 | 1 | 17 | 36 | 6.3 | |
| 71-80 | 7 | 4 | 24 | 7 | 0 | 0 | 35 | 6.1 | |
| 81-90 | 7 | 4 | 7 | 2 | 0 | 0 | 15 | 2.6 | |
| 91-99 | 1 | 1 | 9 | 3 | 1 | 17 | 11 | 1.9 | |
| Valid responses = | 192 | 33 | 344 | 60 | 6 | 1 | 576 | 98.0 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 34.69 | 30.00 | 24.06 | 0 | 100 |
| Female | 39.32 | 40.00 | 24.54 | 0 | 99 |
| Overall | 37.69 | 35.00 | 24.77 | 0 | 100 |

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

18A. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:

Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 189 | 98 | 341 | 98 | 7 | 100 | 570 | 97.9 |
| 2 Yes | 4 | 2 | 7 | 2 | 0 | 0 | 12 | 2.1 |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

18B. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:

Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 350 | 100 | 7 | 100 | 583 | 99.8 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

18C. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:

Pain killers (e.g., OxyContin, Vicodin, Codeine)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 187 | 96 | 338 | 97 | 7 | 100 | 563 | 96.2 |
| 2 Yes | 7 | 4 | 12 | 3 | 0 | 0 | 22 | 3.8 |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

18D. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:

Sedatives (e.g., Xanax, Valium)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 344 | 99 | 6 | 86 | 576 | 98.8 |
| 2 Yes | 0 | 0 | 5 | 1 | 1 | 14 | 7 | 1.2 |
| Valid responses = | 193 | 33 | 349 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

18E. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you:

Stimulants (e.g., Ritalin, Adderall)?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 190 | 98 | 335 | 96 | 6 | 86 | 563 | 96.2 |
| 2 Yes | 4 | 2 | 15 | 4 | 1 | 14 | 22 | 3.8 |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

19. Within the last 12 months, with how many partners have you had oral sex, vaginal intercourse or anal intercourse?

| Partners | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 0 | 84 | 44 | 147 | 43 | 1 | 20 | 244 | 42.4 |
| 1 | 66 | 34 | 112 | 33 | 1 | 20 | 194 | 33.7 |
| 2 | 9 | 5 | 37 | 11 | 0 | 0 | 48 | 8.3 |
| 3 | 12 | 6 | 18 | 5 | 1 | 20 | 34 | 5.9 |
| 4 | 7 | 4 | 11 | 3 | 1 | 20 | 19 | 3.3 |
| 5 | 5 | 3 | 4 | 1 | 0 | 0 | 9 | 1.6 |
| 6 | 3 | 2 | 5 | 2 | 0 | 0 | 8 | 1.4 |
| 7 | 2 | 1 | 4 | 1 | 0 | 0 | 7 | 1.2 |
| 8 | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |
| GE 9 | 5 | 3 | 3 | 1 | 1 | 20 | 10 | 1.7 |
| Valid responses = | 193 | 34 | 344 | 60 | 5 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 1.37 | 1.00 | 2.31 | 0 | 17 |
| Female | 1.20 | 1.00 | 1.72 | 0 | 9 |
| Overall | 1.38 | 1.00 | 3.05 | 0 | 55 |

20A. Within the last 12 months, did you have sexual partner(s) who were: Women?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 92 | 47 | 318 | 93 | 2 | 33 | 433 | 75.0 |
| 2 Yes | 102 | 53 | 25 | 7 | 4 | 67 | 144 | 25.0 |
| Valid responses = | 194 | 34 | 343 | 59 | 6 | 1 | 577 | 98.1 |

Invalid responses include no response or multiple responses.

20B. Within the last 12 months, did you have sexual partner(s) who were: Men?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 175 | 93 | 152 | 44 | 4 | 57 | 348 | 60.4 |
| 2 Yes | 14 | 7 | 196 | 56 | 3 | 43 | 228 | 39.6 |
| Valid responses = | 189 | 33 | 348 | 60 | 7 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

20C. Within the last 12 months, did you have sexual partner(s) who were: Trans women?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 189 | 100 | 342 | 100 | 5 | 83 | 565 | 99.5 |
| 2 Yes | 0 | 0 | 0 | 0 | 1 | 17 | 3 | 0.5 |
| Valid responses = | 189 | 33 | 342 | 60 | 6 | 1 | 568 | 96.6 |

Invalid responses include no response or multiple responses.

20D. Within the last 12 months, did you have sexual partner(s) who were: Trans men?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 189 | 100 | 341 | 100 | 5 | 83 | 564 | 99.3 |
| 2 Yes | 0 | 0 | 1 | 0 | 1 | 17 | 4 | 0.7 |
| Valid responses = | 189 | 33 | 342 | 60 | 6 | 1 | 568 | 96.6 |

Invalid responses include no response or multiple responses.

20E. Within the last 12 months, did you have sexual partner(s) who were: Genderqueer?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 187 | 99 | 339 | 99 | 5 | 83 | 559 | 98.4 |
| 2 Yes | 2 | 1 | 3 | 1 | 1 | 17 | 9 | 1.6 |
| Valid responses = | 189 | 33 | 342 | 60 | 6 | 1 | 568 | 96.6 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

20F. Within the last 12 months, did you have sexual partner(s) who were: Person(s) with another identity?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 188 | 100 | 341 | 100 | 5 | 83 | 562 | 99.3 |
| 2 Yes | 0 | 0 | 0 | 0 | 1 | 17 | 4 | 0.7 |
| Valid responses = | 188 | 33 | 341 | 60 | 6 | 1 | 566 | 96.3 |

Invalid responses include no response or multiple responses.

21A. Within the last 30 days, did you have:

Oral sex?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No, Never done this sexual activ | 71 | 37 | 139 | 40 | 2 | 33 | 224 | 38.6 |
| 2 No, Have, but not last 30 days | 43 | 22 | 79 | 23 | 0 | 0 | 130 | 22.4 |
| 3 Yes | 79 | 41 | 130 | 37 | 4 | 67 | 226 | 39.0 |
| Valid responses = | 193 | 33 | 348 | 60 | 6 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

21B. Within the last 30 days, did you have:

Vaginal Intercourse?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No, Never done this sexual activ | 89 | 46 | 147 | 42 | 2 | 33 | 253 | 43.5 |
| 2 No, Have, but not last 30 days | 37 | 19 | 56 | 16 | 1 | 17 | 101 | 17.4 |
| 3 Yes | 66 | 34 | 146 | 42 | 3 | 50 | 227 | 39.1 |
| Valid responses = | 192 | 33 | 349 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

21C. Within the last 30 days, did you have:

Anal Intercourse?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No, Never done this sexual activ | 138 | 72 | 259 | 75 | 4 | 67 | 423 | 73.2 |
| 2 No, Have, but not last 30 days | 35 | 18 | 69 | 20 | 2 | 33 | 115 | 19.9 |
| 3 Yes | 20 | 10 | 18 | 5 | 0 | 0 | 40 | 6.9 |
| Valid responses = | 193 | 33 | 346 | 60 | 6 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

22A. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

Oral sex?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 N/A, Never did this sexual activit | 72 | 37 | 139 | 40 | 2 | 33 | 225 | 38.7 |
| 2 Have not during last 30 days | 43 | 22 | 63 | 18 | 0 | 0 | 110 | 18.9 |
| 3 Never | 71 | 37 | 125 | 36 | 3 | 50 | 215 | 37.0 |
| 4 Rarely | 3 | 2 | 10 | 3 | 0 | 0 | 13 | 2.2 |
| 5 Sometimes | 3 | 2 | 2 | 1 | 1 | 17 | 6 | 1.0 |
| 6 Most of the time | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| 7 Always | 2 | 1 | 5 | 1 | 0 | 0 | 8 | 1.4 |
| Valid responses = | 194 | 33 | 347 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

22B. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

Vaginal Intercourse?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 N/A, Never did this sexual activit | 89 | 46 | 145 | 42 | 2 | 33 | 251 | 43.1 |
| 2 Have not during last 30 days | 35 | 18 | 50 | 14 | 1 | 17 | 91 | 15.6 |
| 3 Never | 7 | 4 | 41 | 12 | 2 | 33 | 53 | 9.1 |
| 4 Rarely | 7 | 4 | 17 | 5 | 0 | 0 | 24 | 4.1 |
| 5 Sometimes | 15 | 8 | 19 | 6 | 0 | 0 | 37 | 6.4 |
| 6 Most of the time | 16 | 8 | 31 | 9 | 0 | 0 | 49 | 8.4 |
| 7 Always | 25 | 13 | 45 | 13 | 1 | 17 | 77 | 13.2 |
| Valid responses = | 194 | 33 | 348 | 60 | 6 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

22C. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

Anal Intercourse?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|--------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 N/A, Never did this sexual activit | 132 | 68 | 253 | 74 | 4 | 67 | 411 | 71.2 |
| 2 Have not during last 30 days | 32 | 17 | 52 | 15 | 1 | 17 | 91 | 15.8 |
| 3 Never | 13 | 7 | 23 | 7 | 1 | 17 | 38 | 6.6 |
| 4 Rarely | 5 | 3 | 4 | 1 | 0 | 0 | 10 | 1.7 |
| 5 Sometimes | 3 | 2 | 1 | 0 | 0 | 0 | 4 | 0.7 |
| 6 Most of the time | 3 | 2 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| 7 Always | 6 | 3 | 9 | 3 | 0 | 0 | 18 | 3.1 |
| Valid responses = | 194 | 34 | 344 | 60 | 6 | 1 | 577 | 98.1 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

23A. Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Yes | 76 | 39 | 160 | 46 | 3 | 50 | 253 | 43.5 | |
| 2 Not had vaginal intercourse | 88 | 45 | 138 | 40 | 1 | 17 | 240 | 41.3 | |
| 3 No intercourse resulting pregna | 1 | 1 | 21 | 6 | 1 | 17 | 24 | 4.1 | |
| 4 Not want to prevent pregnancy | 5 | 3 | 2 | 1 | 0 | 0 | 8 | 1.4 | |
| 5 Not use any birth control | 15 | 8 | 21 | 6 | 0 | 0 | 39 | 6.7 | |
| 6 Don't know | 9 | 5 | 5 | 1 | 1 | 17 | 17 | 2.9 | |
| Valid responses= | 194 | 33 | 347 | 60 | 6 | 1 | 581 | 98.8 | |

23B1. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control pills (monthly or extended cycle)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 33 | 43 | 82 | 52 | 2 | 67 | 123 | 48.8 | |
| 2 Yes | 43 | 57 | 77 | 48 | 1 | 33 | 129 | 51.2 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 252 | 42.9 | |

23B2. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control shots?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 69 | 91 | 145 | 91 | 3 | 100 | 226 | 90.0 | |
| 2 Yes | 7 | 9 | 14 | 9 | 0 | 0 | 25 | 10.0 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 | |

23B3. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control implants?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 73 | 96 | 150 | 94 | 3 | 100 | 238 | 94.8 | |
| 2 Yes | 3 | 4 | 9 | 6 | 0 | 0 | 13 | 5.2 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 | |

23B4. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control patch?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 75 | 99 | 158 | 99 | 3 | 100 | 247 | 98.4 | |
| 2 Yes | 1 | 1 | 1 | 1 | 0 | 0 | 4 | 1.6 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 | |

23B5. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Cervical ring?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 75 | 99 | 154 | 97 | 3 | 100 | 243 | 96.8 | |
| 2 Yes | 1 | 1 | 5 | 3 | 0 | 0 | 8 | 3.2 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 | |

23B6. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Intrauterine device (IUD)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 74 | 97 | 147 | 93 | 3 | 100 | 236 | 94.0 | |
| 2 Yes | 2 | 3 | 12 | 8 | 0 | 0 | 15 | 6.0 | |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 | |

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

May 4, 2016

1362 Mellon Road, Suite 180

FREQUENCY REPORT

Hanover, MD 21076

Number of Surveys (n) = 588 Web Surveys

(410) 859-1500

www.acha.org

23B7. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Male condom?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 19 | 25 | 53 | 33 | 1 | 33 | 76 | 30.0 |
| 2 Yes | 57 | 75 | 107 | 67 | 2 | 67 | 177 | 70.0 |
| Valid responses= | 76 | 30 | 160 | 63 | 3 | 1 | 253 | 43.0 |

23B8. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Female condom?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 76 | 100 | 158 | 99 | 3 | 100 | 249 | 99.2 |
| 2 Yes | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0.8 |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 |

23B9. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Diaphragm or cervical cap?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 76 | 100 | 159 | 100 | 3 | 100 | 250 | 99.6 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 |

23B10. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Contraceptive sponge?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 76 | 100 | 159 | 100 | 3 | 100 | 250 | 99.6 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 |

23B11. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Spermicide (e.g., foam, jelly, cream)?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 69 | 91 | 148 | 93 | 2 | 67 | 229 | 90.9 |
| 2 Yes | 7 | 9 | 12 | 8 | 1 | 33 | 23 | 9.1 |
| Valid responses= | 76 | 30 | 160 | 63 | 3 | 1 | 252 | 42.9 |

23B12. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Fertility awareness (e.g., calendar, mucous, basal body temperature)?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 73 | 96 | 134 | 84 | 3 | 100 | 221 | 88.0 |
| 2 Yes | 3 | 4 | 25 | 16 | 0 | 0 | 30 | 12.0 |
| Valid responses= | 76 | 30 | 159 | 63 | 3 | 1 | 251 | 42.7 |

23B13. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Withdrawal?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 50 | 66 | 86 | 54 | 3 | 100 | 145 | 58.0 |
| 2 Yes | 26 | 34 | 72 | 46 | 0 | 0 | 105 | 42.0 |
| Valid responses= | 76 | 30 | 158 | 63 | 3 | 1 | 250 | 42.5 |

23B14. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse:

Sterilization (e.g., hysterectomy, tubes tied, or vasectomy)?

| | Male | | Female | | Unknown | | Total | |
|------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 76 | 100 | 157 | 99 | 3 | 100 | 248 | 99.2 |
| 2 Yes | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0.8 |
| Valid responses= | 76 | 30 | 158 | 63 | 3 | 1 | 250 | 42.5 |

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

23B15. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse?

Other method?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 72 | 96 | 155 | 99 | 3 | 100 | 240 | 96.8 |
| 2 Yes | 3 | 4 | 2 | 1 | 0 | 0 | 8 | 3.2 |
| Valid responses = | 75 | 30 | 157 | 63 | 3 | 1 | 248 | 42.2 |

24. Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")?

| | Male | | Female | | Unknown | | Total | |
|----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 N/A N vaginal intercourse 12 m | 89 | 46 | 155 | 44 | 4 | 57 | 262 | 44.7 |
| 2 No | 86 | 44 | 159 | 45 | 2 | 29 | 258 | 44.0 |
| 3 Yes | 14 | 7 | 37 | 11 | 1 | 14 | 60 | 10.2 |
| 4 Don't know | 5 | 3 | 0 | 0 | 0 | 0 | 6 | 1.0 |
| Valid responses = | 194 | 33 | 351 | 60 | 7 | 1 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

25. Within the last 12 months, have you or your partner become pregnant?

| | Male | | Female | | Unknown | | Total | |
|------------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 N/A, No vaginal intercourse 12 r | 91 | 47 | 154 | 44 | 4 | 57 | 263 | 44.9 |
| 2 No | 94 | 49 | 190 | 54 | 3 | 43 | 303 | 51.7 |
| 3 Yes, unintentionally | 3 | 2 | 3 | 1 | 0 | 0 | 7 | 1.2 |
| 4 Yes, intentionally | 2 | 1 | 4 | 1 | 0 | 0 | 6 | 1.0 |
| 5 Don't know | 4 | 2 | 0 | 0 | 0 | 0 | 7 | 1.2 |
| Valid responses = | 194 | 33 | 351 | 60 | 7 | 1 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

26. How would you describe your weight?

| | Male | | Female | | Unknown | | Total | |
|--------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Very underweight | 2 | 1 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| 2 Slightly underweight | 26 | 13 | 16 | 5 | 2 | 29 | 46 | 7.8 |
| 3 About the right weight | 86 | 44 | 161 | 46 | 4 | 57 | 269 | 45.9 |
| 4 Slightly overweight | 64 | 33 | 121 | 35 | 1 | 14 | 198 | 33.8 |
| 5 Very overweight | 16 | 8 | 51 | 15 | 0 | 0 | 68 | 11.6 |
| Valid responses = | 194 | 33 | 351 | 60 | 7 | 1 | 586 | 99.7 |

Invalid responses include no response or multiple responses.

27. Are you trying to do any of the following about your weight?

| | Male | | Female | | Unknown | | Total | |
|----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 I am not trying to do anything | 43 | 22 | 72 | 21 | 3 | 43 | 125 | 21.4 |
| 2 Stay the same weight | 47 | 24 | 75 | 21 | 0 | 0 | 129 | 22.1 |
| 3 Lose weight | 71 | 37 | 188 | 54 | 2 | 29 | 278 | 47.5 |
| 4 Gain weight | 33 | 17 | 15 | 4 | 2 | 29 | 53 | 9.1 |
| Valid responses = | 194 | 33 | 350 | 60 | 7 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

28. How many servings of fruits and vegetables do you usually have per day?

| | Male | | Female | | Unknown | | Total | |
|------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 0 servings per day | 18 | 9 | 22 | 6 | 1 | 17 | 44 | 7.5 |
| 2 1-2 servings per day | 113 | 58 | 238 | 68 | 3 | 50 | 371 | 63.4 |
| 3 3-4 servings per day | 52 | 27 | 76 | 22 | 2 | 33 | 142 | 24.3 |
| 4 5 or more servings per day | 11 | 6 | 15 | 4 | 0 | 0 | 28 | 4.8 |
| Valid responses = | 194 | 33 | 351 | 60 | 6 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

29A. On how many of the past 7 days did you:

Do moderate intensity cardio or aerobic exercise for at least 30 minutes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 0 days | 38 | 20 | 70 | 20 | 3 | 43 | 119 | 20.5 | |
| 2 1 day | 24 | 13 | 53 | 15 | 1 | 14 | 82 | 14.1 | |
| 3 2 days | 35 | 18 | 66 | 19 | 1 | 14 | 107 | 18.4 | |
| 4 3 days | 23 | 12 | 64 | 18 | 1 | 14 | 95 | 16.4 | |
| 5 4 days | 21 | 11 | 30 | 9 | 1 | 14 | 57 | 9.8 | |
| 6 5 days | 23 | 12 | 39 | 11 | 0 | 0 | 65 | 11.2 | |
| 7 6 days | 14 | 7 | 8 | 2 | 0 | 0 | 23 | 4.0 | |
| 8 7 days | 14 | 7 | 18 | 5 | 0 | 0 | 33 | 5.7 | |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

29B. On how many of the past 7 days did you:

Do vigorous intensity cardio or aerobic exercise for at least 20 minutes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 0 days | 68 | 36 | 157 | 45 | 5 | 71 | 247 | 42.7 | |
| 2 1 day | 24 | 13 | 61 | 18 | 1 | 14 | 89 | 15.4 | |
| 3 2 days | 35 | 18 | 41 | 12 | 1 | 14 | 82 | 14.2 | |
| 4 3 days | 26 | 14 | 46 | 13 | 0 | 0 | 75 | 13.0 | |
| 5 4 days | 8 | 4 | 23 | 7 | 0 | 0 | 33 | 5.7 | |
| 6 5 days | 15 | 8 | 10 | 3 | 0 | 0 | 28 | 4.8 | |
| 7 6 days | 9 | 5 | 6 | 2 | 0 | 0 | 15 | 2.6 | |
| 8 7 days | 6 | 3 | 3 | 1 | 0 | 0 | 9 | 1.6 | |
| Valid responses = | 191 | 33 | 347 | 60 | 7 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

29C. On how many of the past 7 days did you:

Do 8-10 strength training exercises for 8-12 repetitions each?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 0 days | 95 | 49 | 230 | 66 | 5 | 71 | 354 | 60.8 | |
| 2 1 day | 22 | 11 | 44 | 13 | 0 | 0 | 68 | 11.7 | |
| 3 2 days | 20 | 10 | 22 | 6 | 1 | 14 | 46 | 7.9 | |
| 4 3 days | 20 | 10 | 31 | 9 | 1 | 14 | 55 | 9.5 | |
| 5 4 days | 13 | 7 | 7 | 2 | 0 | 0 | 21 | 3.6 | |
| 6 5 days | 12 | 6 | 9 | 3 | 0 | 0 | 21 | 3.6 | |
| 7 6 days | 6 | 3 | 2 | 1 | 0 | 0 | 8 | 1.4 | |
| 8 7 days | 5 | 3 | 4 | 1 | 0 | 0 | 9 | 1.5 | |
| Valid responses = | 193 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

30A. Have you ever felt things were hopeless?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Never | 64 | 33 | 66 | 19 | 3 | 38 | 139 | 23.8 | |
| 2 Not in last 12 months | 31 | 16 | 53 | 15 | 1 | 13 | 87 | 14.9 | |
| 3 In the last 2 weeks | 50 | 26 | 114 | 33 | 1 | 13 | 177 | 30.3 | |
| 4 In the last 30 days | 16 | 8 | 55 | 16 | 2 | 25 | 80 | 13.7 | |
| 5 In the last 12 months | 33 | 17 | 61 | 18 | 1 | 13 | 102 | 17.4 | |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

30B. Have you ever felt overwhelmed by all you had to do?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 37 | 19 | 19 | 5 | 2 | 25 | 62 | 10.6 |
| 2 Not in last 12 months | 9 | 5 | 8 | 2 | 0 | 0 | 17 | 2.9 |
| 3 In the last 2 weeks | 87 | 45 | 230 | 66 | 3 | 38 | 340 | 58.2 |
| 4 In the last 30 days | 28 | 15 | 57 | 16 | 2 | 25 | 91 | 15.6 |
| 5 In the last 12 months | 32 | 17 | 35 | 10 | 1 | 13 | 74 | 12.7 |
| Valid responses = | 193 | 33 | 349 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

30C. Have you ever felt exhausted (not from physical activity)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 41 | 21 | 23 | 7 | 2 | 25 | 68 | 11.6 |
| 2 Not in last 12 months | 13 | 7 | 6 | 2 | 0 | 0 | 21 | 3.6 |
| 3 In the last 2 weeks | 87 | 45 | 231 | 66 | 3 | 38 | 344 | 58.8 |
| 4 In the last 30 days | 25 | 13 | 61 | 17 | 2 | 25 | 92 | 15.7 |
| 5 In the last 12 months | 27 | 14 | 29 | 8 | 1 | 13 | 60 | 10.3 |
| Valid responses = | 193 | 33 | 350 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

30D. Have you ever felt very lonely?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 61 | 32 | 37 | 11 | 2 | 25 | 104 | 17.8 |
| 2 Not in last 12 months | 27 | 14 | 58 | 17 | 2 | 25 | 90 | 15.4 |
| 3 In the last 2 weeks | 55 | 29 | 134 | 38 | 0 | 0 | 203 | 34.8 |
| 4 In the last 30 days | 12 | 6 | 52 | 15 | 2 | 25 | 72 | 12.3 |
| 5 In the last 12 months | 38 | 20 | 68 | 20 | 2 | 25 | 115 | 19.7 |
| Valid responses = | 193 | 33 | 349 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

30E. Have you ever felt very sad?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 54 | 28 | 37 | 11 | 3 | 38 | 101 | 17.3 |
| 2 Not in last 12 months | 25 | 13 | 40 | 12 | 0 | 0 | 68 | 11.7 |
| 3 In the last 2 weeks | 55 | 28 | 151 | 44 | 3 | 38 | 224 | 38.4 |
| 4 In the last 30 days | 24 | 12 | 62 | 18 | 1 | 13 | 90 | 15.4 |
| 5 In the last 12 months | 36 | 19 | 57 | 16 | 1 | 13 | 100 | 17.2 |
| Valid responses = | 194 | 33 | 347 | 60 | 8 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

30F. Have you ever felt so depressed that it was difficult to function?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 80 | 42 | 95 | 28 | 3 | 38 | 189 | 32.8 |
| 2 Not in last 12 months | 28 | 15 | 74 | 21 | 1 | 13 | 105 | 18.2 |
| 3 In the last 2 weeks | 33 | 17 | 74 | 21 | 1 | 13 | 122 | 21.1 |
| 4 In the last 30 days | 18 | 10 | 39 | 11 | 2 | 25 | 62 | 10.7 |
| 5 In the last 12 months | 31 | 16 | 63 | 18 | 1 | 13 | 99 | 17.2 |
| Valid responses = | 190 | 33 | 345 | 60 | 8 | 1 | 577 | 98.1 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

30G. Have you ever felt overwhelming anxiety?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 70 | 36 | 67 | 19 | 3 | 38 | 151 | 25.9 |
| 2 Not in last 12 months | 27 | 14 | 29 | 8 | 0 | 0 | 57 | 9.8 |
| 3 In the last 2 weeks | 37 | 19 | 123 | 35 | 1 | 13 | 177 | 30.4 |
| 4 In the last 30 days | 25 | 13 | 62 | 18 | 3 | 38 | 92 | 15.8 |
| 5 In the last 12 months | 34 | 18 | 66 | 19 | 1 | 13 | 105 | 18.0 |
| Valid responses = | 193 | 33 | 347 | 60 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

30H. Have you ever felt overwhelming anger?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 74 | 39 | 92 | 27 | 3 | 38 | 178 | 30.7 |
| 2 Not in last 12 months | 35 | 18 | 76 | 22 | 2 | 25 | 117 | 20.2 |
| 3 In the last 2 weeks | 25 | 13 | 73 | 21 | 0 | 0 | 108 | 18.6 |
| 4 In the last 30 days | 22 | 12 | 45 | 13 | 1 | 13 | 72 | 12.4 |
| 5 In the last 12 months | 35 | 18 | 61 | 18 | 2 | 25 | 105 | 18.1 |
| Valid responses = | 191 | 33 | 347 | 60 | 8 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

30I. Have you ever intentionally cut, burned, bruised, or otherwise injured yourself?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 156 | 81 | 244 | 71 | 5 | 63 | 426 | 73.6 |
| 2 Not in last 12 months | 20 | 10 | 65 | 19 | 2 | 25 | 92 | 15.9 |
| 3 In the last 2 weeks | 6 | 3 | 8 | 2 | 0 | 0 | 16 | 2.8 |
| 4 In the last 30 days | 4 | 2 | 9 | 3 | 0 | 0 | 13 | 2.2 |
| 5 In the last 12 months | 6 | 3 | 19 | 6 | 1 | 13 | 32 | 5.5 |
| Valid responses = | 192 | 33 | 345 | 60 | 8 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

30J. Have you ever seriously considered suicide?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 140 | 73 | 214 | 62 | 7 | 88 | 376 | 64.9 |
| 2 Not in last 12 months | 23 | 12 | 68 | 20 | 1 | 13 | 101 | 17.4 |
| 3 In the last 2 weeks | 9 | 5 | 14 | 4 | 0 | 0 | 25 | 4.3 |
| 4 In the last 30 days | 5 | 3 | 13 | 4 | 0 | 0 | 20 | 3.5 |
| 5 In the last 12 months | 15 | 8 | 36 | 10 | 0 | 0 | 57 | 9.8 |
| Valid responses = | 192 | 33 | 345 | 60 | 8 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

30K. Have you ever attempted suicide?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Never | 168 | 88 | 280 | 81 | 8 | 100 | 480 | 82.9 |
| 2 Not in last 12 months | 20 | 10 | 53 | 15 | 0 | 0 | 79 | 13.6 |
| 3 In the last 2 weeks | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 4 In the last 30 days | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 In the last 12 months | 2 | 1 | 9 | 3 | 0 | 0 | 15 | 2.6 |
| Valid responses = | 192 | 33 | 345 | 60 | 8 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

31A1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Anorexia?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 342 | 99 | 8 | 100 | 576 | 99.0 |
| 2 Yes, diagnosed not treated | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 3 Yes, treated with medication | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 193 | 33 | 347 | 60 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

31A2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Anxiety?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 177 | 92 | 263 | 76 | 7 | 88 | 470 | 80.9 |
| 2 Yes, diagnosed not treated | 4 | 2 | 20 | 6 | 0 | 0 | 29 | 5.0 |
| 3 Yes, treated with medication | 4 | 2 | 26 | 8 | 0 | 0 | 33 | 5.7 |
| 4 Yes, treated with psychotherapy | 5 | 3 | 13 | 4 | 1 | 13 | 19 | 3.3 |
| 5 Yes, treated meds + psychother | 2 | 1 | 16 | 5 | 0 | 0 | 20 | 3.4 |
| 6 Yes, other treatment | 1 | 1 | 8 | 2 | 0 | 0 | 10 | 1.7 |
| Valid responses = | 193 | 33 | 346 | 60 | 8 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

31A3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Attention Deficit and Hyperactivity Disorder (ADHD)?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 184 | 95 | 336 | 97 | 8 | 100 | 560 | 96.1 |
| 2 Yes, diagnosed not treated | 4 | 2 | 3 | 1 | 0 | 0 | 8 | 1.4 |
| 3 Yes, treated with medication | 5 | 3 | 5 | 1 | 0 | 0 | 10 | 1.7 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Yes, other treatment | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 193 | 33 | 348 | 60 | 8 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

31A4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Bipolar Disorder?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 190 | 100 | 343 | 99 | 8 | 100 | 570 | 98.3 |
| 2 Yes, diagnosed not treated | 0 | 0 | 2 | 1 | 0 | 0 | 6 | 1.0 |
| 3 Yes, treated with medication | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 191 | 33 | 347 | 60 | 8 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

31A5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Bulimia?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 343 | 99 | 8 | 100 | 577 | 99.3 |
| 2 Yes, diagnosed not treated | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 3 Yes, treated with medication | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 346 | 60 | 8 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

31A6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Depression?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 177 | 92 | 279 | 80 | 8 | 100 | 486 | 83.5 |
| 2 Yes, diagnosed not treated | 3 | 2 | 19 | 6 | 0 | 0 | 27 | 4.6 |
| 3 Yes, treated with medication | 4 | 2 | 23 | 7 | 0 | 0 | 30 | 5.2 |
| 4 Yes, treated with psychotherapy | 3 | 2 | 9 | 3 | 0 | 0 | 14 | 2.4 |
| 5 Yes, treated meds + psychother | 6 | 3 | 14 | 4 | 0 | 0 | 21 | 3.6 |
| 6 Yes, other treatment | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 193 | 33 | 347 | 60 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

31A7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Insomnia?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 190 | 99 | 334 | 96 | 8 | 100 | 563 | 96.9 |
| 2 Yes, diagnosed not treated | 0 | 0 | 6 | 2 | 0 | 0 | 8 | 1.4 |
| 3 Yes, treated with medication | 0 | 0 | 4 | 1 | 0 | 0 | 4 | 0.7 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| 6 Yes, other treatment | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 192 | 33 | 347 | 60 | 8 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

31A8. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Other sleep disorder?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 189 | 98 | 342 | 98 | 8 | 100 | 572 | 98.3 |
| 2 Yes, diagnosed not treated | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 3 Yes, treated with medication | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Yes, treated with psychotherapy | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| 6 Yes, other treatment | 1 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 192 | 33 | 348 | 60 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

**31B1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
 Obsessive Compulsive Disorder (OCD)?**

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 189 | 97 | 340 | 98 | 8 | 100 | 566 | 96.9 |
| 2 Yes, diagnosed not treated | 3 | 2 | 6 | 2 | 0 | 0 | 12 | 2.1 |
| 3 Yes, treated with medication | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

**31B2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
 Panic Attacks?**

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 185 | 95 | 290 | 84 | 7 | 88 | 508 | 87.1 |
| 2 Yes, diagnosed not treated | 4 | 2 | 30 | 9 | 1 | 13 | 40 | 6.9 |
| 3 Yes, treated with medication | 2 | 1 | 8 | 2 | 0 | 0 | 12 | 2.1 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 8 | 2 | 0 | 0 | 8 | 1.4 |
| 5 Yes, treated meds + psychother | 2 | 1 | 6 | 2 | 0 | 0 | 8 | 1.4 |
| 6 Yes, other treatment | 1 | 1 | 5 | 1 | 0 | 0 | 7 | 1.2 |
| Valid responses = | 194 | 33 | 347 | 60 | 8 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

**31B3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
 Phobia?**

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 192 | 100 | 342 | 99 | 8 | 100 | 575 | 99.0 |
| 2 Yes, diagnosed not treated | 0 | 0 | 4 | 1 | 0 | 0 | 4 | 0.7 |
| 3 Yes, treated with medication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 192 | 33 | 347 | 60 | 8 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

**31B4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
 Schizophrenia?**

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 343 | 100 | 8 | 100 | 577 | 99.8 |
| 2 Yes, diagnosed not treated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 3 Yes, treated with medication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 343 | 59 | 8 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

31B5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Substance abuse or addiction (alcohol or other drugs)?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 194 | 100 | 345 | 100 | 8 | 100 | 578 | 99.3 |
| 2 Yes, diagnosed not treated | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| 3 Yes, treated with medication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 33 | 346 | 59 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

31B6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Other addiction (e.g., gambling, internet, sexual)?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 193 | 100 | 347 | 99 | 8 | 100 | 578 | 98.8 |
| 2 Yes, diagnosed not treated | 1 | 1 | 1 | 0 | 0 | 0 | 5 | 0.9 |
| 3 Yes, treated with medication | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Yes, treated meds + psychother | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Yes, other treatment | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

31B7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:

Other mental health condition?

| | Male | | Female | | Unknown | | Total | |
|-----------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 192 | 99 | 326 | 94 | 7 | 88 | 556 | 95.2 |
| 2 Yes, diagnosed not treated | 1 | 1 | 7 | 2 | 0 | 0 | 10 | 1.7 |
| 3 Yes, treated with medication | 0 | 0 | 4 | 1 | 0 | 0 | 4 | 0.7 |
| 4 Yes, treated with psychotherapy | 0 | 0 | 6 | 2 | 1 | 13 | 7 | 1.2 |
| 5 Yes, treated meds + psychother | 1 | 1 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| 6 Yes, other treatment | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

32. Have you ever been diagnosed with depression?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 157 | 81 | 260 | 75 | 6 | 75 | 440 | 75.7 |
| 2 Yes | 37 | 19 | 86 | 25 | 2 | 25 | 141 | 24.3 |
| Valid responses = | 194 | 33 | 346 | 60 | 8 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

33A. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:

Academics?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 112 | 58 | 128 | 37 | 3 | 38 | 256 | 43.8 |
| 2 Yes | 82 | 42 | 221 | 63 | 5 | 63 | 329 | 56.2 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

**33B. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Career related issue?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 142 | 73 | 230 | 66 | 6 | 75 | 398 | 68.2 |
| 2 Yes | 52 | 27 | 118 | 34 | 2 | 25 | 186 | 31.8 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

**33C. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Death of a family member or friend?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 166 | 86 | 279 | 80 | 7 | 88 | 477 | 81.5 |
| 2 Yes | 28 | 14 | 70 | 20 | 1 | 13 | 108 | 18.5 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

**33D. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Family problems?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 148 | 76 | 205 | 59 | 4 | 50 | 372 | 63.6 |
| 2 Yes | 46 | 24 | 144 | 41 | 4 | 50 | 213 | 36.4 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

**33E. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Intimate relationships?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 134 | 70 | 216 | 62 | 6 | 75 | 374 | 64.3 |
| 2 Yes | 58 | 30 | 132 | 38 | 2 | 25 | 208 | 35.7 |
| Valid responses = | 192 | 33 | 348 | 60 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

**33F. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Other relationships?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 144 | 74 | 222 | 64 | 7 | 88 | 390 | 66.8 |
| 2 Yes | 50 | 26 | 126 | 36 | 1 | 13 | 194 | 33.2 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

**33G. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Finances?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 138 | 71 | 188 | 54 | 7 | 88 | 346 | 59.2 |
| 2 Yes | 56 | 29 | 160 | 46 | 1 | 13 | 238 | 40.8 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

**33H. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
Health problem of a family member or partner?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 155 | 80 | 251 | 72 | 6 | 75 | 433 | 74.1 |
| 2 Yes | 39 | 20 | 97 | 28 | 2 | 25 | 151 | 25.9 |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

**33I. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
 Personal appearance?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 159 | 82 | 230 | 66 | 7 | 88 | 418 | 71.5 |
| 2 Yes | 35 | 18 | 119 | 34 | 1 | 13 | 167 | 28.5 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

**33J. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
 Personal health issue?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 160 | 83 | 241 | 69 | 7 | 88 | 427 | 73.0 |
| 2 Yes | 34 | 18 | 108 | 31 | 1 | 13 | 158 | 27.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

**33K. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
 Sleep difficulties?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 129 | 67 | 208 | 60 | 7 | 88 | 359 | 61.6 |
| 2 Yes | 65 | 34 | 139 | 40 | 1 | 13 | 224 | 38.4 |
| Valid responses = | 194 | 33 | 347 | 60 | 8 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

**33L. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:
 Other?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 166 | 87 | 285 | 83 | 7 | 88 | 481 | 83.2 |
| 2 Yes | 25 | 13 | 60 | 17 | 1 | 13 | 97 | 16.8 |
| Valid responses = | 191 | 33 | 345 | 60 | 8 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**34A. Have you ever received psychological or mental health services from any of the following:
 Counselor/Therapist/Psychologist?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 131 | 68 | 188 | 54 | 5 | 63 | 336 | 57.4 |
| 2 Yes | 63 | 33 | 161 | 46 | 3 | 38 | 249 | 42.6 |
| Valid responses = | 194 | 33 | 349 | 60 | 8 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

**34B. Have you ever received psychological or mental health services from any of the following:
 Psychiatrist?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 178 | 92 | 306 | 88 | 8 | 100 | 515 | 88.5 |
| 2 Yes | 16 | 8 | 40 | 12 | 0 | 0 | 67 | 11.5 |
| Valid responses = | 194 | 33 | 346 | 59 | 8 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

**34C. Have you ever received psychological or mental health services from any of the following:
 Other medical provider (e.g., physician, nurse practitioner)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 169 | 88 | 272 | 78 | 7 | 88 | 470 | 80.5 |
| 2 Yes | 24 | 12 | 77 | 22 | 1 | 13 | 114 | 19.5 |
| Valid responses = | 193 | 33 | 349 | 60 | 8 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

**34D. Have you ever received psychological or mental health services from any of the following:
 Minister/Priest/Rabbi/Other clergy?**

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 177 | 91 | 307 | 88 | 8 | 100 | 520 | 89.0 | |
| 2 Yes | 17 | 9 | 41 | 12 | 0 | 0 | 64 | 11.0 | |
| Valid responses = | 194 | 33 | 348 | 60 | 8 | 1 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

**35. Have you ever received psychological or mental health services from your current college/university's
 Counseling or Health Service?**

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 144 | 75 | 216 | 62 | 4 | 50 | 386 | 66.1 | |
| 2 Yes | 49 | 25 | 133 | 38 | 4 | 50 | 198 | 33.9 | |
| Valid responses = | 193 | 33 | 349 | 60 | 8 | 1 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

**36. If in the future you were having a personal problem that was really bothering you, would you consider seeking
 help from a mental health professional?**

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 67 | 35 | 95 | 27 | 2 | 25 | 171 | 29.4 | |
| 2 Yes | 126 | 65 | 252 | 73 | 6 | 75 | 410 | 70.6 | |
| Valid responses = | 193 | 33 | 347 | 60 | 8 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

37. Within the last 12 months, how would you rate the overall level of stress you have experienced?

| | Male | | Female | | Unknown | | Total | | Pct. |
|----------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No stress | 12 | 6 | 2 | 1 | 1 | 13 | 17 | 2.9 | |
| 2 Less than average stress | 20 | 10 | 9 | 3 | 0 | 0 | 31 | 5.3 | |
| 3 Average stress | 55 | 29 | 89 | 25 | 2 | 25 | 151 | 25.8 | |
| 4 More than average stress | 77 | 40 | 168 | 48 | 4 | 50 | 263 | 45.0 | |
| 5 Tremendous stress | 29 | 15 | 82 | 23 | 1 | 13 | 123 | 21.0 | |
| Valid responses = | 193 | 33 | 350 | 60 | 8 | 1 | 585 | 99.5 | |

Invalid responses include no response or multiple responses.

**38A. Within the last 30 days, did you do any of the following:
 Exercise to lose weight?**

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 119 | 62 | 162 | 46 | 6 | 86 | 306 | 52.4 | |
| 2 Yes | 74 | 38 | 188 | 54 | 1 | 14 | 278 | 47.6 | |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 | |

Invalid responses include no response or multiple responses.

**38B. Within the last 30 days, did you do any of the following:
 Diet to lose weight?**

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 141 | 74 | 225 | 65 | 7 | 100 | 397 | 68.3 | |
| 2 Yes | 50 | 26 | 124 | 36 | 0 | 0 | 184 | 31.7 | |
| Valid responses = | 191 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

38C. Within the last 30 days, did you do any of the following:

Vomit or take laxatives to lose weight?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 189 | 98 | 336 | 97 | 7 | 100 | 565 | 97.4 |
| 2 Yes | 3 | 2 | 11 | 3 | 0 | 0 | 15 | 2.6 |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

38D. Within the last 30 days, did you do any of the following:

Take diet pills to lose weight?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 187 | 98 | 338 | 97 | 7 | 100 | 566 | 97.6 |
| 2 Yes | 3 | 2 | 11 | 3 | 0 | 0 | 14 | 2.4 |
| Valid responses = | 190 | 33 | 349 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

39A. Have you had a dental exam and cleaning in the last 12 months?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 101 | 53 | 139 | 40 | 4 | 57 | 264 | 45.5 |
| 2 Yes | 90 | 47 | 202 | 58 | 3 | 43 | 307 | 52.9 |
| 3 Don't know | 1 | 1 | 6 | 2 | 0 | 0 | 9 | 1.6 |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

39B. Have you (Males) performed testicular self exam in the last 30 days?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 133 | 70 | 0 | 0 | 2 | 67 | 138 | 67.6 |
| 2 Yes | 51 | 27 | 0 | 0 | 1 | 33 | 58 | 28.4 |
| 3 Don't know | 7 | 4 | 0 | 0 | 0 | 0 | 8 | 3.9 |
| Valid responses = | 191 | 94 | 0 | 0 | 3 | 1 | 204 | 34.7 |

Invalid responses include no response or multiple responses.

39C. Have you (Females) performed breast self exam in the last 30 days?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 0 | 0 | 209 | 60 | 3 | 60 | 229 | 60.9 |
| 2 Yes | 0 | 0 | 135 | 39 | 2 | 40 | 142 | 37.8 |
| 3 Don't know | 0 | 0 | 4 | 1 | 0 | 0 | 5 | 1.3 |
| Valid responses = | 0 | 0 | 348 | 93 | 5 | 1 | 376 | 63.9 |

Invalid responses include no response or multiple responses.

39D. Have you (Females) had a routine gynecological exam in the last 12 months?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 0 | 0 | 247 | 71 | 4 | 80 | 269 | 71.5 |
| 2 Yes | 0 | 0 | 95 | 27 | 1 | 20 | 100 | 26.6 |
| 3 Don't know | 0 | 0 | 6 | 2 | 0 | 0 | 7 | 1.9 |
| Valid responses = | 0 | 0 | 348 | 93 | 5 | 1 | 376 | 63.9 |

Invalid responses include no response or multiple responses.

39E. Have you used sunscreen regularly with sun exposure?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 149 | 78 | 214 | 62 | 5 | 71 | 389 | 67.1 |
| 2 Yes | 41 | 21 | 127 | 37 | 1 | 14 | 181 | 31.2 |
| 3 Don't know | 2 | 1 | 6 | 2 | 1 | 14 | 10 | 1.7 |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

39F. Have you ever been tested for Human Immunodeficiency Virus (HIV) infection?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 160 | 83 | 236 | 68 | 4 | 57 | 423 | 72.8 |
| 2 Yes | 28 | 15 | 87 | 25 | 2 | 29 | 126 | 21.7 |
| 3 Don't know | 4 | 2 | 25 | 7 | 1 | 14 | 32 | 5.5 |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

40A. Have you received the following vaccinations (shots or series of shots):

Hepatitis B?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 48 | 25 | 46 | 13 | 2 | 29 | 105 | 18.2 |
| 2 Yes | 93 | 48 | 212 | 61 | 3 | 43 | 324 | 56.1 |
| 3 Don't know | 52 | 27 | 87 | 25 | 2 | 29 | 149 | 25.8 |
| Valid responses = | 193 | 33 | 345 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

40B. Have you received the following vaccinations (shots series of shots):

Human Papillomavirus/HPV (cervical cancer vaccine)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 73 | 38 | 87 | 25 | 3 | 43 | 173 | 29.9 |
| 2 Yes | 63 | 33 | 175 | 50 | 1 | 14 | 253 | 43.8 |
| 3 Don't know | 54 | 28 | 86 | 25 | 3 | 43 | 152 | 26.3 |
| Valid responses = | 190 | 33 | 348 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

40C. Have you received the following vaccinations (shots series of shots):

Influenza (the flu) in the last 12 months (shot or nasal mist)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 82 | 43 | 155 | 45 | 3 | 43 | 253 | 43.8 |
| 2 Yes | 75 | 39 | 153 | 44 | 4 | 57 | 250 | 43.3 |
| 3 Don't know | 35 | 18 | 38 | 11 | 0 | 0 | 75 | 13.0 |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

40D. Have you received the following vaccinations (shots series of shots):

Measles, Mumps, Rubella?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 37 | 19 | 33 | 10 | 2 | 29 | 79 | 13.6 |
| 2 Yes | 112 | 58 | 234 | 67 | 3 | 43 | 369 | 63.7 |
| 3 Don't know | 43 | 22 | 80 | 23 | 2 | 29 | 131 | 22.6 |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

40E. Have you received the following vaccinations (shots):

Meningococcal disease (meningococcal meningitis)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 43 | 22 | 42 | 12 | 2 | 29 | 94 | 16.2 |
| 2 Yes | 93 | 48 | 194 | 56 | 3 | 43 | 308 | 53.1 |
| 3 Don't know | 57 | 30 | 111 | 32 | 2 | 29 | 178 | 30.7 |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**40F. Have you received the following vaccinations (shots):
Varicella (chicken pox)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 49 | 26 | 59 | 17 | 2 | 29 | 121 | 20.9 |
| 2 Yes | 94 | 49 | 216 | 62 | 4 | 57 | 328 | 56.7 |
| 3 Don't know | 49 | 26 | 71 | 21 | 1 | 14 | 129 | 22.3 |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**41A1. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Allergies?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 164 | 85 | 264 | 76 | 7 | 100 | 461 | 79.2 |
| 2 Yes | 29 | 15 | 84 | 24 | 0 | 0 | 121 | 20.8 |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

**41A2. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Asthma?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 181 | 94 | 318 | 92 | 6 | 86 | 533 | 91.9 |
| 2 Yes | 11 | 6 | 29 | 8 | 1 | 14 | 47 | 8.1 |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

**41A3. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Back pain?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 174 | 90 | 293 | 84 | 7 | 100 | 500 | 86.2 |
| 2 Yes | 19 | 10 | 54 | 16 | 0 | 0 | 80 | 13.8 |
| Valid responses = | 193 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

**41A4. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Broken bone/Fracture/Sprain?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 178 | 93 | 317 | 92 | 7 | 100 | 532 | 92.0 |
| 2 Yes | 14 | 7 | 28 | 8 | 0 | 0 | 46 | 8.0 |
| Valid responses = | 192 | 33 | 345 | 60 | 7 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**41A5. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Bronchitis?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 182 | 95 | 314 | 91 | 7 | 100 | 534 | 92.2 |
| 2 Yes | 10 | 5 | 32 | 9 | 0 | 0 | 45 | 7.8 |
| Valid responses = | 192 | 33 | 346 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

**41A6. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Chlamydia?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 192 | 100 | 341 | 98 | 6 | 86 | 572 | 98.3 |
| 2 Yes | 1 | 1 | 7 | 2 | 1 | 14 | 10 | 1.7 |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org

May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

41A7. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Diabetes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 190 | 99 | 346 | 99 | 7 | 100 | 576 | 99.1 |
| 2 Yes | 2 | 1 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

41A8. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Ear infection?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 186 | 96 | 313 | 91 | 6 | 86 | 535 | 92.4 |
| 2 Yes | 7 | 4 | 32 | 9 | 1 | 14 | 44 | 7.6 |
| Valid responses = | 193 | 33 | 345 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

41A9. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Endometriosis?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 191 | 100 | 343 | 99 | 7 | 100 | 573 | 98.8 |
| 2 Yes | 0 | 0 | 5 | 1 | 0 | 0 | 7 | 1.2 |
| Valid responses = | 191 | 33 | 348 | 60 | 7 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

41A10. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Genital Herpes?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 189 | 100 | 343 | 99 | 7 | 100 | 571 | 99.5 |
| 2 Yes | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 189 | 33 | 345 | 60 | 7 | 1 | 574 | 97.6 |

Invalid responses include no response or multiple responses.

41A11. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Genital warts/Human Papillomavirus (HPV)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 193 | 100 | 348 | 100 | 7 | 100 | 581 | 99.8 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

41A12. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Gonorrhea?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 192 | 100 | 347 | 100 | 7 | 100 | 579 | 99.5 |
| 2 Yes | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 193 | 33 | 348 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

41A13. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Hepatitis B or C?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 191 | 100 | 347 | 100 | 7 | 100 | 578 | 99.5 |
| 2 Yes | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**41B1. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
High blood pressure?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 187 | 97 | 334 | 96 | 6 | 100 | 557 | 95.9 |
| 2 Yes | 6 | 3 | 14 | 4 | 0 | 0 | 24 | 4.1 |
| Valid responses = | 193 | 33 | 348 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

**41B2. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
High cholesterol?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 190 | 99 | 342 | 98 | 6 | 100 | 569 | 98.1 |
| 2 Yes | 2 | 1 | 6 | 2 | 0 | 0 | 11 | 1.9 |
| Valid responses = | 192 | 33 | 348 | 60 | 6 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

**41B3. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Human Immunodeficiency Virus (HIV)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 193 | 100 | 348 | 100 | 6 | 100 | 579 | 99.7 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 193 | 33 | 348 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

**41B4. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Irritable Bowel Syndrome?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 191 | 100 | 333 | 96 | 6 | 100 | 561 | 97.1 |
| 2 Yes | 0 | 0 | 14 | 4 | 0 | 0 | 17 | 2.9 |
| Valid responses = | 191 | 33 | 347 | 60 | 6 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**41B5. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Migraine headache?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 188 | 97 | 297 | 86 | 6 | 100 | 520 | 89.8 |
| 2 Yes | 5 | 3 | 49 | 14 | 0 | 0 | 59 | 10.2 |
| Valid responses = | 193 | 33 | 346 | 60 | 6 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

**41B6. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Mononucleosis?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 189 | 98 | 339 | 98 | 6 | 100 | 567 | 97.9 |
| 2 Yes | 4 | 2 | 7 | 2 | 0 | 0 | 12 | 2.1 |
| Valid responses = | 193 | 33 | 346 | 60 | 6 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

**41B7. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Pelvic Inflammatory Disease (PID)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 192 | 100 | 346 | 100 | 6 | 100 | 577 | 99.7 |
| 2 Yes | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 192 | 33 | 347 | 60 | 6 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

41B8. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Repetitive stress injury (e.g., carpal tunnel syndrome)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 188 | 99 | 342 | 99 | 5 | 100 | 568 | 98.6 |
| 2 Yes | 2 | 1 | 5 | 1 | 0 | 0 | 8 | 1.4 |
| Valid responses = | 190 | 33 | 347 | 60 | 5 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

41B9. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Sinus infection?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 163 | 85 | 264 | 76 | 5 | 83 | 462 | 79.5 |
| 2 Yes | 29 | 15 | 85 | 24 | 1 | 17 | 119 | 20.5 |
| Valid responses = | 192 | 33 | 349 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

41B10. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Strep throat?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 172 | 90 | 300 | 86 | 6 | 100 | 508 | 87.4 |
| 2 Yes | 20 | 10 | 49 | 14 | 0 | 0 | 73 | 12.6 |
| Valid responses = | 192 | 33 | 349 | 60 | 6 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

41B11. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Tuberculosis?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 191 | 100 | 348 | 100 | 6 | 100 | 578 | 99.7 |
| 2 Yes | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 192 | 33 | 348 | 60 | 6 | 1 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

41B12. Within the last 12 months, have you been diagnosed or treated by a professional for the following:

Urinary tract infection?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 190 | 100 | 298 | 86 | 6 | 100 | 524 | 90.5 |
| 2 Yes | 1 | 1 | 50 | 14 | 0 | 0 | 55 | 9.5 |
| Valid responses = | 191 | 33 | 348 | 60 | 6 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

42. On how many of the past 7 days did you get enough sleep so that you felt rested when you woke up in the morning?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 0 days | 35 | 18 | 67 | 19 | 2 | 33 | 116 | 19.9 |
| 2 1 day | 30 | 16 | 54 | 16 | 0 | 0 | 86 | 14.8 |
| 3 2 days | 30 | 16 | 73 | 21 | 2 | 33 | 111 | 19.0 |
| 4 3 days | 26 | 13 | 63 | 18 | 1 | 17 | 94 | 16.1 |
| 5 4 days | 26 | 13 | 43 | 12 | 0 | 0 | 72 | 12.3 |
| 6 5 days | 26 | 13 | 29 | 8 | 1 | 17 | 60 | 10.3 |
| 7 6 days | 11 | 6 | 14 | 4 | 0 | 0 | 26 | 4.5 |
| 8 7 days | 10 | 5 | 6 | 2 | 0 | 0 | 18 | 3.1 |
| Valid responses = | 194 | 33 | 349 | 60 | 6 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)






Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org









May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

43. In the past 7 days, how much of a problem have you had with sleepiness during your daytime activities?

| | Male | | Female | | Unknown | | Total | | Pct. |
|------------------------------|-------|------|--------|------|---------|------|-------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 No problem at all | 22 | 11 | 14 | 4 | 1 | 14 | 41 | 7.0 |  |
| 2 A little problem | 71 | 37 | 114 | 33 | 3 | 43 | 198 | 33.9 |  |
| 3 More than a little problem | 54 | 28 | 130 | 37 | 2 | 29 | 193 | 33.0 |  |
| 4 A big problem | 33 | 17 | 64 | 18 | 1 | 14 | 106 | 18.2 |  |
| 5 A very big problem | 14 | 7 | 27 | 8 | 0 | 0 | 46 | 7.9 |  |
| Valid responses = | 194 | 33 | 349 | 60 | 7 | 1 | 584 | 99.3 | |









Invalid responses include no response or multiple responses.

44A. In the past 7 days, how often have you awoken too early in the morning and couldn't get back to sleep?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 0 days | 108 | 57 | 161 | 46 | 5 | 83 | 289 | 49.9 |  |
| 2 1 day | 32 | 17 | 65 | 19 | 1 | 17 | 107 | 18.5 |  |
| 3 2 days | 21 | 11 | 57 | 16 | 0 | 0 | 82 | 14.2 |  |
| 4 3 days | 13 | 7 | 27 | 8 | 0 | 0 | 41 | 7.1 |  |
| 5 4 days | 7 | 4 | 22 | 6 | 0 | 0 | 29 | 5.0 |  |
| 6 5 days | 2 | 1 | 9 | 3 | 0 | 0 | 13 | 2.2 |  |
| 7 6 days | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |  |
| 8 7 days | 6 | 3 | 6 | 2 | 0 | 0 | 15 | 2.6 |  |
| Valid responses = | 191 | 33 | 348 | 60 | 6 | 1 | 579 | 98.5 | |









Invalid responses include no response or multiple responses.

44B. In the past 7 days, how often have you felt tired, dragged out, or sleepy during the day?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 0 days | 29 | 15 | 23 | 7 | 1 | 17 | 57 | 9.8 |  |
| 2 1 day | 22 | 11 | 16 | 5 | 0 | 0 | 39 | 6.7 |  |
| 3 2 days | 31 | 16 | 36 | 10 | 1 | 17 | 72 | 12.3 |  |
| 4 3 days | 23 | 12 | 50 | 14 | 1 | 17 | 78 | 13.4 |  |
| 5 4 days | 23 | 12 | 55 | 16 | 1 | 17 | 84 | 14.4 |  |
| 6 5 days | 20 | 10 | 63 | 18 | 0 | 0 | 87 | 14.9 |  |
| 7 6 days | 14 | 7 | 36 | 10 | 0 | 0 | 51 | 8.7 |  |
| 8 7 days | 31 | 16 | 71 | 20 | 2 | 33 | 115 | 19.7 |  |
| Valid responses = | 193 | 33 | 350 | 60 | 6 | 1 | 583 | 99.1 | |

Invalid responses include no response or multiple responses.

44C. In the past 7 days, how often have you gone to bed because you could not stay awake any longer?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 0 days | 72 | 37 | 74 | 21 | 4 | 67 | 157 | 27.0 |  |
| 2 1 day | 28 | 15 | 48 | 14 | 0 | 0 | 82 | 14.1 |  |
| 3 2 days | 28 | 15 | 57 | 16 | 1 | 17 | 92 | 15.8 |  |
| 4 3 days | 20 | 10 | 55 | 16 | 1 | 17 | 77 | 13.2 |  |
| 5 4 days | 13 | 7 | 44 | 13 | 0 | 0 | 61 | 10.5 |  |
| 6 5 days | 13 | 7 | 35 | 10 | 0 | 0 | 51 | 8.8 |  |
| 7 6 days | 4 | 2 | 13 | 4 | 0 | 0 | 17 | 2.9 |  |
| 8 7 days | 15 | 8 | 23 | 7 | 0 | 0 | 45 | 7.7 |  |
| Valid responses = | 193 | 33 | 349 | 60 | 6 | 1 | 582 | 99.0 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500










www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys








44D. In the past 7 days, how often have you had an extremely hard time falling asleep?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|-------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 0 days | 85 | 44 | 110 | 32 | 2 | 33 | 208 | 35.8 |  |
| 2 1 day | 32 | 17 | 62 | 18 | 0 | 0 | 97 | 16.7 |  |
| 3 2 days | 20 | 10 | 48 | 14 | 1 | 17 | 71 | 12.2 |  |
| 4 3 days | 19 | 10 | 38 | 11 | 1 | 17 | 62 | 10.7 |  |
| 5 4 days | 7 | 4 | 34 | 10 | 1 | 17 | 45 | 7.7 |  |
| 6 5 days | 6 | 3 | 21 | 6 | 1 | 17 | 30 | 5.2 |  |
| 7 6 days | 5 | 3 | 12 | 3 | 0 | 0 | 17 | 2.9 |  |
| 8 7 days | 19 | 10 | 23 | 7 | 0 | 0 | 51 | 8.8 |  |
| Valid responses = | 193 | 33 | 348 | 60 | 6 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

45A1. Within the last 12 months, have any of the following affected your academic performance:








Alcohol use?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 148 | 76 | 254 | 73 | 3 | 50 | 425 | 73.3 |  |
| 2 Exprd, academics not affected | 43 | 22 | 85 | 25 | 2 | 33 | 141 | 24.3 |  |
| 3 Received lower grade exam | 1 | 1 | 5 | 1 | 1 | 17 | 7 | 1.2 |  |
| 4 Received lower grade course | 2 | 1 | 1 | 0 | 0 | 0 | 5 | 0.9 |  |
| 5 Received incomplete/dropped | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |  |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |  |
| Valid responses = | 194 | 33 | 346 | 60 | 6 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

45A2. Within the last 12 months, have any of the following affected your academic performance:








Allergies?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 158 | 81 | 226 | 66 | 5 | 83 | 414 | 71.5 |  |
| 2 Exprd, academics not affected | 33 | 17 | 106 | 31 | 1 | 17 | 147 | 25.4 |  |
| 3 Received lower grade exam | 1 | 1 | 9 | 3 | 0 | 0 | 10 | 1.7 |  |
| 4 Received lower grade course | 2 | 1 | 3 | 1 | 0 | 0 | 6 | 1.0 |  |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |  |
| 6 Significant disruption thesis | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |  |
| Valid responses = | 194 | 34 | 345 | 60 | 6 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

45A3. Within the last 12 months, have any of the following affected your academic performance:

Anxiety?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 117 | 61 | 134 | 39 | 3 | 50 | 265 | 46.0 |  |
| 2 Exprd, academics not affected | 29 | 15 | 86 | 25 | 2 | 33 | 125 | 21.7 |  |
| 3 Received lower grade exam | 25 | 13 | 63 | 18 | 0 | 0 | 92 | 16.0 |  |
| 4 Received lower grade course | 16 | 8 | 32 | 9 | 1 | 17 | 56 | 9.7 |  |
| 5 Received incomplete/dropped | 3 | 2 | 16 | 5 | 0 | 0 | 21 | 3.6 |  |
| 6 Significant disruption thesis | 3 | 2 | 12 | 4 | 0 | 0 | 17 | 3.0 |  |
| Valid responses = | 193 | 34 | 343 | 60 | 6 | 1 | 576 | 98.0 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

45A4. Within the last 12 months, have any of the following affected your academic performance:

Assault (physical)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 185 | 95 | 328 | 96 | 4 | 80 | 548 | 95.3 |
| 2 Exprd, academics not affected | 8 | 4 | 8 | 2 | 1 | 20 | 18 | 3.1 |
| 3 Received lower grade exam | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |
| 4 Received lower grade course | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Received incomplete/dropped | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |
| 6 Significant disruption thesis | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 194 | 34 | 343 | 60 | 5 | 1 | 575 | 97.8 |

Invalid responses include no response or multiple responses.

45A5. Within the last 12 months, have any of the following affected your academic performance:

Assault (sexual)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 188 | 97 | 313 | 91 | 5 | 100 | 534 | 92.5 |
| 2 Exprd, academics not affected | 6 | 3 | 18 | 5 | 0 | 0 | 25 | 4.3 |
| 3 Received lower grade exam | 0 | 0 | 5 | 1 | 0 | 0 | 5 | 0.9 |
| 4 Received lower grade course | 0 | 0 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 5 Received incomplete/dropped | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| 6 Significant disruption thesis | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 194 | 34 | 345 | 60 | 5 | 1 | 577 | 98.1 |

Invalid responses include no response or multiple responses.

45A6. Within the last 12 months, have any of the following affected your academic performance:

Attention Deficit and Hyperactivity Disorder (ADHD)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 173 | 89 | 320 | 93 | 5 | 100 | 527 | 91.0 |
| 2 Exprd, academics not affected | 5 | 3 | 14 | 4 | 0 | 0 | 20 | 3.5 |
| 3 Received lower grade exam | 5 | 3 | 3 | 1 | 0 | 0 | 10 | 1.7 |
| 4 Received lower grade course | 7 | 4 | 4 | 1 | 0 | 0 | 12 | 2.1 |
| 5 Received incomplete/dropped | 1 | 1 | 5 | 1 | 0 | 0 | 6 | 1.0 |
| 6 Significant disruption thesis | 3 | 2 | 0 | 0 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 194 | 34 | 346 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

45A7. Within the last 12 months, have any of the following affected your academic performance:

Cold/Flu/Sore throat?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 141 | 73 | 193 | 56 | 2 | 40 | 359 | 62.1 |
| 2 Exprd, academics not affected | 30 | 16 | 96 | 28 | 3 | 60 | 134 | 23.2 |
| 3 Received lower grade exam | 16 | 8 | 46 | 13 | 0 | 0 | 65 | 11.2 |
| 4 Received lower grade course | 6 | 3 | 10 | 3 | 0 | 0 | 18 | 3.1 |
| 5 Received incomplete/dropped | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 34 | 345 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**45A8. Within the last 12 months, have any of the following affected your academic performance:
Concern for a troubled friend or family member?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 130 | 67 | 205 | 59 | 2 | 40 | 357 | 61.8 |
| 2 Exprd, academics not affected | 44 | 23 | 80 | 23 | 3 | 60 | 134 | 23.2 |
| 3 Received lower grade exam | 10 | 5 | 39 | 11 | 0 | 0 | 53 | 9.2 |
| 4 Received lower grade course | 6 | 3 | 14 | 4 | 0 | 0 | 21 | 3.6 |
| 5 Received incomplete/dropped | 1 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 6 Significant disruption thesis | 3 | 2 | 4 | 1 | 0 | 0 | 8 | 1.4 |
| Valid responses = | 194 | 34 | 345 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**45B1. Within the last 12 months, have any of the following affected your academic performance:
Chronic health problem or serious illness (e.g. diabetes, asthma, cancer)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 184 | 95 | 305 | 88 | 5 | 100 | 524 | 90.7 |
| 2 Exprd, academics not affected | 6 | 3 | 20 | 6 | 0 | 0 | 26 | 4.5 |
| 3 Received lower grade exam | 1 | 1 | 10 | 3 | 0 | 0 | 11 | 1.9 |
| 4 Received lower grade course | 0 | 0 | 8 | 2 | 0 | 0 | 8 | 1.4 |
| 5 Received incomplete/dropped | 2 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 |
| 6 Significant disruption thesis | 0 | 0 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| Valid responses = | 193 | 33 | 347 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**45B2. Within the last 12 months, have any of the following affected your academic performance:
Chronic pain?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 176 | 92 | 299 | 86 | 5 | 100 | 505 | 87.7 |
| 2 Exprd, academics not affected | 11 | 6 | 26 | 8 | 0 | 0 | 39 | 6.8 |
| 3 Received lower grade exam | 3 | 2 | 9 | 3 | 0 | 0 | 13 | 2.3 |
| 4 Received lower grade course | 2 | 1 | 10 | 3 | 0 | 0 | 14 | 2.4 |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Significant disruption thesis | 0 | 0 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| Valid responses = | 192 | 33 | 346 | 60 | 5 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

**45B3. Within the last 12 months, have any of the following affected your academic performance:
Death of a friend or family member?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 170 | 88 | 287 | 83 | 4 | 80 | 487 | 84.1 |
| 2 Exprd, academics not affected | 18 | 9 | 29 | 8 | 1 | 20 | 49 | 8.5 |
| 3 Received lower grade exam | 3 | 2 | 14 | 4 | 0 | 0 | 18 | 3.1 |
| 4 Received lower grade course | 2 | 1 | 9 | 3 | 0 | 0 | 14 | 2.4 |
| 5 Received incomplete/dropped | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |
| 6 Significant disruption thesis | 0 | 0 | 6 | 2 | 0 | 0 | 8 | 1.4 |
| Valid responses = | 193 | 33 | 348 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

45B4. Within the last 12 months, have any of the following affected your academic performance:

Depression?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 128 | 66 | 205 | 59 | 2 | 40 | 349 | 60.4 |
| 2 Exprd, academics not affected | 25 | 13 | 55 | 16 | 2 | 40 | 86 | 14.9 |
| 3 Received lower grade exam | 23 | 12 | 38 | 11 | 0 | 0 | 64 | 11.1 |
| 4 Received lower grade course | 11 | 6 | 30 | 9 | 1 | 20 | 49 | 8.5 |
| 5 Received incomplete/dropped | 2 | 1 | 10 | 3 | 0 | 0 | 13 | 2.2 |
| 6 Significant disruption thesis | 4 | 2 | 10 | 3 | 0 | 0 | 17 | 2.9 |
| Valid responses = | 193 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

45B5. Within the last 12 months, have any of the following affected your academic performance:

Discrimination (e.g., homophobia, racism, sexism)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 174 | 91 | 307 | 89 | 4 | 80 | 512 | 88.9 |
| 2 Exprd, academics not affected | 14 | 7 | 35 | 10 | 1 | 20 | 54 | 9.4 |
| 3 Received lower grade exam | 3 | 2 | 1 | 0 | 0 | 0 | 4 | 0.7 |
| 4 Received lower grade course | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| 5 Received incomplete/dropped | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 192 | 33 | 346 | 60 | 5 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

45B6. Within the last 12 months, have any of the following affected your academic performance:

Drug use?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 172 | 90 | 321 | 93 | 4 | 80 | 525 | 91.0 |
| 2 Exprd, academics not affected | 16 | 8 | 20 | 6 | 1 | 20 | 40 | 6.9 |
| 3 Received lower grade exam | 3 | 2 | 4 | 1 | 0 | 0 | 8 | 1.4 |
| 4 Received lower grade course | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Received incomplete/dropped | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 192 | 33 | 347 | 60 | 5 | 1 | 577 | 98.1 |

Invalid responses include no response or multiple responses.

45B7. Within the last 12 months, have any of the following affected your academic performance:

Eating disorder/problem?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 187 | 97 | 326 | 94 | 5 | 100 | 548 | 94.8 |
| 2 Exprd, academics not affected | 3 | 2 | 15 | 4 | 0 | 0 | 19 | 3.3 |
| 3 Received lower grade exam | 1 | 1 | 5 | 1 | 0 | 0 | 6 | 1.0 |
| 4 Received lower grade course | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |
| 5 Received incomplete/dropped | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 192 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

45B8. Within the last 12 months, have any of the following affected your academic performance:

Finances?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 143 | 74 | 233 | 67 | 4 | 80 | 399 | 68.9 |
| 2 Exprd, academics not affected | 38 | 20 | 81 | 23 | 1 | 20 | 132 | 22.8 |
| 3 Received lower grade exam | 6 | 3 | 18 | 5 | 0 | 0 | 24 | 4.1 |
| 4 Received lower grade course | 4 | 2 | 10 | 3 | 0 | 0 | 15 | 2.6 |
| 5 Received incomplete/dropped | 1 | 1 | 4 | 1 | 0 | 0 | 5 | 0.9 |
| 6 Significant disruption thesis | 1 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 193 | 33 | 348 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

45C1. Within the last 12 months, have any of the following affected your academic performance:

Gambling?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 187 | 98 | 348 | 100 | 5 | 100 | 572 | 98.8 |
| 2 Exprd, academics not affected | 3 | 2 | 1 | 0 | 0 | 0 | 4 | 0.7 |
| 3 Received lower grade exam | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Received lower grade course | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 191 | 33 | 349 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

45C2. Within the last 12 months, have any of the following affected your academic performance:

Homesickness?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 159 | 83 | 228 | 66 | 2 | 40 | 412 | 71.3 |
| 2 Exprd, academics not affected | 23 | 12 | 91 | 26 | 3 | 60 | 125 | 21.6 |
| 3 Received lower grade exam | 7 | 4 | 18 | 5 | 0 | 0 | 25 | 4.3 |
| 4 Received lower grade course | 2 | 1 | 6 | 2 | 0 | 0 | 10 | 1.7 |
| 5 Received incomplete/dropped | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 6 Significant disruption thesis | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 191 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

45C3. Within the last 12 months, have any of the following affected your academic performance:

Injury (e.g., fracture, sprain, strain, cut)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 172 | 91 | 305 | 87 | 5 | 100 | 508 | 87.9 |
| 2 Exprd, academics not affected | 11 | 6 | 31 | 9 | 0 | 0 | 47 | 8.1 |
| 3 Received lower grade exam | 4 | 2 | 6 | 2 | 0 | 0 | 12 | 2.1 |
| 4 Received lower grade course | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 5 Received incomplete/dropped | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 6 Significant disruption thesis | 1 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 |
| Valid responses = | 190 | 33 | 349 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

**45C4. Within the last 12 months, have any of the following affected your academic performance:
Internet use/computer games?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 125 | 65 | 238 | 69 | 3 | 60 | 388 | 67.5 |
| 2 Exprd, academics not affected | 42 | 22 | 73 | 21 | 2 | 40 | 121 | 21.0 |
| 3 Received lower grade exam | 16 | 8 | 28 | 8 | 0 | 0 | 47 | 8.2 |
| 4 Received lower grade course | 7 | 4 | 6 | 2 | 0 | 0 | 16 | 2.8 |
| 5 Received incomplete/dropped | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 191 | 33 | 346 | 60 | 5 | 1 | 575 | 97.8 |

Invalid responses include no response or multiple responses.

**45C5. Within the last 12 months, have any of the following affected your academic performance:
Learning disability?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 178 | 93 | 322 | 92 | 5 | 100 | 535 | 92.4 |
| 2 Exprd, academics not affected | 5 | 3 | 9 | 3 | 0 | 0 | 16 | 2.8 |
| 3 Received lower grade exam | 5 | 3 | 9 | 3 | 0 | 0 | 14 | 2.4 |
| 4 Received lower grade course | 2 | 1 | 6 | 2 | 0 | 0 | 9 | 1.6 |
| 5 Received incomplete/dropped | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| 6 Significant disruption thesis | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| Valid responses = | 191 | 33 | 349 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

**45C6. Within the last 12 months, have any of the following affected your academic performance:
Participation in extracurricular activities (e.g., campus clubs, organizations, athletics)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 142 | 75 | 238 | 68 | 3 | 60 | 410 | 70.9 |
| 2 Exprd, academics not affected | 34 | 18 | 80 | 23 | 1 | 20 | 118 | 20.4 |
| 3 Received lower grade exam | 7 | 4 | 24 | 7 | 1 | 20 | 33 | 5.7 |
| 4 Received lower grade course | 7 | 4 | 4 | 1 | 0 | 0 | 13 | 2.2 |
| 5 Received incomplete/dropped | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 6 Significant disruption thesis | 0 | 0 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 190 | 33 | 349 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

**45C7. Within the last 12 months, have any of the following affected your academic performance:
Pregnancy (yours or your partner's)?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 This did not happen to me, N/A | 188 | 98 | 343 | 98 | 5 | 100 | 567 | 97.9 |
| 2 Exprd, academics not affected | 2 | 1 | 3 | 1 | 0 | 0 | 5 | 0.9 |
| 3 Received lower grade exam | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 4 Received lower grade course | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0.5 |
| Valid responses = | 191 | 33 | 349 | 60 | 5 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

45C8. Within the last 12 months, have any of the following affected your academic performance:

Relationship difficulties?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 148 | 78 | 233 | 67 | 3 | 60 | 404 | 69.9 | |
| 2 Exprd, academics not affected | 24 | 13 | 70 | 20 | 1 | 20 | 103 | 17.8 | |
| 3 Received lower grade exam | 12 | 6 | 29 | 8 | 1 | 20 | 44 | 7.6 | |
| 4 Received lower grade course | 7 | 4 | 9 | 3 | 0 | 0 | 17 | 2.9 | |
| 5 Received incomplete/dropped | 0 | 0 | 3 | 1 | 0 | 0 | 4 | 0.7 | |
| 6 Significant disruption thesis | 0 | 0 | 4 | 1 | 0 | 0 | 6 | 1.0 | |
| Valid responses = | 191 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

45D1. Within the last 12 months, have any of the following affected your academic performance:

Roommate difficulties?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 136 | 71 | 247 | 71 | 4 | 80 | 411 | 71.1 | |
| 2 Exprd, academics not affected | 42 | 22 | 71 | 20 | 1 | 20 | 120 | 20.8 | |
| 3 Received lower grade exam | 5 | 3 | 18 | 5 | 0 | 0 | 24 | 4.2 | |
| 4 Received lower grade course | 6 | 3 | 6 | 2 | 0 | 0 | 13 | 2.2 | |
| 5 Received incomplete/dropped | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 | |
| 6 Significant disruption thesis | 1 | 1 | 5 | 1 | 0 | 0 | 8 | 1.4 | |
| Valid responses = | 191 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 | |

Invalid responses include no response or multiple responses.

45D2. Within the last 12 months, have any of the following affected your academic performance:

Sexually transmitted disease/infection (STD/I)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 188 | 98 | 341 | 98 | 5 | 100 | 567 | 97.8 | |
| 2 Exprd, academics not affected | 4 | 2 | 6 | 2 | 0 | 0 | 10 | 1.7 | |
| 3 Received lower grade exam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 4 Received lower grade course | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 | |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| Valid responses = | 192 | 33 | 349 | 60 | 5 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

45D3. Within the last 12 months, have any of the following affected your academic performance:

Sinus infection/Ear infection/Bronchitis/Strep throat?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 165 | 86 | 272 | 78 | 4 | 80 | 471 | 81.6 | |
| 2 Exprd, academics not affected | 19 | 10 | 44 | 13 | 1 | 20 | 66 | 11.4 | |
| 3 Received lower grade exam | 7 | 4 | 24 | 7 | 0 | 0 | 31 | 5.4 | |
| 4 Received lower grade course | 0 | 0 | 7 | 2 | 0 | 0 | 8 | 1.4 | |
| 5 Received incomplete/dropped | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 6 Significant disruption thesis | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 | |
| Valid responses = | 191 | 33 | 347 | 60 | 5 | 1 | 577 | 98.1 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)








Institutional Data Report - Spring 2016

Berea College

American College Health Association
 1362 Mellon Road, Suite 180
 Hanover, MD 21076
 (410) 859-1500
www.acha.org








May 4, 2016
 FREQUENCY REPORT
 Number of Surveys (n) = 588 Web Surveys

**45D4. Within the last 12 months, have any of the following affected your academic performance:
 Sleep difficulties?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 91 | 48 | 144 | 41 | 1 | 20 | 251 | 43.4 |  |
| 2 Exprd, academics not affected | 40 | 21 | 105 | 30 | 3 | 60 | 157 | 27.1 |  |
| 3 Received lower grade exam | 37 | 19 | 66 | 19 | 1 | 20 | 109 | 18.8 |  |
| 4 Received lower grade course | 18 | 9 | 28 | 8 | 0 | 0 | 47 | 8.1 |  |
| 5 Received incomplete/dropped | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |  |
| 6 Significant disruption thesis | 4 | 2 | 5 | 1 | 0 | 0 | 12 | 2.1 |  |
| Valid responses = | 191 | 33 | 349 | 60 | 5 | 1 | 579 | 98.5 | |








Invalid responses include no response or multiple responses.

**45D5. Within the last 12 months, have any of the following affected your academic performance:
 Stress?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|-------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 65 | 34 | 76 | 22 | 1 | 20 | 150 | 26.0 |  |
| 2 Exprd, academics not affected | 52 | 27 | 113 | 33 | 2 | 40 | 177 | 30.7 |  |
| 3 Received lower grade exam | 39 | 21 | 97 | 28 | 1 | 20 | 142 | 24.6 |  |
| 4 Received lower grade course | 25 | 13 | 45 | 13 | 1 | 20 | 78 | 13.5 |  |
| 5 Received incomplete/dropped | 4 | 2 | 7 | 2 | 0 | 0 | 12 | 2.1 |  |
| 6 Significant disruption thesis | 5 | 3 | 10 | 3 | 0 | 0 | 18 | 3.1 |  |
| Valid responses = | 190 | 33 | 348 | 60 | 5 | 1 | 577 | 98.1 | |








Invalid responses include no response or multiple responses.

**45D6. Within the last 12 months, have any of the following affected your academic performance:
 Work?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 109 | 57 | 175 | 50 | 2 | 40 | 303 | 52.3 |  |
| 2 Exprd, academics not affected | 50 | 26 | 122 | 35 | 3 | 60 | 183 | 31.6 |  |
| 3 Received lower grade exam | 20 | 11 | 31 | 9 | 0 | 0 | 53 | 9.2 |  |
| 4 Received lower grade course | 10 | 5 | 15 | 4 | 0 | 0 | 28 | 4.8 |  |
| 5 Received incomplete/dropped | 1 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |  |
| 6 Significant disruption thesis | 1 | 1 | 5 | 1 | 0 | 0 | 9 | 1.6 |  |
| Valid responses = | 191 | 33 | 349 | 60 | 5 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

**45D7. Within the last 12 months, have any of the following affected your academic performance:
 Other?**

| | Male | | Female | | Unknown | | Total Freq. | Pct. |  |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|---------------------------------------------------------------------------------------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 This did not happen to me, N/A | 130 | 96 | 224 | 96 | 3 | 100 | 375 | 94.9 |  |
| 2 Exprd, academics not affected | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.5 |  |
| 3 Received lower grade exam | 1 | 1 | 4 | 2 | 0 | 0 | 5 | 1.3 |  |
| 4 Received lower grade course | 3 | 2 | 4 | 2 | 0 | 0 | 8 | 2.0 |  |
| 5 Received incomplete/dropped | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0.3 |  |
| 6 Significant disruption thesis | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1.0 |  |
| Valid responses = | 135 | 34 | 234 | 59 | 3 | 1 | 395 | 67.2 | |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

46. How old are you?

| Age (Years) | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 18 | 24 | 12 | 46 | 13 | 0 | 0 | 77 | 13.3 |
| 19 | 48 | 25 | 90 | 26 | 1 | 20 | 144 | 24.9 |
| 20 | 38 | 20 | 81 | 23 | 1 | 20 | 128 | 22.1 |
| 21 | 30 | 16 | 66 | 19 | 2 | 40 | 104 | 18.0 |
| 22 | 28 | 15 | 37 | 11 | 0 | 0 | 67 | 11.6 |
| 23 | 7 | 4 | 12 | 3 | 0 | 0 | 21 | 3.6 |
| 24 | 4 | 2 | 4 | 1 | 0 | 0 | 8 | 1.4 |
| 25 | 5 | 3 | 2 | 1 | 0 | 0 | 8 | 1.4 |
| 26 | 3 | 2 | 2 | 1 | 1 | 20 | 6 | 1.0 |
| 27 | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| 28 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 29 | 2 | 1 | 1 | 0 | 0 | 0 | 3 | 0.5 |
| 30 | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| GE 32 | 2 | 1 | 2 | 1 | 0 | 0 | 5 | 0.9 |
| Valid responses = | 193 | 33 | 348 | 60 | 5 | 1 | 578 | 98.3 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|-------|--------|---------|-------|-------|
| Male | 20.72 | 20.00 | 2.74 | 18.00 | 39.00 |
| Female | 20.32 | 20.00 | 2.13 | 18.00 | 36.00 |
| Overall | 20.47 | 20.00 | 2.39 | 18.00 | 39.00 |

47A. What sex were you assigned at birth, such as on an original birth certificate?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Female | 0 | 0 | 351 | 100 | 2 | 67 | 377 | 64.8 |
| 2 Male | 194 | 100 | 0 | 0 | 1 | 33 | 205 | 35.2 |
| Valid responses = | 194 | 33 | 351 | 60 | 3 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

47B. Do you identify as transgender?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 194 | 100 | 351 | 100 | 3 | 100 | 567 | 97.6 |
| 2 Yes | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 2.4 |
| Valid responses = | 194 | 33 | 351 | 60 | 3 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

47C. Which term do you use to describe your gender identity?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|--------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Woman | 0 | 0 | 351 | 100 | 1 | 100 | 359 | 61.9 |
| 2 Man | 194 | 100 | 0 | 0 | 0 | 0 | 198 | 34.1 |
| 3 Trans woman | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 4 Trans man | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| 5 Genderqueer | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0.9 |
| 6 Another identity | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 2.6 |
| Valid responses = | 194 | 33 | 351 | 61 | 1 | 0 | 580 | 98.6 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

48. Which term best describes your sexual orientation?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Asexual | 8 | 4 | 16 | 5 | 0 | 0 | 27 | 4.6 |
| 2 Bisexual | 4 | 2 | 31 | 9 | 1 | 20 | 39 | 6.7 |
| 3 Gay | 13 | 7 | 0 | 0 | 0 | 0 | 14 | 2.4 |
| 4 Lesbian | 0 | 0 | 6 | 2 | 1 | 20 | 8 | 1.4 |
| 5 Pansexual | 5 | 3 | 14 | 4 | 1 | 20 | 24 | 4.1 |
| 6 Queer | 0 | 0 | 5 | 1 | 0 | 0 | 6 | 1.0 |
| 7 Questioning | 1 | 1 | 6 | 2 | 0 | 0 | 9 | 1.5 |
| 8 Same Gender Loving | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 9 Straight/Heterosexual | 161 | 83 | 269 | 77 | 2 | 40 | 446 | 76.5 |
| 10 Another identity | 1 | 1 | 4 | 1 | 0 | 0 | 10 | 1.7 |
| Valid responses = | 193 | 33 | 351 | 60 | 5 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

49. Height in inches?

| Inches | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| low-36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 37-48 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| 49-60 | 1 | 1 | 20 | 6 | 1 | 20 | 24 | 4.1 |
| 61-72 | 144 | 74 | 327 | 94 | 4 | 80 | 502 | 86.3 |
| 73-84 | 49 | 25 | 2 | 1 | 0 | 0 | 55 | 9.5 |
| GE 85 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 5 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|-------|--------|---------|-------|-------|
| Male | 70.51 | 71.00 | 3.11 | 60.00 | 78.00 |
| Female | 64.67 | 64.00 | 2.99 | 53.00 | 79.00 |
| Overall | 66.68 | 66.00 | 4.25 | 41.00 | 79.00 |

50. What is your weight in pounds?

| Pounds | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 0-50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 51-100 | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 0.5 |
| 101-150 | 48 | 25 | 177 | 51 | 5 | 83 | 245 | 42.3 |
| 151-200 | 95 | 49 | 108 | 31 | 1 | 17 | 219 | 37.8 |
| 201-250 | 35 | 18 | 39 | 11 | 0 | 0 | 77 | 13.3 |
| 251-300 | 9 | 5 | 15 | 4 | 0 | 0 | 24 | 4.1 |
| 301-350 | 5 | 3 | 2 | 1 | 0 | 0 | 7 | 1.2 |
| 351-400 | 1 | 1 | 2 | 1 | 0 | 0 | 3 | 0.5 |
| 401-450 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| GE 451 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 346 | 60 | 6 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|--------|--------|---------|--------|--------|
| Male | 184.60 | 175.0 | 46.48 | 114.00 | 354.00 |
| Female | 162.75 | 150.0 | 46.98 | 95.00 | 395.00 |
| Overall | 169.88 | 160.0 | 49.06 | 95.00 | 500.00 |

51. What is your year in school?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 1st year undergraduate | 66 | 34 | 93 | 27 | 1 | 20 | 171 | 29.3 |
| 2 2nd year undergraduate | 50 | 26 | 104 | 30 | 2 | 40 | 165 | 28.3 |
| 3 3rd year undergraduate | 35 | 18 | 71 | 20 | 1 | 20 | 117 | 20.1 |
| 4 4th year undergraduate | 38 | 20 | 70 | 20 | 1 | 20 | 113 | 19.4 |
| 5 5th year or more undergraduate | 5 | 3 | 11 | 3 | 0 | 0 | 16 | 2.7 |
| 6 Graduate or professional | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 Not seeking a degree | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 8 Other | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 33 | 350 | 60 | 5 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

52. What is your enrollment status?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Full-time | 193 | 100 | 348 | 99 | 6 | 100 | 581 | 99.5 |
| 2 Part-time | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 3 Other | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 193 | 33 | 351 | 60 | 6 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

53. Have you transferred to this college or university within the last 12 months?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 176 | 91 | 317 | 91 | 6 | 100 | 526 | 90.2 |
| 2 Yes | 18 | 9 | 32 | 9 | 0 | 0 | 57 | 9.8 |
| Valid responses = | 194 | 33 | 349 | 60 | 6 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

54. How do you usually describe yourself?

| | Male | | Female | | Unknown | | Total Freq. | Pct. | |
|----------------------------|---------------------------------------------------------------------------------------------------|------|--------|------|---------|------|----------------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| White | 144 | 74 | 254 | 72 | 5 | 56 | 428 | 72.8 | |
| Black or African American | 21 | 11 | 68 | 19 | 1 | 11 | 94 | 16.0 | |
| Hispanic or Latino/a | 14 | 7 | 28 | 8 | 0 | 0 | 46 | 7.8 | |
| Asian or Pacific Islander | 9 | 5 | 15 | 4 | 0 | 0 | 26 | 4.4 | |
| American Indian or Alaskan | 7 | 4 | 8 | 2 | 0 | 0 | 16 | 2.7 | |
| Biracial or Multi racial | 10 | 5 | 23 | 7 | 2 | 22 | 41 | 7.0 | |
| Other | 16 | 8 | 15 | 4 | 0 | 0 | 35 | 6.0 | |
| Valid responses = | all responses and blanks: since multiple responses were possible, more than 100% may be included. | | | | | | | | |

55. Are you an international student?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 175 | 90 | 327 | 94 | 5 | 100 | 539 | 92.6 |
| 2 Yes | 19 | 10 | 22 | 6 | 0 | 0 | 43 | 7.4 |
| Valid responses = | 194 | 33 | 349 | 60 | 5 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

56. What is your relationship status?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Not in a relationship | 103 | 53 | 202 | 58 | 4 | 67 | 330 | 56.5 |
| 2 In relationship not living together | 77 | 40 | 118 | 34 | 1 | 17 | 206 | 35.3 |
| 3 In relationship living together | 13 | 7 | 31 | 9 | 1 | 17 | 48 | 8.2 |
| Valid responses = | 193 | 33 | 351 | 60 | 6 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

57. What is your marital status?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|---------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Single | 179 | 92 | 317 | 91 | 6 | 100 | 533 | 91.4 |
| 2 Married/Partnered | 10 | 5 | 21 | 6 | 0 | 0 | 32 | 5.5 |
| 3 Separated | 1 | 1 | 2 | 1 | 0 | 0 | 4 | 0.7 |
| 4 Divorced | 1 | 1 | 7 | 2 | 0 | 0 | 8 | 1.4 |
| 5 Other | 3 | 2 | 2 | 1 | 0 | 0 | 6 | 1.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 6 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

58. Where do you currently live?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|------------------------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 Campus residence hall | 170 | 88 | 301 | 86 | 5 | 100 | 503 | 86.6 |
| 2 Fraternity or sorority house | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 3 Other college/university housing | 2 | 1 | 14 | 4 | 0 | 0 | 16 | 2.8 |
| 4 Parent/guardian's house | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| 5 Other off-campus housing | 19 | 10 | 30 | 9 | 0 | 0 | 55 | 9.5 |
| 6 Other | 3 | 2 | 3 | 1 | 0 | 0 | 6 | 1.0 |
| Valid responses = | 194 | 33 | 349 | 60 | 5 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

59. Are you a member of a social fraternity or sorority?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 184 | 95 | 341 | 98 | 6 | 100 | 564 | 96.9 |
| 2 Yes | 9 | 5 | 8 | 2 | 0 | 0 | 18 | 3.1 |
| Valid responses = | 193 | 33 | 349 | 60 | 6 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

60. How many hours a week do you work for pay?

| | Male | | Female | | Unknown | | Total | |
|----------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 0 hours | 2 | 1 | 4 | 1 | 0 | 0 | 7 | 1.2 |
| 2 1 - 9 hours | 7 | 4 | 23 | 7 | 0 | 0 | 30 | 5.1 |
| 3 10 - 19 hours | 180 | 93 | 301 | 86 | 6 | 100 | 518 | 88.5 |
| 4 20 - 29 hours | 4 | 2 | 19 | 5 | 0 | 0 | 25 | 4.3 |
| 5 30 - 39 hours | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0.3 |
| 6 40 hours | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 7 more than 40 hours | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 194 | 33 | 351 | 60 | 6 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

61. How many hours a week do you volunteer?

| | Male | | Female | | Unknown | | Total | |
|----------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 0 hours | 130 | 67 | 218 | 62 | 2 | 33 | 377 | 64.6 |
| 2 1 - 9 hours | 59 | 31 | 131 | 37 | 4 | 67 | 201 | 34.4 |
| 3 10 - 19 hours | 4 | 2 | 0 | 0 | 0 | 0 | 4 | 0.7 |
| 4 20 - 29 hours | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0.3 |
| 5 30 - 39 hours | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 6 40 hours | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 7 more than 40 hours | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Valid responses = | 193 | 33 | 351 | 60 | 6 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

62. What is your primary source of health insurance?

| | Male | | Female | | Unknown | | Total | |
|-------------------------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 College/university sponsored plan | 39 | 20 | 53 | 15 | 1 | 17 | 95 | 16.2 |
| 2 Parents' plan | 104 | 54 | 191 | 54 | 5 | 83 | 318 | 54.4 |
| 3 Another plan | 28 | 14 | 72 | 21 | 0 | 0 | 105 | 17.9 |
| 4 Don't have health insurance | 18 | 9 | 22 | 6 | 0 | 0 | 44 | 7.5 |
| 5 Not sure if I have insurance | 5 | 3 | 13 | 4 | 0 | 0 | 23 | 3.9 |
| Valid responses = | 194 | 33 | 351 | 60 | 6 | 1 | 585 | 99.5 |

Invalid responses include no response or multiple responses.

63. What is your approximate cumulative grade point average?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 A | 51 | 26 | 110 | 31 | 4 | 57 | 171 | 29.3 |
| 2 B | 102 | 53 | 178 | 51 | 2 | 29 | 307 | 52.6 |
| 3 C | 37 | 19 | 54 | 15 | 1 | 14 | 94 | 16.1 |
| 4 D/F | 1 | 1 | 5 | 1 | 0 | 0 | 6 | 1.0 |
| 5 N/A | 2 | 1 | 3 | 1 | 0 | 0 | 6 | 1.0 |
| Valid responses = | 193 | 33 | 350 | 60 | 7 | 1 | 584 | 99.3 |

Invalid responses include no response or multiple responses.

**64A. In the last 12 months, have you participated in organized college athletics at any of the following levels:
Varsity?**

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 156 | 82 | 312 | 89 | 5 | 71 | 504 | 87.0 |
| 2 Yes | 34 | 18 | 37 | 11 | 2 | 29 | 75 | 13.0 |
| Valid responses = | 190 | 33 | 349 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

**64B. In the last 12 months, have you participated in organized college athletics at any of the following levels:
Club sports?**

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 166 | 88 | 324 | 93 | 7 | 100 | 528 | 91.7 |
| 2 Yes | 22 | 12 | 25 | 7 | 0 | 0 | 48 | 8.3 |
| Valid responses = | 188 | 33 | 349 | 61 | 7 | 1 | 576 | 98.0 |

Invalid responses include no response or multiple responses.

**64C. In the last 12 months, have you participated in organized college athletics at any of the following levels:
Intramurals?**

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|-------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 No | 135 | 71 | 300 | 86 | 7 | 100 | 469 | 81.0 |
| 2 Yes | 55 | 29 | 49 | 14 | 0 | 0 | 110 | 19.0 |
| Valid responses = | 190 | 33 | 349 | 60 | 7 | 1 | 579 | 98.5 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

May 4, 2016
FREQUENCY REPORT
Number of Surveys (n) = 588 Web Surveys

65A. Do you have any of the following:

Attention Deficit and Hyperactivity Disorder (ADHD)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 177 | 92 | 333 | 95 | 6 | 86 | 546 | 93.7 |
| 2 Yes | 15 | 8 | 17 | 5 | 1 | 14 | 37 | 6.3 |
| Valid responses = | 192 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

65B. Do you have any of the following:

Chronic illness (e.g., cancer, diabetes, auto-immune disorders)?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 188 | 98 | 322 | 92 | 7 | 100 | 549 | 94.3 |
| 2 Yes | 3 | 2 | 28 | 8 | 0 | 0 | 33 | 5.7 |
| Valid responses = | 191 | 33 | 350 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

65C. Do you have any of the following:

Deafness/Hearing loss?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 186 | 97 | 332 | 95 | 7 | 100 | 557 | 95.5 |
| 2 Yes | 6 | 3 | 18 | 5 | 0 | 0 | 26 | 4.5 |
| Valid responses = | 192 | 33 | 350 | 60 | 7 | 1 | 583 | 99.1 |

Invalid responses include no response or multiple responses.

65D. Do you have any of the following:

Learning disability?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 183 | 95 | 323 | 93 | 7 | 100 | 544 | 93.5 |
| 2 Yes | 9 | 5 | 26 | 7 | 0 | 0 | 38 | 6.5 |
| Valid responses = | 192 | 33 | 349 | 60 | 7 | 1 | 582 | 99.0 |

Invalid responses include no response or multiple responses.

65E. Do you have any of the following:

Mobility/Dexterity disability?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 191 | 100 | 348 | 100 | 7 | 100 | 580 | 99.8 |
| 2 Yes | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.2 |
| Valid responses = | 191 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

65F. Do you have any of the following:

Partial sightedness/Blindness?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 186 | 97 | 334 | 96 | 6 | 86 | 560 | 96.4 |
| 2 Yes | 6 | 3 | 14 | 4 | 1 | 14 | 21 | 3.6 |
| Valid responses = | 192 | 33 | 348 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

65G. Do you have any of the following:

Psychiatric condition?

| | Male | | Female | | Unknown | | Total Freq. | Pct. |
|-------------------|-------|------|--------|------|---------|------|----------------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | |
| 1 No | 186 | 97 | 322 | 92 | 6 | 86 | 540 | 92.9 |
| 2 Yes | 6 | 3 | 27 | 8 | 1 | 14 | 41 | 7.1 |
| Valid responses = | 192 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 |

Invalid responses include no response or multiple responses.

American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Institutional Data Report - Spring 2016

Berea College

American College Health Association

1362 Mellon Road, Suite 180

Hanover, MD 21076

(410) 859-1500

www.acha.org

May 4, 2016

FREQUENCY REPORT

Number of Surveys (n) = 588 Web Surveys

65H. Do you have any of the following:

Speech or language disorder?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 No | 188 | 98 | 346 | 99 | 7 | 100 | 575 | 99.0 | |
| 2 Yes | 3 | 2 | 3 | 1 | 0 | 0 | 6 | 1.0 | |
| Valid responses = | 191 | 33 | 349 | 60 | 7 | 1 | 581 | 98.8 | |

Invalid responses include no response or multiple responses.

65I. Do you have any of the following:

Other disability?

| | Male | | Female | | Unknown | | Total | | Pct. |
|-------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 No | 184 | 96 | 325 | 94 | 7 | 100 | 549 | 94.7 | |
| 2 Yes | 8 | 4 | 22 | 6 | 0 | 0 | 31 | 5.3 | |
| Valid responses = | 192 | 33 | 347 | 60 | 7 | 1 | 580 | 98.6 | |

Invalid responses include no response or multiple responses.

66. Are you currently or have you been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

| | Male | | Female | | Unknown | | Total | | Pct. |
|----------------------------------|-------|------|--------|------|---------|------|-------|------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | | |
| 1 No | 186 | 98 | 351 | 100 | 6 | 100 | 574 | 99.1 | |
| 2 Yes deployed hazardous duty | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | |
| 3 Yes not deployed hazardous dut | 3 | 2 | 0 | 0 | 0 | 0 | 5 | 0.9 | |
| Valid responses = | 189 | 33 | 351 | 61 | 6 | 1 | 579 | 98.5 | |

Invalid responses include no response or multiple responses.

General Health of College Students

- How would you describe your general health?
- Within the last 12 months, have you been diagnosed or treated by a professional for the following...

| | |
|-----------------------------------------------|---------------------------------------------------------|
| Allergies | Gonorrhea |
| Anorexia (only asked in 2006) | Hepatitis B or C |
| Anxiety Disorder (only asked in 2006) | High blood pressure |
| Asthma | High cholesterol |
| Back pain | HIV infection |
| Broken bone/Fracture/Sprain | Irritable Bowel Syndrome (added in 2008) |
| Bronchitis | Migraine headache (added in 2008) |
| Bulimia (only asked in 2006) | Mononucleosis |
| Chlamydia | Pelvic Inflammatory Disease |
| Chronic Fatigue Syndrome (only asked in 2006) | Repetitive stress injury (e.g., carpal tunnel syndrome) |
| Depression (only asked in 2006) | Seasonal Affective Disorder (only asked in 2006) |
| Diabetes | Sinus infection |
| Ear infection | Strep throat |
| Endometriosis | Substance abuse problem (only asked in 2006) |
| Genital herpes | Tuberculosis |
| Genital warts/HPV | Urinary tract infection (added in 2008) |

- Do you have any of the following disabilities or medical conditions? (added in 2008)


| | |
|-----------------------------------------------------------------|-------------------------------|
| Attention Deficit and Hyperactivity Disorder (ADHD) | Partial sightedness/Blindness |
| Chronic illness (e.g., cancer, diabetes, auto-immune disorders) | Psychiatric condition |
| Deafness/hearing loss | Speech or language disorder |
| Learning disability | Other disability |
| Mobility/Dexterity disability | |

General Health of College Students

- Within the last school year, have you had any of the following? (only asked in 2006)


| | |
|--------------------------|--------------------------------------------------------|
| Allergy problems | Genital warts/HPV |
| Anorexia | Gonorrhea |
| Anxiety disorder | Hepatitis B or C |
| Asthma | High blood pressure |
| Back pain | High cholesterol |
| Broken bone/Fracture | HIV infection |
| Bronchitis | Mononucleosis |
| Bulimia | Pelvic Inflammatory Disease |
| Chlamydia | Repetitive stress injury (e.g. carpal tunnel syndrome) |
| Chronic Fatigue Syndrome | Seasonal Affective Disorder |
| Depression | Sinus infection |
| Diabetes | Strep throat |
| Ear infection | Substance abuse problem |
| Endometriosis | Tuberculosis |
| Genital herpes | |

How would you describe your general health? (In 2006, "Considering your age,")



How would you describe your general health? (In 2006, "Considering your age,")

(Totals may not add to 100% due to rounding.)



Within the last 12 months, have you been diagnosed or treated by a professional for any of the following... (In 2006, only "diagnosed") Percent indicating "yes."

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Allergies | 43.0% | 38.7% | 24.6% | 22.4% | 17.8% | 19.5% | 20.8% | 19.1% |
| Anorexia | 2.8% | 2.3% | <i>not asked</i> | | | | | |
| Anxiety Disorder | 9.9% | 8.1% | <i>not asked</i> | | | | | |
| Asthma | 15.8% | 16.3% | 10.3% | 9.1% | 8.1% | 8.8% | 8.1% | 8.9% |
| Back pain | 21.2% | 21.5% | 12.2% | 12.6% | 11.7% | 12.5% | 13.8% | 12.1% |
| Broken bone/Fracture/Sprain | 19.8% | 21.6% | 10.6% | 8.6% | 11.0% | 7.7% | 8.0% | 6.5% |
| Bronchitis | 19.8% | 19.2% | 5.6% | 6.4% | 7.7% | 6.9% | 7.8% | 6.2% |
| Bulimia | 2.0% | 1.7% | <i>not asked</i> | | | | | |
| Chlamydia | 2.4% | 2.1% | 1.0% | 1.0% | 0.9% | 1.1% | 1.7% | 1.4% |
| Chronic Fatigue Syndrome | 2.0% | 1.2% | <i>not asked</i> | | | | | |
| Depression | 16.0% | 14.2% | <i>not asked</i> | | | | | |
| Diabetes | 1.6% | 0.9% | 1.2% | 1.1% | 1.4% | 1.1% | 0.9% | 1.1% |
| Ear infection | 34.4% | 35.7% | 8.3% | 7.7% | 7.7% | 7.2% | 7.6% | 6.7% |
| Endometriosis | 1.8% | 1.0% | 1.6% | 0.9% | 2.6% | 0.8% | 1.2% | 0.8% |
| Genital herpes | 0.8% | 1.1% | 0.6% | 0.8% | 0.5% | 0.8% | 0.5% | 0.6% |
| Genital warts/Human Papillomavirus (HPV) | 1.8% | 3.0% | 1.2% | 2.1% | 1.8% | 1.9% | 0.2% | 0.8% |
| Gonorrhea | 0.2% | 0.5% | 0.4% | 0.3% | 0.7% | 0.4% | 0.5% | 0.3% |
| Hepatitis B or C | 0.6% | 0.4% | 0.2% | 0.4% | 0.2% | 0.4% | 0.5% | 0.2% |
| High blood pressure | 4.1% | 3.6% | 2.9% | 3.1% | 3.0% | 3.3% | 4.1% | 2.8% |
| High cholesterol | 4.7% | 4.7% | 2.5% | 3.3% | 3.0% | 3.1% | 1.9% | 2.6% |
| Human Immunodeficiency Virus (HIV) | 0.2% | 0.2% | 0.2% | 0.3% | 0.0% | 0.3% | 0.3% | 0.2% |
| Irritable Bowel Syndrome | <i>not asked</i> | | 2.1% | 2.7% | 2.3% | 2.6% | 2.9% | 2.9% |
| Migraine headache | <i>not asked</i> | | 9.7% | 7.9% | 9.3% | 7.6% | 10.2% | 8.6% |
| Mononucleosis | 6.9% | 8.5% | 3.3% | 2.1% | 2.1% | 2.0% | 2.1% | 1.7% |
| Pelvic Inflammatory Disease (PID) | 0.6% | 0.6% | 0.2% | 0.2% | 0.2% | 0.3% | 0.3% | 0.2% |
| Repetitive stress injury (e.g., carpal tunnel syndrome) | 4.5% | 6.0% | 1.9% | 1.9% | 2.1% | 1.9% | 1.4% | 1.8% |
| Seasonal Affective Disorder | 3.4% | 2.6% | <i>not asked</i> | | | | | |
| Sinus Infection | 44.8% | 37.5% | 21.5% | 18.2% | 23.8% | 18.2% | 20.5% | 16.9% |
| Strep throat | 42.1% | 41.0% | 12.2% | 12.1% | 11.4% | 10.6% | 12.6% | 11.3% |
| Substance abuse problem | 1.4% | 1.8% | <i>not asked</i> | | | | | |
| Tuberculosis | 0.8% | 0.8% | 0.6% | 0.4% | 0.9% | 0.4% | 0.3% | 0.3% |
| Urinary tract infection | <i>not asked</i> | | 8.4% | 9.6% | 8.1% | 9.8% | 9.5% | 10.2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following... (In 2006, only "diagnosed") Percent indicating "yes."

| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------------|------------------|----------|------------------|----------|-------------|----------|-------------|----------|------------------|----------|------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Allergies | 41% | 37% | 16% | 19% | 14% | 16% | 15% | 16% | 44% | 40% | 29% | 24% | 20% | 21% | 24% | 21% |
| Anorexia | 1% | 1% | <i>not asked</i> | | | | | | 3% | 3% | <i>not asked</i> | | | | | |
| Anxiety Disorder | 7% | 5% | <i>not asked</i> | | | | | | 11% | 10% | <i>not asked</i> | | | | | |
| Asthma | 14% | 15% | 4% | 7% | 6% | 7% | 6% | 7% | 16% | 17% | 13% | 10% | 9% | 10% | 8% | 10% |
| Back pain | 18% | 19% | 9% | 10% | 8% | 10% | 10% | 10% | 23% | 23% | 13% | 14% | 14% | 14% | 16% | 13% |
| Broken bone/Fracture/Sprain | 22% | 24% | 8% | 11% | 12% | 9% | 7% | 7% | 19% | 20% | 12% | 8% | 11% | 7% | 8% | 6% |
| Bronchitis | 17% | 16% | 3% | 5% | 4% | 5% | 5% | 4% | 21% | 21% | 7% | 7% | 10% | 8% | 9% | 7% |
| Bulimia | 1% | 0% | <i>not asked</i> | | | | | | 3% | 3% | <i>not asked</i> | | | | | |
| Chlamydia | 1% | 1% | 0% | 1% | 1% | 1% | 1% | 1% | 3% | 3% | 1% | 1% | 1% | 1% | 2% | 2% |
| Chronic Fatigue Syndrome | 1% | 1% | <i>not asked</i> | | | | | | 2% | 2% | <i>not asked</i> | | | | | |
| Depression | 12% | 9% | <i>not asked</i> | | | | | | 18% | 17% | <i>not asked</i> | | | | | |
| Diabetes | 1% | 1% | 0% | 1% | 1% | 1% | 1% | 1% | 2% | 1% | 1% | 1% | 2% | 1% | 1% | 1% |
| Ear infection | 28% | 29% | 6% | 6% | 4% | 5% | 4% | 5% | 38% | 40% | 9% | 9% | 9% | 8% | 9% | 8% |
| Endometriosis | 0% | 0% | 0% | <1% | 0% | 0% | 0% | 0% | 3% | 2% | 2% | 1% | 4% | 1% | 1% | 1% |
| Genital herpes | 0% | 1% | 0% | <1% | 0% | 1% | 0% | 0% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% |
| Genital warts/Human Papillomavirus (HPV) | 0% | 1% | 0% | 1% | 1% | 1% | 0% | 1% | 3% | 4% | 2% | 3% | 2% | 3% | 0% | 1% |
| Gonorrhea | 1% | 1% | 0% | <1% | 1% | 1% | 1% | 1% | 0% | 1% | 1% | <1% | 1% | <1% | <1% | <1% |
| Hepatitis B or C | 0% | 1% | 0% | <1% | 0% | 1% | 1% | <1% | 1% | 0% | <1% | <1% | <1% | <1% | <1% | <1% |
| High blood pressure | 4% | 5% | 3% | 4% | 3% | 5% | 3% | 4% | 4% | 3% | 3% | 3% | 3% | 3% | 4% | 2% |
| High cholesterol | 5% | 5% | 1% | 3% | 3% | 3% | 1% | 3% | 5% | 5% | 4% | 3% | 3% | 3% | 2% | 2% |
| Human Immunodeficiency Virus (HIV) | 0% | 0% | 1% | <1% | 0% | <1% | 0% | <1% | <1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| Irritable Bowel Syndrome | <i>not asked</i> | | 1% | 1% | 3% | 2% | 0% | 2% | <i>not asked</i> | | 3% | 3% | 3% | 3% | 4% | 3% |
| Migraine headache | <i>not asked</i> | | 6% | 3% | 13% | 4% | 3% | 4% | <i>not asked</i> | | 11% | 10% | 13% | 10% | 14% | 11% |
| Mononucleosis | 4% | 6% | 3% | 2% | 2% | 2% | 2% | 1% | 8% | 10% | 4% | 2% | 2% | 2% | 2% | 2% |
| Pelvic Inflammatory Disease (PID) | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 1% | 1% | <1% | <1% | <1% | <1% | <1% | <1% |
| Repetitive stress injury (e.g., carpal tunnel syndrome) | 3% | 4% | 0% | 1% | 3% | 1% | 1% | 1% | 5% | 7% | 3% | 2% | 3% | 2% | 1% | 2% |
| Seasonal Affective Disorder | 3% | 2% | <i>not asked</i> | | | | | | 3% | 3% | <i>not asked</i> | | | | | |
| Sinus Infection | 33% | 30% | 11% | 12% | 29% | 12% | 15% | 12% | 50% | 42% | 26% | 21% | 29% | 22% | 24% | 19% |
| Strep throat | 37% | 36% | 10% | 8% | 12% | 8% | 10% | 9% | 44% | 44% | 14% | 14% | 12% | 12% | 14% | 12% |
| Substance abuse problem | 1% | 2% | <i>not asked</i> | | | | | | 1% | 2% | <i>not asked</i> | | | | | |
| Tuberculosis | 1% | 1% | 1% | <1% | 0% | 1% | 1% | <1% | 1% | 1% | <1% | <1% | <1% | <1% | 0% | <1% |
| Urinary tract infection | <i>not asked</i> | | 3% | 1% | 12% | 1% | 1% | 1% | <i>not asked</i> | | 11% | 13% | 12% | 15% | 14% | 15% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| Do you have any of the following? (Percent "yes") Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Attention Deficit and Hyperactivity Disorder (ADHD) | <i>not asked</i> | | 2.7% | 5.1% | 5.0% | 5.9% | 6.3% | 7.6% |
| Chronic illness (e.g., cancer, diabetes, auto-immune disorders) | <i>not asked</i> | | 5.7% | 3.7% | 4.4% | 3.9% | 5.7% | 4.6% |
| Deafness/Hearing loss | <i>not asked</i> | | 2.2% | 1.5% | 1.4% | 1.5% | 4.5% | 1.9% |
| Learning disability | <i>not asked</i> | | 3.6% | 3.6% | 3.6% | 3.8% | 6.5% | 4.3% |
| Mobility/Dexterity disability | <i>not asked</i> | | 1.4% | 0.8% | 1.2% | 1.0% | 0.2% | 0.9% |
| Partial sightedness/Blindness | <i>not asked</i> | | 2.0% | 1.7% | 3.4% | 1.5% | 3.6% | 2.6% |
| Psychiatric condition | <i>not asked</i> | | 4.9% | 4.2% | 4.4% | 4.0% | 7.1% | 7.1% |
| Speech or language disorder | <i>not asked</i> | | 1.2% | 0.8% | 1.6% | 0.9% | 1.0% | 0.8% |
| Other disability | <i>not asked</i> | | 3.1% | 2.2% | 3.9% | 2.2% | 5.3% | 2.4% |

| Do you have any of the following? (Percent "yes") | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Attention Deficit and Hyperactivity Disorder (ADHD) | <i>not asked</i> | | 4% | 7% | 6% | 7% | 8% | 10% | <i>not asked</i> | | 2% | 4% | 4% | 5% | 5% | 7% |
| Chronic illness (e.g., cancer, diabetes, auto-immune disorders) | <i>not asked</i> | | 4% | 2% | 2% | 2% | 2% | 3% | <i>not asked</i> | | 6% | 4% | 6% | 5% | 8% | 5% |
| Deafness/Hearing loss | <i>not asked</i> | | 3% | 2% | 1% | 2% | 3% | 3% | <i>not asked</i> | | 2% | 1% | 2% | 1% | 5% | 2% |
| Learning disability | <i>not asked</i> | | 3% | 4% | 3% | 4% | 5% | 4% | <i>not asked</i> | | 4% | 3% | 4% | 4% | 7% | 4% |
| Mobility/Dexterity disability | <i>not asked</i> | | 1% | 1% | 1% | 1% | 0% | 1% | <i>not asked</i> | | 2% | 1% | 1% | 1% | <1% | 1% |
| Partial sightedness/Blindness | <i>not asked</i> | | 3% | 2% | 3% | 2% | 3% | 3% | <i>not asked</i> | | 2% | 2% | 4% | 1% | 4% | 3% |
| Psychiatric condition | <i>not asked</i> | | 6% | 3% | 2% | 3% | 3% | 5% | <i>not asked</i> | | 5% | 5% | 6% | 5% | 8% | 8% |
| Speech or language disorder | <i>not asked</i> | | 1% | 1% | 1% | 1% | 2% | 1% | <i>not asked</i> | | 1% | 1% | 2% | 1% | 1% | 1% |
| Other disability | <i>not asked</i> | | 4% | 2% | 3% | 2% | 4% | 3% | <i>not asked</i> | | 3% | 2% | 4% | 2% | 6% | 2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last school year, have you had any of the following?

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Allergy problems | 59.2% | 45.5% | <i>not asked</i> | | | | | |
| Anorexia | 2.0% | 1.9% | | | | | | |
| Anxiety Disorder | 16.1% | 12.4% | | | | | | |
| Asthma | 13.4% | 11.2% | | | | | | |
| Back pain | 59.9% | 46.6% | | | | | | |
| Broken bone/Fracture | 5.7% | 4.7% | | | | | | |
| Bronchitis | 8.1% | 7.8% | | | | | | |
| Bulimia | 2.5% | 2.3% | | | | | | |
| Chlamydia | 1.6% | 0.8% | | | | | | |
| Chronic Fatigue Syndrome | 5.7% | 3.4% | | | | | | |
| Depression | 27.7% | 17.8% | | | | | | |
| Diabetes | 1.2% | 0.9% | | | | | | |
| Ear infection | 11.2% | 9.3% | | | | | | |
| Endometriosis | 1.0% | 1.0% | | | | | | |
| Genital herpes | 0.6% | 1.0% | | | | | | |
| Genital warts/HPV | 1.2% | 2.2% | | | | | | |
| Gonorrhea | 0.4% | 0.2% | | | | | | |
| Hepatitis B or C | 0.6% | 0.4% | | | | | | |
| High blood pressure | 9.2% | 4.5% | | | | | | |
| High cholesterol | 4.5% | 4.0% | | | | | | |
| HIV infection | 0.2% | 0.3% | | | | | | |
| Mononucleosis | 3.5% | 2.2% | | | | | | |
| Pelvic Inflammatory Disease | 0.4% | 0.3% | | | | | | |
| Repetitive stress injury (e.g. carpal tunnel syndrome) | 8.0% | 6.8% | | | | | | |
| Seasonal Affective Disorder | 10.7% | 8.1% | | | | | | |
| Sinus Infection | 41.3% | 28.8% | | | | | | |
| Strep throat | 17.5% | 13.2% | | | | | | |
| Substance abuse problem | 5.1% | 3.4% | | | | | | |
| Tuberculosis | 0.4% | 0.2% | | | | | | |

Within the last school year, have you had any of the following?

| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Allergy problems | 51% | 42% | | | | | | | 62% | 48% | | | | | | |
| Anorexia | 1% | 1% | | | | | | | 3% | 2% | | | | | | |
| Anxiety Disorder | 12% | 8% | | | | | | | 18% | 15% | | | | | | |
| Asthma | 10% | 9% | | | | | | | 15% | 13% | | | | | | |
| Back pain | 54% | 42% | | | | | | | 62% | 49% | | | | | | |
| Broken bone/Fracture | 5% | 6% | | | | | | | 6% | 4% | | | | | | |
| Bronchitis | 8% | 6% | | | | | | | 8% | 9% | | | | | | |
| Bulimia | 1% | 1% | | | | | | | 3% | 3% | | | | | | |
| Chlamydia | 1% | 1% | | | | | | | 2% | 1% | | | | | | |
| Chronic Fatigue Syndrome | 4% | 3% | | | | | | | 7% | 4% | | | | | | |
| Depression | 27% | 14% | | | | | | | 28% | 20% | | | | | | |
| Diabetes | 1% | 1% | | | | | | | 1% | 1% | | | | | | |
| Ear infection | 9% | 7% | | | | | | | 13% | 11% | | | | | | |
| Endometriosis | 0% | 0% | | | | | | | 1% | 1% | | | | | | |
| Genital herpes | 0% | 1% | | | | | | | 1% | 1% | | | | | | |
| Genital warts/HPV | 0% | 1% | | | | | | | 2% | 3% | | | | | | |
| Gonorrhea | 1% | 0% | | | | | | | 0% | 0% | | | | | | |
| Hepatitis B or C | 1% | 0% | | | | | | | 1% | 0% | | | | | | |
| High blood pressure | 11% | 6% | | | | | | | 8% | 4% | | | | | | |
| High cholesterol | 4% | 4% | | | | | | | 5% | 4% | | | | | | |
| HIV infection | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| Mononucleosis | 3% | 2% | | | | | | | 4% | 2% | | | | | | |
| Pelvic Inflammatory Disease | 0% | 0% | | | | | | | 1% | 0% | | | | | | |
| Repetitive stress injury (e.g. carpal tunnel syndrome) | 5% | 6% | | | | | | | 9% | 7% | | | | | | |
| Seasonal Affective Disorder | 10% | 6% | | | | | | | 11% | 9% | | | | | | |
| Sinus Infection | 30% | 23% | | | | | | | 46% | 32% | | | | | | |
| Strep throat | 14% | 11% | | | | | | | 19% | 14% | | | | | | |
| Substance abuse problem | 6% | 4% | | | | | | | 5% | 3% | | | | | | |
| Tuberculosis | 1% | 0% | | | | | | | 0% | 0% | | | | | | |

not asked

not asked

Disease and Injury Prevention

- Have you received the following vaccinations (shots, series of shots)?

| | |
|--------------------------------------------------------------------|--------------------------------------------------|
| Hepatitis B | Measles, mumps, rubella (2 shots) |
| Human papillomavirus/HPB (cervical cancer vaccine) (added in 2008) | Meningococcal disease (meningococcal meningitis) |
| Influenza (the flu) in the last year | Varicella (chicken pox) |

- Have you..
 - Had a dental exam and cleaning in the last year
 - Had your blood pressure checked in the last 2 years (only asked in 2006)
 - Had your cholesterol checked in the last 5 years (only asked in 2006)
 - Used sunscreen regularly with sun exposure

Only asked of female respondents:

- Had a routine gynecological exam in the last year
- Performed breast self-exam in the last month

Only asked of male respondents:

- Performed testicular self-exam in the last month

- Have you ever been tested for HIV infection? (not asked in 2016)
- Within the last 12 months, how often did you...
 - Wear a seat belt when you rode in a car
 - Wear a helmet when you rode a bicycle
 - Wear a helmet when you rode a motorcycle
 - Wear a helmet when you were inline skating

Have you.... (Percent indicating "yes.")

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Received the following vaccinations (shots, series of shots) (in 2010, "Been vaccinated against...") | | | | | | | | |
| Hepatitis B | 67.6% | 73.4% | 75.1% | 78.1% | 72.4% | 73.0% | 56.1% | 68.2% |
| Human papillomavirus/HPV (cervical cancer vaccine) | <i>not asked</i> | | 19.3% | 31.8% | 22.8% | 33.2% | 43.8% | 54.6% |
| Influenza (the flu) in the last 12 months (shot or nasal mist) | 20.4% | 26.0% | 23.3% | 32.0% | 34.3% | 39.9% | 43.3% | 44.6% |
| Measles, mumps, rubella | 81.6% | 83.7% | 74.9% | 75.0% | 69.7% | 70.9% | 63.7% | 73.8% |
| Meningococcal disease (meningococcal meningitis) | 43.5% | 57.1% | 51.0% | 62.4% | 49.7% | 54.7% | 53.1% | 64.6% |
| Varicella (chicken pox) | 51.8% | 50.0% | 42.2% | 44.2% | 43.4% | 43.4% | 56.7% | 62.6% |
| Had a dental exam and cleaning in the last 12 months? | 61.1% | 77.2% | 56.3% | 75.4% | 49.8% | 72.9% | 52.9% | 73.9% |
| Ever been tested for Human Immunodeficiency Virus (HIV) Infection? | 27.3% | not available | 22.4% | 24.0% | 26.6% | 25.7% | 21.7% | 24.3% |
| Had your blood pressure checked in the last 2 years? | 85.0% | 89.1% | <i>not asked</i> | | | | | |
| Had your cholesterol checked in the last 5 years? | 36.2% | 45.1% | <i>not asked</i> | | | | | |
| Used sunscreen regularly with sun exposure? (in 2006, "daily") | 11.3% | 17.8% | 38.8% | 52.8% | 32.3% | 48.4% | 31.2% | 49.4% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you.... (Percent indicating "yes.")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------------------------------------------------------------------|------------------------------|----------------------|------------------|----------|-------------|----------|-------------|----------|----------------------------|----------------------|------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Had a routine gynecological exam in the last 12 months? | <i>only asked of females</i> | | | | | | | | 84% | 59% | 46% | 52% | 50% | 54% | 27% | 39% |
| Performed breast self-exam in the last 30 days? | | | | | | | | | 45% | 39% | 46% | 40% | 48% | 38% | 39% | 34% |
| Performed testicular self-exam in the last 30 days? | 34% | 39% | 37% | 38% | 33% | 34% | 27% | 34% | <i>only asked of males</i> | | | | | | | |
| Received the following vaccinations (shots, series of shots) (in 2010, "Been vaccinated against...") | | | | | | | | | | | | | | | | |
| Hepatitis B | 65% | 71% | 67% | 74% | 64% | 68% | 48% | 63% | 69% | 75% | 78% | 80% | 77% | 76% | 61% | 71% |
| Human papillomavirus/HPV (cervical cancer vaccine) | <i>not asked</i> | | 13% | 14% | 11% | 14% | 33% | 40% | <i>not asked</i> | | 22% | 39% | 29% | 44% | 50% | 62% |
| Influenza (the flu) in the last 12 months (shot or nasal mist) | 27% | 28% | 22% | 33% | 28% | 39% | 39% | 44% | 18% | 25% | 24% | 32% | 38% | 41% | 44% | 45% |
| Measles, mumps, rubella | 78% | 81% | 65% | 70% | 58% | 65% | 58% | 68% | 83% | 86% | 79% | 78% | 76% | 75% | 67% | 76% |
| Meningococcal disease (meningococcal meningitis) | 47% | 56% | 38% | 58% | 41% | 49% | 48% | 59% | 43% | 58% | 56% | 65% | 55% | 58% | 56% | 67% |
| Varicella (chicken pox) | 54% | 54% | 38% | 43% | 38% | 42% | 49% | 57% | 52% | 48% | 43% | 45% | 46% | 44% | 62% | 65% |
| Had a dental exam and cleaning in the last 12 months? | 60% | 75% | 51% | 74% | 46% | 70% | 47% | 72% | 63% | 79% | 59% | 76% | 52% | 75% | 58% | 75% |
| Ever been tested for Human Immunodeficiency Virus (HIV) Infection? | 26% | <i>not available</i> | 21% | 19% | 21% | 20% | 15% | 19% | 28% | <i>not available</i> | 23% | 26% | 30% | 29% | 25% | 27% |
| Had your blood pressure checked in the last 2 years? | 81% | 86% | <i>not asked</i> | | | | | | 87% | 91% | <i>not asked</i> | | | | | |
| Had your cholesterol checked in the last 5 years? | 35% | 45% | <i>not asked</i> | | | | | | 37% | 46% | <i>not asked</i> | | | | | |
| Used sunscreen regularly with sun exposure? (in 2006, "daily") | 6% | 9% | 33% | 42% | 22% | 37% | 21% | 37% | 13% | 23% | 42% | 58% | 38% | 55% | 37% | 55% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.


Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| <i>Response Rates:</i> | | | | | | | | |
| Have you ever been tested for HIV infection? | | | | | | | | |
| Yes | 27.3% | 28.4% | 22.4% | 24.0% | 26.6% | 25.7% | not asked | |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Have you ever been tested for HIV infection? | | | | | | | | | | | | | | | | |
| Yes | 26% | 26% | 21% | 19% | 21% | 20% | not asked | | 28% | 30% | 23% | 26% | 30% | 29% | not asked | |

Within the last 12 months, how often did you... (In 2006, "Within the last school year")


Wear a seat belt when you rode in a car



NOTE: Additional option of "Not applicable" was available.

Within the last 12 months, how often did you... (In 2006, "Within the last school year")


Wear a helmet when you rode a bicycle



NOTE: Additional option of "Not applicable" was available.

Within the last 12 months, how often did you... (In 2006, "Within the last school year")


Wear a helmet when you rode a motorcycle



NOTE: Additional option of "Not applicable" was available.

Within the last 12 months, how often did you... (In 2006, "Within the last school year")

Wear a helmet when you were inline skating



NOTE: Additional option of "Not applicable" was available.

Academic Impacts

- Within the last 12 months, have any of the following affected your academic performance?

| | |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Alcohol use | HIV Infection (only asked in 2006) |
| Allergies | Homesickness (added in 2008) |
| Anxiety (added in 2008) | Injury (fracture, sprain, strain, cut) |
| Assault (physical) | Internet use/computer games |
| Assault (sexual) | Learning disability |
| Attention Deficit/Hyperactivity Disorder | Mononucleosis (only asked in 2006) |
| Cold/Flu/Sore throat | Participation in extracurricular activities (e.g., campus clubs, organizations, athletics) (added in 2008) |
| Concern for a troubled friend of family member | Pregnancy (yours or partner's) |
| Chronic health problem or serious illness | Relationship difficulties |
| Chronic pain | Roommate difficulties (added in 2008) |
| Death of a friend or family member | Sexually transmitted disease/infection (STD/I) |
| Depression | Sinus infection/Ear infection/Bronchitis/Strep Throat |
| Discrimination (e.g., homophobia, racism, sexism)(added in 2008) | Sleep difficulties |
| Drug use | Stress |
| Eating disorder/problem | Work (added in 2008) |
| Finances (added in 2008) | Other |
| Gambling (added in 2008) | |

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol use | | | | | | | | |
| This did not happen to me, N/A | 59.9% | not available | 63.7% | 55.7% | 62.7% | 54.6% | 73.3% | 62.7% |
| Experienced, academics not affected | 35.8% | | 34.0% | 40.3% | 35.2% | 40.3% | 24.3% | 33.1% |
| Received lower grade on an exam/important project | 3.7% | | 1.5% | 2.9% | 1.2% | 3.3% | 1.2% | 2.9% |
| Received a lower grade in the course | 0.6% | | 0.6% | 0.7% | 0.9% | 1.2% | 0.9% | 1.0% |
| Received an incomplete or dropped the course | 0.0% | | 0.0% | 0.2% | 0.0% | 0.3% | 0.2% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.2% | 0.0% | 0.3% | 0.2% | 0.1% |
| Allergies | | | | | | | | |
| This did not happen to me, N/A | 48.0% | not available | 62.5% | 69.1% | 70.2% | 71.7% | 71.5% | 74.5% |
| Experienced, academics not affected | 43.9% | | 32.1% | 27.9% | 26.4% | 25.4% | 25.4% | 23.0% |
| Received lower grade on an exam/important project | 6.3% | | 4.2% | 2.3% | 1.9% | 2.1% | 1.7% | 1.9% |
| Received a lower grade in the course | 1.4% | | 0.6% | 0.4% | 1.1% | 0.5% | 1.0% | 0.4% |
| Received an incomplete or dropped the course | 0.4% | | 0.2% | 0.1% | 0.4% | 0.1% | 0.0% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.4% | 0.3% | 0.0% | 0.3% | 0.3% | 0.2% |
| Anxiety | | | | | | | | |
| This did not happen to me, N/A | not asked | | 50.9% | 56.9% | 51.8% | 57.4% | 46.0% | 52.5% |
| Experienced, academics not affected | | | 24.4% | 25.0% | 26.5% | 24.3% | 21.7% | 24.1% |
| Received lower grade on an exam/important project | | | 17.4% | 12.6% | 13.4% | 11.5% | 16.0% | 14.4% |
| Received a lower grade in the course | | | 4.8% | 3.1% | 6.5% | 3.9% | 9.7% | 6.1% |
| Received an incomplete or dropped the course | | | 1.4% | 1.4% | 1.1% | 1.7% | 3.6% | 2.0% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 1.2% | 1.2% | 0.7% | 1.1% | 3.0% | 1.0% |
| Assault (physical) | | | | | | | | |
| This did not happen to me, N/A | 95.7% | not available | 96.5% | 96.7% | 95.4% | 96.6% | 95.3% | 96.9% |
| Experienced, academics not affected | 3.6% | | 3.3% | 2.7% | 3.0% | 2.7% | 3.1% | 2.4% |
| Received lower grade on an exam/important project | 0.2% | | 0.0% | 0.3% | 1.2% | 0.3% | 0.5% | 0.3% |
| Received a lower grade in the course | 0.2% | | 0.2% | 0.2% | 0.0% | 0.2% | 0.2% | 0.2% |
| Received an incomplete or dropped the course | 0.2% | | 0.0% | 0.1% | 0.2% | 0.1% | 0.5% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.0% | 0.1% | 0.2% | 0.1% | 0.3% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Assault (sexual) | | | | | | | | |
| This did not happen to me, N/A | 94.1% | not available | 94.0% | 96.6% | 95.2% | 96.7% | 92.5% | 95.7% |
| Experienced, academics not affected | 3.6% | | 3.7% | 2.6% | 3.2% | 2.4% | 4.3% | 3.0% |
| Received lower grade on an exam/important project | 1.2% | | 1.0% | 0.3% | 1.1% | 0.3% | 0.9% | 0.5% |
| Received a lower grade in the course | 0.6% | | 1.2% | 0.3% | 0.2% | 0.3% | 0.9% | 0.4% |
| Received an incomplete or dropped the course | 0.6% | | 0.0% | 0.1% | 0.2% | 0.1% | 0.7% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.1% | 0.2% | 0.1% | 0.7% | 0.1% |
| Attention Deficity and Hyperactivity Disorder (ADHD) (Hyperactivity added in 2008) | | | | | | | | |
| This did not happen to me, N/A | 82.8% | not available | 92.4% | 91.9% | 93.5% | 91.0% | 91.0% | 90.2% |
| Experienced, academics not affected | 7.3% | | 4.9% | 3.8% | 3.2% | 4.1% | 3.5% | 4.1% |
| Received lower grade on an exam/important project | 5.5% | | 1.4% | 2.2% | 1.2% | 2.3% | 1.7% | 2.7% |
| Received a lower grade in the course | 4.2% | | 1.0% | 1.4% | 1.6% | 1.8% | 2.1% | 2.3% |
| Received an incomplete or dropped the course | 0.2% | | 0.2% | 0.3% | 0.5% | 0.4% | 1.0% | 0.4% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.5% | 0.0% | 0.5% | 0.7% | 0.3% |
| Cold/Flu/Sore throat | | | | | | | | |
| This did not happen to me, N/A | 19.4% | not available | 52.2% | 48.5% | 39.3% | 44.6% | 62.1% | 50.9% |
| Experienced, academics not affected | 52.8% | | 31.3% | 36.1% | 37.4% | 37.4% | 23.2% | 32.9% |
| Received lower grade on an exam/important project | 23.5% | | 14.1% | 13.0% | 16.7% | 13.9% | 11.2% | 13.4% |
| Received a lower grade in the course | 3.3% | | 1.5% | 1.5% | 4.2% | 2.8% | 3.1% | 2.2% |
| Received an incomplete or dropped the course | 1.0% | | 0.2% | 0.3% | 1.1% | 0.6% | 0.2% | 0.3% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.6% | 0.6% | 1.4% | 0.7% | 0.2% | 0.4% |
| Concern for a troubled friend or family member | | | | | | | | |
| This did not happen to me, N/A | 24.5% | not available | 45.9% | 59.7% | 49.0% | 62.6% | 61.8% | 65.2% |
| Experienced, academics not affected | 50.7% | | 33.9% | 29.0% | 32.2% | 26.3% | 23.2% | 23.6% |
| Received lower grade on an exam/important project | 17.8% | | 13.8% | 7.8% | 11.0% | 7.2% | 9.2% | 7.4% |
| Received a lower grade in the course | 6.3% | | 5.8% | 2.1% | 5.8% | 2.5% | 3.6% | 2.7% |
| Received an incomplete or dropped the course | 0.8% | | 0.0% | 0.6% | 1.4% | 0.7% | 0.9% | 0.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.6% | 0.7% | 0.5% | 0.7% | 1.4% | 0.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Chronic health problem or serious illness (e.g., diabetes, asthma, cancer) (In 2006, "Chronic illness (diabetes, asthma, etc.)") | | | | | | | | |
| This did not happen to me, N/A | 85.9% | not available | 85.8% | 89.9% | 88.0% | 62.6% | 90.7% | 90.3% |
| Experienced, academics not affected | 10.6% | | 8.7% | 6.7% | 6.5% | 26.3% | 4.5% | 5.9% |
| Received lower grade on an exam/important project | 1.8% | | 2.5% | 1.5% | 2.1% | 7.2% | 1.9% | 1.7% |
| Received a lower grade in the course | 1.6% | | 1.7% | 1.0% | 1.8% | 2.5% | 1.4% | 1.3% |
| Received an incomplete or dropped the course | 0.2% | | 0.8% | 0.6% | 1.4% | 0.7% | 0.7% | 0.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.4% | 0.4% | 0.2% | 0.7% | 0.9% | 0.3% |
| Chronic pain | | | | | | | | |
| This did not happen to me, N/A | 82.6% | not available | 85.2% | 90.0% | 85.4% | 90.0% | 87.7% | 90.0% |
| Experienced, academics not affected | 12.9% | | 9.3% | 7.3% | 9.7% | 7.1% | 6.8% | 6.9% |
| Received lower grade on an exam/important project | 3.3% | | 3.3% | 1.6% | 3.0% | 1.5% | 2.3% | 1.7% |
| Received a lower grade in the course | 0.6% | | 1.4% | 0.6% | 1.6% | 0.7% | 2.4% | 0.9% |
| Received an incomplete or dropped the course | 0.6% | | 0.6% | 0.3% | 0.4% | 0.3% | 0.0% | 0.3% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.2% | 0.0% | 0.3% | 0.9% | 0.2% |
| Death of a friend or family member | | | | | | | | |
| This did not happen to me, N/A | 70.8% | not available | 79.4% | 82.0% | 78.0% | 82.0% | 84.1% | 82.9% |
| Experienced, academics not affected | 19.0% | | 14.2% | 12.3% | 14.5% | 12.2% | 8.5% | 11.1% |
| Received lower grade on an exam/important project | 4.5% | | 3.9% | 3.3% | 3.7% | 3.1% | 3.1% | 3.3% |
| Received a lower grade in the course | 4.7% | | 1.9% | 1.4% | 2.6% | 1.5% | 2.4% | 1.8% |
| Received an incomplete or dropped the course | 1.0% | | 0.2% | 0.5% | 0.9% | 0.6% | 0.5% | 0.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.4% | 0.5% | 0.4% | 0.5% | 1.4% | 0.3% |
| Depression (in 2006, "Depression/anxiety disorder/seasonal affective disorder") | | | | | | | | |
| This did not happen to me, N/A | 60.0% | not available | 65.8% | 75.3% | 64.9% | 75.3% | 60.4% | 72.1% |
| Experienced, academics not affected | 13.6% | | 16.7% | 13.5% | 16.3% | 13.0% | 14.9% | 13.2% |
| Received lower grade on an exam/important project | 14.0% | | 10.2% | 5.9% | 9.0% | 5.5% | 11.1% | 6.9% |
| Received a lower grade in the course | 10.4% | | 5.1% | 3.3% | 7.2% | 3.8% | 8.5% | 5.4% |
| Received an incomplete or dropped the course | 2.0% | | 1.4% | 1.2% | 1.1% | 1.4% | 2.2% | 1.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.8% | 0.9% | 1.6% | 1.0% | 2.9% | 0.8% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Discrimination (e.g., homophobia, racism, sexism) | | | | | | | | |
| This did not happen to me, N/A | not asked | | 89.2% | 94.4% | 91.2% | 94.2% | 88.9% | 93.2% |
| Experienced, academics not affected | | | 9.2% | 4.9% | 6.2% | 4.7% | 9.4% | 5.6% |
| Received lower grade on an exam/important project | | | 1.2% | 0.5% | 0.9% | 0.5% | 0.7% | 0.6% |
| Received a lower grade in the course | | | 0.2% | 0.3% | 1.2% | 0.4% | 0.7% | 0.4% |
| Received an incomplete or dropped the course | | | 0.0% | 0.1% | 0.2% | 0.1% | 0.2% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.2% | 0.1% | 0.4% | 0.2% | 0.2% | 0.1% |
| Drug use | | | | | | | | |
| This did not happen to me, N/A | 89.6% | not available | 93.0% | 91.3% | 90.6% | 90.2% | 91.0% | 91.5% |
| Experienced, academics not affected | 7.7% | | 5.4% | 6.9% | 8.0% | 7.7% | 6.9% | 6.6% |
| Received lower grade on an exam/important project | 2.2% | | 1.0% | 1.0% | 0.7% | 1.1% | 1.4% | 1.1% |
| Received a lower grade in the course | 0.6% | | 0.4% | 0.5% | 0.5% | 0.6% | 0.2% | 0.6% |
| Received an incomplete or dropped the course | 0.0% | | 0.0% | 0.2% | 0.0% | 0.2% | 0.2% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.1% | 0.2% | 0.2% | 0.3% | 0.1% |
| Eating disorder/problem | | | | | | | | |
| This did not happen to me, N/A | 93.3% | not available | 95.5% | 94.4% | 95.4% | 94.8% | 94.8% | 94.1% |
| Experienced, academics not affected | 5.5% | | 3.7% | 4.4% | 3.5% | 4.0% | 3.3% | 4.5% |
| Received lower grade on an exam/important project | 0.8% | | 0.0% | 0.6% | 0.7% | 0.6% | 1.0% | 0.7% |
| Received a lower grade in the course | 0.4% | | 0.8% | 0.3% | 0.4% | 0.4% | 0.5% | 0.4% |
| Received an incomplete or dropped the course | 0.0% | | 0.0% | 0.2% | 0.0% | 0.1% | 0.2% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.0% | 0.2% | 0.0% | 0.2% | 0.2% | 0.1% |
| Finances | | | | | | | | |
| This did not happen to me, N/A | not asked | | 57.4% | 67.7% | 55.2% | 68.0% | 68.9% | 70.7% |
| Experienced, academics not affected | | | 34.4% | 26.2% | 37.4% | 24.9% | 22.8% | 22.2% |
| Received lower grade on an exam/important project | | | 4.7% | 34.0% | 4.6% | 3.8% | 4.1% | 4.0% |
| Received a lower grade in the course | | | 2.7% | 1.4% | 1.8% | 1.8% | 2.6% | 2.1% |
| Received an incomplete or dropped the course | | | 0.4% | 0.6% | 0.4% | 0.7% | 0.9% | 0.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.4% | 0.6% | 0.7% | 0.7% | 0.7% | 0.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Gambling | | | | | | | | |
| This did not happen to me, N/A | not asked | | 99.0% | 96.4% | 98.1% | 95.9% | 98.8% | 98.0% |
| Experienced, academics not affected | | | 1.0% | 3.2% | 1.9% | 3.6% | 0.7% | 1.8% |
| Received lower grade on an exam/important project | | | 0.0% | 0.2% | 0.0% | 0.2% | 0.2% | 0.1% |
| Received a lower grade in the course | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Received an incomplete or dropped the course | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.3% | <0.1% |
| HIV Infection | | | | | | | | |
| This did not happen to me, N/A | 99.2% | not available | not asked | | | | | |
| Experienced, academics not affected | 0.8% | | | | | | | |
| Received lower grade on an exam/important project | 0.0% | | | | | | | |
| Received a lower grade in the course | 0.0% | | | | | | | |
| Received an incomplete or dropped the course | 0.0% | | | | | | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | | | | | | |
| Homesickness | | | | | | | | |
| This did not happen to me, N/A | not asked | | 61.4% | 71.9% | 64.3% | 77.5% | 71.3% | 73.4% |
| Experienced, academics not affected | | | 30.4% | 23.9% | 28.9% | 18.9% | 21.6% | 22.1% |
| Received lower grade on an exam/important project | | | 5.2% | 3.0% | 4.6% | 2.4% | 4.3% | 3.2% |
| Received a lower grade in the course | | | 2.3% | 0.8% | 1.8% | 0.9% | 1.7% | 1.1% |
| Received an incomplete or dropped the course | | | 0.2% | 0.1% | 0.4% | 0.2% | 0.3% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.4% | 0.3% | 0.2% | 0.3% | 0.7% | 0.2% |
| Injury (fracture, sprain, strain, cut) | | | | | | | | |
| This did not happen to me, N/A | 79.5% | not available | 83.2% | 86.9% | 79.9% | 87.4% | 87.9% | 88.7% |
| Experienced, academics not affected | 16.3% | | 13.5% | 11.0% | 14.1% | 10.2% | 8.1% | 9.0% |
| Received lower grade on an exam/important project | 2.8% | | 2.1% | 1.3% | 3.5% | 1.4% | 2.1% | 1.4% |
| Received a lower grade in the course | 1.0% | | 0.8% | 0.4% | 1.6% | 0.6% | 0.9% | 0.6% |
| Received an incomplete or dropped the course | 0.4% | | 0.2% | 0.2% | 0.5% | 0.3% | 0.3% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0.2% | 0.2% | 0.4% | 0.2% | 0.7% | 0.1% | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Internet use/computer games | | | | | | | | |
| This did not happen to me, N/A | 42.0% | not available | 53.0% | 61.1% | 50.1% | 60.6% | 67.5% | 63.8% |
| Experienced, academics not affected | 39.8% | | 30.4% | 28.1% | 33.2% | 27.0% | 21.0% | 23.6% |
| Received lower grade on an exam/important project | 12.2% | | 13.0% | 8.3% | 12.5% | 8.9% | 8.2% | 9.4% |
| Received a lower grade in the course | 5.3% | | 3.1% | 1.8% | 3.2% | 2.6% | 2.8% | 2.7% |
| Received an incomplete or dropped the course | 0.6% | | 0.0% | 0.1% | 0.5% | 0.2% | 0.2% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.6% | 0.6% | 0.5% | 0.7% | 0.3% | 0.3% |
| Learning disability | | | | | | | | |
| This did not happen to me, N/A | 92.3% | not available | 94.1% | 94.4% | 95.3% | 93.9% | 92.4% | 93.7% |
| Experienced, academics not affected | 3.2% | | 2.7% | 2.7% | 2.0% | 3.0% | 2.8% | 2.9% |
| Received lower grade on an exam/important project | 2.6% | | 1.8% | 1.5% | 1.3% | 1.5% | 2.4% | 1.8% |
| Received a lower grade in the course | 1.8% | | 0.8% | 0.9% | 0.9% | 1.0% | 1.6% | 1.2% |
| Received an incomplete or dropped the course | 0.2% | | 0.6% | 0.2% | 0.5% | 0.2% | 0.5% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.0% | 0.3% | 0.0% | 0.3% | 0.3% | 0.2% |
| Mononucleosis | | | | | | | | |
| This did not happen to me, N/A | 96.1% | not available | not asked | | | | | |
| Experienced, academics not affected | 0.8% | | | | | | | |
| Received lower grade on an exam/important project | 1.2% | | | | | | | |
| Received a lower grade in the course | 0.8% | | | | | | | |
| Received an incomplete or dropped the course | 1.2% | | | | | | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | | | | | | |
| Participation in extracurricular activities (e.g., campus clubs, organizations, athletics) | | | | | | | | |
| This did not happen to me, N/A | not asked | | 50.3% | 56.3% | 57.5% | 62.3% | 70.9% | 62.7% |
| Experienced, academics not affected | | | 36.4% | 33.4% | 34.6% | 28.6% | 20.4% | 26.8% |
| Received lower grade on an exam/important project | | | 9.3% | 7.7% | 5.4% | 6.3% | 5.7% | 7.5% |
| Received a lower grade in the course | | | 3.1% | 2.1% | 2.3% | 2.2% | 2.2% | 2.6% |
| Received an incomplete or dropped the course | | | 0.6% | 0.2% | 0.0% | 0.2% | 0.2% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.4% | 0.3% | 0.2% | 0.3% | 0.5% | 0.2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Pregnancy (yours or your partner's) | | | | | | | | |
| This did not happen to me, N/A | 96.7% | not available | 96.1% | 97.2% | 97.5% | 97.1% | 97.9% | 98.1% |
| Experienced, academics not affected | 1.4% | | 2.5% | 1.7% | 1.8% | 1.9% | 0.9% | 1.2% |
| Received lower grade on an exam/important project | 0.8% | | 0.8% | 0.4% | 0.2% | 0.4% | 0.3% | 0.3% |
| Received a lower grade in the course | 0.6% | | 0.4% | 0.3% | 0.4% | 0.3% | 0.3% | 0.2% |
| Received an incomplete or dropped the course | 0.6% | | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.2% | 0.2% | 0.0% | 0.2% | 0.5% | 0.1% |
| Relationship difficulties | | | | | | | | |
| This did not happen to me, N/A | 46.5% | not available | 56.4% | 63.6% | 55.6% | 65.2% | 69.9% | 70.3% |
| Experienced, academics not affected | 36.3% | | 26.6% | 25.7% | 30.5% | 23.8% | 17.8% | 19.9% |
| Received lower grade on an exam/important project | 11.6% | | 10.9% | 7.4% | 8.6% | 7.1% | 7.6% | 6.6% |
| Received a lower grade in the course | 4.9% | | 5.0% | 2.2% | 3.5% | 2.6% | 2.9% | 2.5% |
| Received an incomplete or dropped the course | 0.8% | | 0.4% | 0.4% | 0.7% | 0.5% | 0.7% | 0.4% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.8% | 0.7% | 1.1% | 0.7% | 1.0% | 0.4% |
| Roommate difficulties | | | | | | | | |
| This did not happen to me, N/A | not asked | | 66.2% | 71.3% | 67.7% | 72.9% | 71.1% | 69.9% |
| Experienced, academics not affected | | | 27.6% | 23.2% | 25.6% | 21.4% | 20.8% | 23.5% |
| Received lower grade on an exam/important project | | | 4.5% | 3.7% | 3.9% | 3.7% | 4.2% | 4.4% |
| Received a lower grade in the course | | | 1.2% | 1.1% | 2.1% | 1.3% | 2.2% | 1.6% |
| Received an incomplete or dropped the course | | | 0.4% | 0.2% | 0.4% | 0.2% | 0.3% | 0.2% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.2% | 0.5% | 0.4% | 0.4% | 1.4% | 0.4% |
| Sexually transmitted disease/infection (STD/I) ("infection" added in 2008) | | | | | | | | |
| This did not happen to me, N/A | 96.6% | not available | 97.1% | 97.4% | 98.4% | 97.2% | 97.8% | 97.7% |
| Experienced, academics not affected | 2.4% | | 2.1% | 2.2% | 1.4% | 2.2% | 1.7% | 1.9% |
| Received lower grade on an exam/important project | 1.0% | | 0.4% | 0.3% | 0.2% | 0.3% | 0.0% | 0.2% |
| Received a lower grade in the course | 0.0% | | 0.4% | 0.1% | 0.0% | 0.1% | 0.3% | 0.1% |
| Received an incomplete or dropped the course | 0.0% | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.0% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Sinus infection/Ear infection/Bronchitis/Strep throat | | | | | | | | |
| This did not happen to me, N/A | 58.0% | not available | 78.0% | 79.0% | 74.1% | 78.7% | 81.6% | 82.5% |
| Experienced, academics not affected | 28.5% | | 15.6% | 15.4% | 17.4% | 15.4% | 11.4% | 12.3% |
| Received lower grade on an exam/important project | 12.2% | | 6.2% | 4.5% | 6.7% | 4.5% | 5.4% | 4.2% |
| Received a lower grade in the course | 1.2% | | 0.2% | 0.6% | 1.2% | 0.9% | 1.4% | 0.8% |
| Received an incomplete or dropped the course | 0.2% | | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.0% | 0.3% | 0.4% | 0.3% | 0.2% | 0.1% |
| Sleep difficulties | | | | | | | | |
| This did not happen to me, N/A | 28.9% | not available | 37.2% | 48.6% | 40.1% | 48.8% | 43.4% | 48.7% |
| Experienced, academics not affected | 35.9% | | 31.6% | 32.0% | 33.0% | 31.2% | 27.1% | 29.3% |
| Received lower grade on an exam/important project | 24.0% | | 23.3% | 14.6% | 18.6% | 14.0% | 18.8% | 15.8% |
| Received a lower grade in the course | 10.2% | | 6.8% | 3.3% | 5.8% | 4.2% | 8.1% | 5.0% |
| Received an incomplete or dropped the course | 1.0% | | 0.4% | 0.4% | 0.7% | 0.7% | 0.5% | 0.5% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0.8% | 0.9% | 1.8% | 1.1% | 2.1% | 0.7% |
| Stress | | | | | | | | |
| This did not happen to me, N/A | 16.6% | not available | 19.1% | 26.5% | 20.2% | 28.6% | 26.0% | 28.4% |
| Experienced, academics not affected | 40.4% | | 42.1% | 46.3% | 43.6% | 44.0% | 30.7% | 39.1% |
| Received lower grade on an exam/important project | 28.1% | | 25.1% | 19.8% | 24.3% | 18.1% | 24.6% | 21.5% |
| Received a lower grade in the course | 12.5% | | 10.9% | 4.8% | 8.4% | 6.3% | 13.5% | 8.5% |
| Received an incomplete or dropped the course | 2.3% | | 1.8% | 1.2% | 1.2% | 1.4% | 2.1% | 1.4% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1.0% | 1.4% | 2.3% | 1.6% | 3.1% | 1.1% |
| Work | | | | | | | | |
| This did not happen to me, N/A | not asked | | 31.2% | 51.6% | 34.0% | 54.0% | 52.3% | 57.9% |
| Experienced, academics not affected | | | 49.6% | 35.3% | 51.5% | 32.3% | 31.6% | 27.4% |
| Received lower grade on an exam/important project | | | 13.0% | 9.1% | 10.7% | 8.7% | 9.2% | 9.7% |
| Received a lower grade in the course | | | 5.6% | 2.7% | 3.0% | 3.4% | 4.8% | 3.9% |
| Received an incomplete or dropped the course | | | 0.4% | 0.5% | 0.2% | 0.8% | 0.5% | 0.6% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0.2% | 0.7% | 0.5% | 0.8% | 1.6% | 0.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|---------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Other, please specify | | | | | | | | |
| This did not happen to me, N/A | 77.4% | not available | 96.6% | 96.7% | 95.4% | 96.3% | 94.9% | 96.6% |
| Experienced, academics not affected | 12.0% | | 1.3% | 1.5% | 1.7% | 1.6% | 0.5% | 1.2% |
| Received lower grade on an exam/important project | 6.1% | | 1.1% | 0.8% | 1.1% | 0.8% | 1.3% | 0.8% |
| Received a lower grade in the course | 2.9% | | 0.6% | 0.5% | 1.9% | 0.7% | 2.0% | 0.8% |
| Received an incomplete or dropped the course | 1.6% | | 0.4% | 0.2% | 0.0% | 0.3% | 0.3% | 0.3% |
| Significant disruption in thesis, dissertation, research, or practicum work | | not an option | 0.0% | 0.3% | 0.0% | 0.3% | 1.0% | 0.3% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | | |
|-----------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|-----|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | |
| Alcohol use | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 62% | not available | 63% | 52% | 62% | 52% | 76% | 60% | 58% | not available | 64% | 57% | 63% | 56% | 73% | 64% | |
| Experienced, academics not affected | 32% | | 34% | 43% | 37% | 42% | 22% | 50% | 38% | | 34% | 39% | 34% | 40% | 25% | 33% | |
| Received lower grade on an exam/important project | 5% | | 3% | 4% | 1% | 4% | 1% | 4% | 3% | | 1% | 3% | 2% | 3% | 1% | 3% | |
| Received a lower grade in the course | 1% | | 1% | 1% | 1% | 2% | 1% | 1% | <1% | | 1% | 1% | 1% | 1% | <1% | 1% | |
| Received an incomplete or dropped the course | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | 0% | <1% | 0% | <1% | <1% | <1% | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | not an option | | <1% | <1% | 0% | <1% | 0% | <1% | |
| Allergies | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 59% | not available | 68% | 72% | 74% | 74% | 81% | 77% | 44% | not available | 60% | 68% | 68% | 70% | 66% | 73% | |
| Experienced, academics not affected | 36% | | 28% | 26% | 24% | 23% | 17% | 21% | 47% | | 34% | 29% | 28% | 27% | 31% | 24% | |
| Received lower grade on an exam/important project | 5% | | 3% | 2% | 1% | 2% | 1% | 2% | 7% | | 5% | 2% | 2% | 2% | 3% | 2% | |
| Received a lower grade in the course | 0% | | 1% | <1% | 1% | 1% | 1% | <1% | 2% | | 1% | <1% | 1% | <1% | 1% | <1% | |
| Received an incomplete or dropped the course | 0% | | 1% | <1% | 1% | <1% | 0% | <1% | 1% | | 0% | <1% | <1% | <1% | 0% | <1% | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1% | <1% | 0% | <1% | 0% | <1% | not an option | | <1% | <1% | 0% | <1% | <1% | <1% | |
| Anxiety | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 62% | 66% | 60% | 67% | 61% | 63% | not asked | | 46% | 53% | 47% | 52% | 39% | 48% | |
| Experienced, academics not affected | | | 22% | 21% | 20% | 20% | 15% | 19% | | | 26% | 27% | 30% | 27% | 25% | 26% | |
| Received lower grade on an exam/important project | | | 14% | 9% | 12% | 9% | 13% | 10% | | | 20% | 14% | 14% | 13% | 18% | 16% | |
| Received a lower grade in the course | | | 3% | 3% | 7% | 3% | 8% | 5% | | | 6% | 3% | 6% | 4% | 9% | 7% | |
| Received an incomplete or dropped the course | | | 0% | 1% | 1% | 1% | 2% | 2% | | | 2% | 2% | 1% | 2% | 5% | 2% | |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0% | 1% | 1% | 1% | 2% | 1% | | | 2% | 1% | 1% | 1% | 1% | 4% | 1% |
| Assault (physical) | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 97% | not available | 96% | 96% | 95% | 96% | 95% | 97% | 96% | not available | 97% | 97% | 96% | 97% | 96% | 97% | |
| Experienced, academics not affected | 2% | | 4% | 3% | 4% | 3% | 4% | 3% | 4% | | 3% | 4% | 3% | 2% | 2% | 2% | |
| Received lower grade on an exam/important project | 1% | | 0% | <1% | 2% | <1% | 0% | <1% | 0% | | <1% | 0% | <1% | 1% | <1% | 1% | <1% |
| Received a lower grade in the course | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 1% | | <1% | <1% | <1% | 0% | <1% | <1% | <1% |
| Received an incomplete or dropped the course | 1% | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | <1% | 0% | <1% | <1% | <1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 1% | <1% | not an option | | 0% | <1% | <1% | <1% | 0% | <1% | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Assault (sexual) | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 96% | not available | 96% | 98% | 96% | 97% | 97% | 97% | 94% | not available | 93% | 96% | 95% | 97% | 91% | 95% |
| Experienced, academics not affected | 3% | | 3% | 2% | 3% | 2% | 3% | 2% | 4% | | 4% | 3% | 3% | 3% | 5% | 3% |
| Received lower grade on an exam/important project | 0% | | 1% | <1% | 1% | <1% | 0% | <1% | 2% | | 1% | <1% | 1% | <1% | 1% | 1% |
| Received a lower grade in the course | 1% | | 0% | <1% | 1% | <1% | 0% | <1% | 1% | | 2% | <1% | 0% | <1% | 1% | 1% |
| Received an incomplete or dropped the course | 1% | | 0% | <1% | 0% | <1% | 0% | <1% | 1% | | 0% | <1% | <1% | <1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | not an option | | <1% | <1% | <1% | <1% | 1% | <1% |
| Attention Deficity and Hyperactivity Disorder (ADHD) (Hyperactivity added in 2008) | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 81% | not available | 88% | 90% | 93% | 90% | 89% | 88% | 83% | not available | 94% | 93% | 94% | 92% | 93% | 91% |
| Experienced, academics not affected | 9% | | 8% | 5% | 4% | 5% | 3% | 5% | 7% | | 4% | 3% | 3% | 4% | 4% | 4% |
| Received lower grade on an exam/important project | 3% | | 1% | 2% | 1% | 3% | 3% | 3% | 7% | | 2% | 2% | 1% | 2% | 1% | 3% |
| Received a lower grade in the course | 7% | | 2% | 2% | 2% | 2% | 4% | 3% | 3% | | 1% | 1% | 2% | 2% | 1% | 2% |
| Received an incomplete or dropped the course | 0% | | 0% | <1% | 1% | <1% | 1% | 1% | <1% | | <1% | <1% | 1% | <1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1% | 1% | 0% | 1% | 2% | <1% | not an option | | 0% | <1% | 0% | <1% | 0% | <1% |
| Cold/Flu/Sore throat | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 33% | not available | 64% | 58% | 50% | 54% | 73% | 61% | 14% | not available | 47% | 44% | 33% | 39% | 56% | 46% |
| Experienced, academics not affected | 47% | | 25% | 30% | 28% | 32% | 16% | 27% | 55% | | 35% | 39% | 42% | 41% | 28% | 36% |
| Received lower grade on an exam/important project | 18% | | 10% | 10% | 13% | 11% | 8% | 10% | 26% | | 16% | 14% | 19% | 16% | 13% | 15% |
| Received a lower grade in the course | 1% | | 1% | 2% | 8% | 2% | 3% | 2% | 4% | | 2% | 2% | 2% | 3% | 3% | 2% |
| Received an incomplete or dropped the course | 2% | | 1% | <1% | 0% | 1% | 1% | <1% | 1% | | 0% | <1% | 2% | 1% | 0% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 2% | 1% | 0% | <1% | not an option | | 1% | 1% | 1% | 1% | 0% | <1% |
| Concern for a troubled friend or family member | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 36% | not available | 56% | 70% | 61% | 71% | 67% | 73% | 20% | not available | 41% | 56% | 42% | 58% | 59% | 62% |
| Experienced, academics not affected | 45% | | 28% | 22% | 21% | 21% | 23% | 19% | 53% | | 37% | 32% | 38% | 29% | 23% | 26% |
| Received lower grade on an exam/important project | 14% | | 10% | 5% | 10% | 5% | 5% | 5% | 20% | | 16% | 9% | 12% | 9% | 11% | 8% |
| Received a lower grade in the course | 4% | | 6% | 2% | 6% | 2% | 3% | 2% | 7% | | 6% | 2% | 6% | 3% | 4% | 3% |
| Received an incomplete or dropped the course | 2% | | 0% | 1% | 1% | 1% | 1% | 1% | <1% | | 0% | 1% | 2% | 1% | 1% | 1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1% | 1% | 1% | 1% | 2% | <1% | not an option | | 1% | 1% | <1% | 1% | 1% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Chronic health problem or serious illness (e.g., diabetes, asthma, cancer) (In 2006, "Chronic illness (diabetes, asthma, etc.)") | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 87% | not available | 93% | 93% | 93% | 93% | 95% | 93% | 86% | not available | 83% | 89% | 85% | 89% | 88% | 89% |
| Experienced, academics not affected | 10% | | 5% | 5% | 4% | 5% | 3% | 4% | 11% | | 10% | 8% | 8% | 7% | 6% | 7% |
| Received lower grade on an exam/important project | 1% | | 1% | 1% | 2% | 1% | 1% | 1% | 2% | | 3% | 2% | 2% | 2% | 3% | 2% |
| Received a lower grade in the course | 1% | | 0% | 1% | 1% | 1% | 0% | 1% | 2% | | 3% | 1% | 2% | 1% | 2% | 2% |
| Received an incomplete or dropped the course | 1% | | 0% | <1% | 1% | <1% | 1% | <1% | 0% | | 1% | 1% | 2% | 1% | 1% | 1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1% | <1% | 0% | <1% | 0% | <1% | not an option | | <1% | <1% | <1% | 1% | 1% | <1% |
| Chronic pain | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 85% | not available | 89% | 92% | 89% | 92% | 92% | 92% | 82% | not available | 84% | 89% | 84% | 89% | 86% | 89% |
| Experienced, academics not affected | 14% | | 7% | 6% | 5% | 6% | 6% | 6% | 12% | | 10% | 8% | 12% | 8% | 8% | 7% |
| Received lower grade on an exam/important project | 1% | | 1% | 1% | 4% | 1% | 2% | 1% | 5% | | 4% | 2% | 3% | 2% | 3% | 2% |
| Received a lower grade in the course | 0% | | 1% | 1% | 1% | 1% | 1% | 1% | 1% | | 2% | 1% | 2% | 1% | 3% | 1% |
| Received an incomplete or dropped the course | 1% | | 1% | <1% | 1% | <1% | 0% | <1% | 1% | | <1% | <1% | 0% | <1% | 0% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | not an option | | <1% | <1% | 0% | <1% | 1% | <1% |
| Death of a friend or family member | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 74% | not available | 85% | 85% | 87% | 85% | 88% | 86% | 69% | not available | 77% | 81% | 73% | 80% | 83% | 82% |
| Experienced, academics not affected | 24% | | 12% | 11% | 7% | 11% | 9% | 10% | 17% | | 15% | 13% | 19% | 13% | 8% | 12% |
| Received lower grade on an exam/important project | 1% | | 3% | 2% | 2% | 2% | 2% | 2% | 6% | | 4% | 4% | 5% | 4% | 4% | 4% |
| Received a lower grade in the course | 1% | | 1% | 1% | 2% | 1% | 1% | 1% | 7% | | 3% | 2% | 3% | 2% | 3% | 2% |
| Received an incomplete or dropped the course | 1% | | 1% | <1% | 1% | 1% | 0% | 1% | 1% | | 0% | 1% | 1% | 1% | 1% | 1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 1% | <1% | 0% | <1% | not an option | | 1% | 1% | <1% | 1% | 2% | <1% |
| Depression (in 2006, "Depression/anxiety disorder/seasonal affective disorder") | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 67% | not available | 75% | 79% | 67% | 79% | 66% | 76% | 57% | not available | 62% | 74% | 64% | 74% | 59% | 70% |
| Experienced, academics not affected | 13% | | 13% | 11% | 16% | 11% | 13% | 11% | 14% | | 19% | 15% | 16% | 14% | 16% | 14% |
| Received lower grade on an exam/important project | 11% | | 7% | 5% | 8% | 5% | 12% | 6% | 16% | | 12% | 6% | 10% | 6% | 11% | 7% |
| Received a lower grade in the course | 9% | | 4% | 3% | 8% | 3% | 6% | 5% | 11% | | 6% | 3% | 7% | 4% | 9% | 6% |
| Received an incomplete or dropped the course | 1% | | 2% | 1% | 1% | 1% | 1% | 2% | 3% | | 1% | 1% | 1% | 2% | 3% | 2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | 1% | 2% | 1% | 2% | 1% | not an option | | 1% | 1% | 2% | 1% | 3% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|-----------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|---------------|----------|---------------|----------|-------------|----------|-------------|----------|-----|-----|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| Discrimination (e.g., homophobia, racism, sexism) | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 90% | 94% | 89% | 93% | 91% | 94% | not asked | | 89% | 94% | 92% | 95% | 89% | 93% | | |
| Experienced, academics not affected | | | 9% | 5% | 7% | 5% | 7% | 5% | | | 9% | 5% | 6% | 4% | 10% | 6% | | |
| Received lower grade on an exam/important project | | | 1% | 1% | 1% | 1% | 2% | 1% | | | 1% | 1% | 1% | 1% | 1% | <1% | 1% | |
| Received a lower grade in the course | | | 0% | <1% | 2% | 1% | 0% | <1% | | | <1% | <1% | 1% | <1% | 1% | <1% | | |
| Received an incomplete or dropped the course | | | 0% | <1% | 0% | <1% | 1% | <1% | | | 0% | <1% | 0% | <1% | <1% | 0% | <1% | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 1% | <1% | 0% | <1% | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | | |
| | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| Drug use | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 87% | not available | | 91% | 87% | 90% | 86% | 90% | 87% | 91% | not available | | 94% | 93% | 91% | 93% | 93% | 94% |
| Experienced, academics not affected | 9% | | | 7% | 10% | 8% | 11% | 8% | 10% | 7% | | | 5% | 6% | 8% | 6% | 6% | 5% |
| Received lower grade on an exam/important project | 3% | | | 1% | 2% | 1% | 2% | 2% | 2% | 2% | | | 1% | 1% | 1% | 1% | 1% | 1% |
| Received a lower grade in the course | 1% | | | 1% | 1% | 1% | 0% | 1% | <1% | <1% | | | <1% | <1% | <1% | <1% | <1% | <1% |
| Received an incomplete or dropped the course | 0% | | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | | 0% | <1% | 0% | <1% | <1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 1% | <1% | 1% | <1% | not an option | | <1% | <1% | 0% | <1% | 0% | <1% | | |
| | | | 0% | <1% | 1% | <1% | 1% | <1% | | | <1% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 1% | <1% | | | <1% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 1% | <1% | | | <1% | <1% | | | | | | |
| | | | 0% | <1% | 1% | <1% | 1% | <1% | | | <1% | <1% | | | | | | |
| Eating disorder/problem | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 96% | not available | | 96% | 97% | 96% | 96% | 97% | 96% | 92% | not available | | 95% | 94% | 95% | 94% | 94% | 93% |
| Experienced, academics not affected | 3% | | | 4% | 3% | 3% | 3% | 2% | 3% | 7% | | | 4% | 5% | 4% | 5% | 4% | 5% |
| Received lower grade on an exam/important project | 1% | | | 0% | <1% | 1% | 1% | 1% | <1% | 1% | | | 0% | 1% | 1% | 1% | 1% | 1% |
| Received a lower grade in the course | 1% | | | 0% | <1% | 1% | <1% | 1% | <1% | <1% | | | 1% | <1% | <1% | <1% | <1% | 1% |
| Received an incomplete or dropped the course | 0% | | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | | 0% | <1% | 0% | <1% | <1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | | |
| | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | | | | | | |
| Finances | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 69% | 73% | 63% | 71% | 74% | 74% | not asked | | 52% | 65% | 51% | 66% | 67% | 69% | | |
| Experienced, academics not affected | | | 24% | 21% | 29% | 21% | 20% | 19% | | | 40% | 29% | 42% | 27% | 23% | 24% | | |
| Received lower grade on an exam/important project | | | 4% | 3% | 5% | 4% | 3% | 4% | | | 5% | 4% | 5% | 4% | 5% | 4% | | |
| Received a lower grade in the course | | | 2% | 2% | 2% | 2% | 2% | 2% | | | 3% | 1% | 2% | 2% | 3% | 2% | | |
| Received an incomplete or dropped the course | | | 1% | 1% | 1% | 1% | 1% | 1% | | | 0% | 1% | <1% | 1% | 1% | 1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 1% | 1% | 1% | 1% | 1% | 1% | | | <1% | 1% | 1% | 1% | 1% | <1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------------|---------------|---------------|-----------|---------------|-------------|---------------|-------------|---------------|-------------|---------------|-----------|---------------|-------------|---------------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Gambling | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 99% | 92% | 96% | 92% | 98% | 96% | not asked | | 99% | 98% | 99% | 98% | 100% | 99% |
| Experienced, academics not affected | | | 1% | 7% | 4% | 7% | 2% | 4% | | | 1% | 2% | <1% | 1% | | |
| Received lower grade on an exam/important project | | | 0% | <1% | 0% | <1% | 1% | <1% | | | 0% | <1% | 0% | <1% | | |
| Received a lower grade in the course | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | | |
| Received an incomplete or dropped the course | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | | |
| HIV Infection | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 99% | not available | not asked | | | | | | 99% | not available | not asked | | | | | |
| Experienced, academics not affected | 1% | | | | | | | | 1% | | | | | | | |
| Received lower grade on an exam/important project | 0% | | | | | | | | 0% | | | | | | | |
| Received a lower grade in the course | 0% | | | | | | | | 0% | | | | | | | |
| Received an incomplete or dropped the course | 0% | | | | | | | | 0% | | | | | | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | not an option | | not an option | | not an option | | not an option | | not an option | | not an option | | not an option | | |
| Homesickness | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 67% | 81% | 76% | 85% | 83% | 83% | not asked | | 59% | 68% | 58% | 74% | 66% | 69% |
| Experienced, academics not affected | | | 25% | 16% | 20% | 13% | 12% | 14% | | | 32% | 27% | 34% | 22% | 26% | 26% |
| Received lower grade on an exam/important project | | | 5% | 2% | 2% | 2% | 4% | 2% | | | 6% | 4% | 6% | 3% | 5% | 4% |
| Received a lower grade in the course | | | 2% | 1% | 2% | 1% | 1% | 1% | | | 3% | 1% | 2% | 1% | 2% | 1% |
| Received an incomplete or dropped the course | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 1% | <1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 1% | <1% | <1% | <1% | 1% | <1% |
| Injury (fracture, sprain, strain, cut) | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 74% | not available | 83% | 85% | 80% | 86% | 91% | 88% | 82% | not available | 84% | 88% | 80% | 88% | 87% | 89% |
| Experienced, academics not affected | 22% | | 13% | 13% | 15% | 12% | 6% | 9% | 14% | | 14% | 10% | 13% | 9% | 9% | 9% |
| Received lower grade on an exam/important project | 3% | | 3% | 2% | 3% | 2% | 2% | 1% | 3% | | 2% | 1% | 4% | 1% | 2% | 1% |
| Received a lower grade in the course | 1% | | 1% | 1% | 2% | 1% | 1% | 1% | 1% | | 1% | <1% | 1% | 1% | 1% | 1% |
| Received an incomplete or dropped the course | 0% | | 0% | <1% | 1% | <1% | 0% | <1% | 1% | | <1% | <1% | 1% | <1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 1% | <1% | 0% | <1% | 1% | <1% | not an option | 0% | <1% | 1% | <1% | 1% | <1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------|---------------|---------------|-----------|-----------|-------------|----------|-------------|----------|---------------|---------------|-----------|----------|-------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| Internet use/computer games | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 31% | not available | 48% | 55% | 52% | 56% | 65% | 59% | 47% | not available | 55% | 64% | 49% | 63% | 69% | 66% | | |
| Experienced, academics not affected | 43% | | 33% | 32% | 27% | 30% | 22% | 26% | 38% | | 30% | 27% | 37% | 26% | 21% | 23% | | |
| Received lower grade on an exam/important project | 15% | | 14% | 10% | 17% | 10% | 8% | 11% | 12% | | 13% | 8% | 10% | 8% | 8% | 9% | | |
| Received a lower grade in the course | 10% | | 5% | 3% | 3% | 4% | 4% | 4% | 3% | | 2% | 1% | 3% | 2% | 2% | 2% | | |
| Received an incomplete or dropped the course | 1% | | 0% | <1% | 1% | <1% | 1% | <1% | <1% | | 0% | <1% | <1% | <1% | 0% | <1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 1% | 1% | 1% | 1% | 0% | <1% | not an option | | <1% | 1% | 1% | 1% | <1% | <1% | | |
| Learning disability | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 90% | not available | 94% | 93% | 96% | 93% | 93% | 93% | 94% | not available | 94% | 95% | 95% | 94% | 92% | 94% | | |
| Experienced, academics not affected | 3% | | 4% | 3% | 2% | 4% | 3% | 3% | 3% | | 2% | 2% | 2% | 3% | 3% | 3% | | |
| Received lower grade on an exam/important project | 4% | | 1% | 2% | 1% | 2% | 3% | 2% | 2% | | 2% | 2% | 1% | 2% | 3% | 2% | | |
| Received a lower grade in the course | 3% | | 1% | 1% | 1% | 1% | 1% | 1% | 1% | | 1% | 1% | 1% | 1% | 2% | 1% | | |
| Received an incomplete or dropped the course | 0% | | 1% | <1% | 1% | <1% | 1% | <1% | <1% | | 1% | <1% | 1% | <1% | 1% | <1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | 0% | <1% | 0% | <1% | 0% | <1% | not an option | | 0% | <1% | 0% | <1% | <1% | <1% | | |
| Mononucleosis | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 97% | not available | not asked | | | | | | 96% | not available | not asked | | | | | | | |
| Experienced, academics not affected | 1% | | 1% | not asked | | | | | | | 1% | 1% | not asked | | | | | |
| Received lower grade on an exam/important project | 0% | | 2% | not asked | | | | | | | 2% | 2% | not asked | | | | | |
| Received a lower grade in the course | 1% | | 1% | not asked | | | | | | | 1% | 1% | not asked | | | | | |
| Received an incomplete or dropped the course | 1% | | 1% | not asked | | | | | | | 1% | 1% | not asked | | | | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | | not asked | | | | | | not an option | | not asked | | | | | | | |
| Participation in extracurricular activities (e.g., campus clubs or organizations, athletics) | | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | | 56% | 59% | 62% | 64% | 75% | 66% | not asked | | 47% | 55% | 55% | 61% | 68% | 61% | | |
| Experienced, academics not affected | not asked | | 32% | 32% | 29% | 27% | 18% | 24% | not asked | | 39% | 34% | 38% | 30% | 23% | 28% | | |
| Received lower grade on an exam/important project | not asked | | 8% | 7% | 5% | 6% | 4% | 7% | not asked | | 10% | 8% | 6% | 6% | 7% | 8% | | |
| Received a lower grade in the course | not asked | | 3% | 2% | 4% | 3% | 4% | 3% | not asked | | 3% | 2% | 2% | 2% | 1% | 2% | | |
| Received an incomplete or dropped the course | not asked | | 1% | <1% | 0% | <1% | 0% | <1% | not asked | | <1% | <1% | 0% | <1% | <1% | <1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | not asked | | 0% | <1% | 1% | <1% | 0% | <1% | not asked | | <1% | <1% | 0% | <1% | 1% | <1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | | |
|-----------------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|---------------|-------------|---------------|-----------|----------|-------------|----------|-------------|----------|-----|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | |
| Pregnancy (yours or your partner's) | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 99% | not available | 97% | 97% | 98% | 97% | 98% | 98% | 96% | not available | 96% | 97% | 97% | 97% | 98% | 98% | |
| Experienced, academics not affected | 0% | | 3% | 2% | 1% | 2% | 1% | 2% | 2% | | 2% | 2% | 2% | 2% | 2% | 1% | 1% |
| Received lower grade on an exam/important project | 0% | | 1% | 1% | 0% | <1% | 0% | <1% | 1% | | 1% | 1% | <1% | <1% | <1% | 1% | <1% |
| Received a lower grade in the course | 1% | | 0% | <1% | 1% | <1% | 1% | <1% | 1% | | 1% | 1% | <1% | <1% | <1% | <1% | <1% |
| Received an incomplete or dropped the course | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 1% | | 1% | 0% | <1% | <1% | <1% | 0% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | <1% | 0% | <1% | 0% | <1% | not an option | <1% | <1% | 0% | <1% | 0% | <1% | 0% | <1% | |
| Relationship difficulties | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 50% | not available | 58% | 69% | 57% | 70% | 78% | 73% | 45% | not available | 56% | 61% | 55% | 63% | 67% | 69% | |
| Experienced, academics not affected | 34% | | 28% | 22% | 27% | 21% | 13% | 17% | 37% | | 26% | 27% | 32% | 26% | 20% | 21% | |
| Received lower grade on an exam/important project | 10% | | 9% | 6% | 10% | 6% | 6% | 6% | 13% | | 12% | 8% | 8% | 8% | 8% | 7% | |
| Received a lower grade in the course | 4% | | 4% | 2% | 4% | 3% | 4% | 3% | 5% | | 6% | 2% | 4% | 3% | 3% | 2% | |
| Received an incomplete or dropped the course | 2% | | 1% | <1% | 1% | 1% | 0% | <1% | <1% | | <1% | <1% | 1% | 1% | 1% | 1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 1% | 1% | 2% | 1% | 0% | <1% | not an option | 1% | 1% | 1% | 1% | 1% | 1% | <1% | | |
| Roommate difficulties | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | | not asked | 75% | 77% | 76% | 78% | 71% | 76% | | not asked | 62% | 69% | 63% | 70% | 71% | 67% | |
| Experienced, academics not affected | | | 22% | 19% | 19% | 18% | 22% | 19% | | | 30% | 25% | 29% | 24% | 20% | 26% | |
| Received lower grade on an exam/important project | | | 3% | 2% | 3% | 3% | 3% | 31% | | | 6% | 4% | 5% | 4% | 5% | 5% | |
| Received a lower grade in the course | | | 0% | 1% | 2% | 1% | 3% | <1% | | | 1% | 1% | 2% | 1% | 2% | 2% | |
| Received an incomplete or dropped the course | | | 0% | <1% | 0% | <1% | 1% | <1% | | | 1% | <1% | 1% | <1% | <1% | <1% | |
| Significant disruption in thesis, dissertation, research, or practicum work | | | 1% | <1% | 1% | <1% | 1% | <1% | | | 0% | 1% | 0% | 1% | 1% | <1% | |
| Sexually transmitted disease/infection (STD/I) ("infection" added in 2008) | | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 98% | not available | 99% | 98% | 99% | 98% | 98% | 98% | 96% | not available | 96% | 97% | 98% | 97% | 98% | 98% | |
| Experienced, academics not affected | 2% | | 1% | 2% | 1% | 2% | 2% | 2% | 3% | | 3% | 2% | 2% | 2% | 2% | 2% | 2% |
| Received lower grade on an exam/important project | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 1% | | 1% | <1% | <1% | <1% | 0% | <1% | |
| Received a lower grade in the course | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | 0% | <1% | <1% | <1% | 1% | <1% | |
| Received an incomplete or dropped the course | 0% | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | 0% | <1% | <1% | <1% | 0% | <1% | |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | <1% | 0% | <1% | 0% | <1% | not an option | 0% | <1% | 0% | <1% | 0% | <1% | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|---------------|-------------|---------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Sinus infection/Ear infection/Bronchitis/Strep throat | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 64% | not available | 85% | 86% | 82% | 85% | 86% | 88% | 56% | not available | 75% | 76% | 70% | 75% | 78% | 80% |
| Experienced, academics not affected | 26% | | 12% | 10% | 12% | 11% | 10% | 8% | 29% | | 17% | 18% | 20% | 18% | 13% | 14% |
| Received lower grade on an exam/important project | 8% | | 3% | 3% | 4% | 3% | 4% | 3% | 14% | | 8% | 5% | 8% | 6% | 7% | 5% |
| Received a lower grade in the course | 1% | | 0% | 1% | 2% | 1% | 0% | 1% | 1% | | 0% | 1% | 1% | 1% | 2% | 1% |
| Received an incomplete or dropped the course | 1% | | 0% | <1% | 0% | <1% | 0% | <1% | 0% | | 0% | <1% | <1% | <1% | 0% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | <1% | 1% | <1% | 0% | <1% | not an option | 0% | <1% | <1% | <1% | 0% | <1% | | |
| Sleep difficulties | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 43% | not available | 44% | 55% | 47% | 54% | 48% | 55% | 23% | not available | 34% | 46% | 36% | 46% | 41% | 46% |
| Experienced, academics not affected | 23% | | 28% | 27% | 27% | 27% | 21% | 25% | 41% | | 34% | 34% | 36% | 34% | 30% | 31% |
| Received lower grade on an exam/important project | 22% | | 18% | 13% | 14% | 12% | 19% | 14% | 25% | | 26% | 16% | 21% | 15% | 19% | 17% |
| Received a lower grade in the course | 10% | | 10% | 4% | 7% | 5% | 9% | 5% | 10% | | 6% | 3% | 5% | 4% | 8% | 5% |
| Received an incomplete or dropped the course | 1% | | 1% | 1% | 1% | 1% | 1% | 1% | 1% | | <1% | <1% | 1% | 1% | <1% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | 1% | 3% | 1% | 2% | 1% | not an option | 1% | 1% | 1% | 1% | 1% | 1% | | |
| Stress | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 24% | not available | 36% | 40% | 34% | 40% | 34% | 40% | 14% | not available | 11% | 20% | 13% | 22% | 22% | 23% |
| Experienced, academics not affected | 39% | | 35% | 39% | 34% | 38% | 27% | 33% | 41% | | 45% | 50% | 49% | 47% | 33% | 42% |
| Received lower grade on an exam/important project | 22% | | 20% | 15% | 20% | 14% | 21% | 17% | 31% | | 28% | 22% | 27% | 21% | 28% | 24% |
| Received a lower grade in the course | 12% | | 7% | 4% | 9% | 6% | 13% | 8% | 13% | | 13% | 5% | 8% | 7% | 13% | 9% |
| Received an incomplete or dropped the course | 3% | | 2% | 1% | 1% | 1% | 2% | 1% | 2% | | 2% | 1% | 2% | 2% | 2% | 2% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | 1% | 4% | 1% | 3% | 1% | not an option | 2% | 2% | 2% | 2% | 3% | 1% | | |
| Work | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | not asked | 40% | 58% | 42% | 59% | 57% | 64% | not asked | 27% | 49% | 30% | 51% | 50% | 55% | | |
| Experienced, academics not affected | | 43% | 30% | 43% | 29% | 26% | 23% | | 54% | 38% | 56% | 35% | 35% | 29% | | |
| Received lower grade on an exam/important project | | 13% | 8% | 11% | 8% | 11% | 8% | | 13% | 10% | 11% | 9% | 9% | 10% | | |
| Received a lower grade in the course | | 3% | 3% | 4% | 4% | 5% | 4% | | 7% | 3% | 3% | 3% | 4% | 4% | | |
| Received an incomplete or dropped the course | | 1% | 1% | 0% | 1% | 1% | 1% | | 0% | 1% | <1% | 1% | <1% | 1% | | |
| Significant disruption in thesis, dissertation, research, or practicum work | | 0% | 1% | 1% | 1% | 1% | 1% | | 1% | 1% | 1% | 1% | 1% | 1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have any of the following affected your academic performance:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------------|---------------|---------------|-----------|----------|-------------|----------|-------------|---------------|-------------|---------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Other, please specify | | | | | | | | | | | | | | | | |
| This did not happen to me, N/A | 79% | not available | 96% | 97% | 94% | 96% | 96% | 96% | 76% | not available | 97% | 97% | 96% | 97% | 96% | 97% |
| Experienced, academics not affected | 13% | | 1% | 2% | 3% | 2% | 0% | 1% | 12% | | 1% | 1% | 1% | 1% | <1% | 1% |
| Received lower grade on an exam/important project | 6% | | 1% | 1% | 2% | 1% | 1% | 1% | 6% | | 1% | 1% | 1% | 1% | 2% | 1% |
| Received a lower grade in the course | 1% | | 1% | 1% | 2% | 1% | 2% | 1% | 4% | | <1% | 1% | 2% | 1% | 2% | 1% |
| Received an incomplete or dropped the course | 1% | | 1% | <1% | 0% | <1% | 1% | <1% | 2% | | <1% | <1% | 0% | <1% | 0% | <1% |
| Significant disruption in thesis, dissertation, research, or practicum work | not an option | 0% | <1% | 0% | <1% | 0% | <1% | not an option | 0% | <1% | 0% | <1% | <1% | <1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Violence, Abusive Relationships, and Personal Safety

- Within the last 12 months, were you
 - In a physical fight
 - Physically assaulted (do not include sexual assault)
 - Verbally threatened (added in 2008)
- Have you ever experienced...
 - Verbal threats for sex against your will (only asked in 2006)
 - Sexually touched without your consent
 - Attempted sexual penetration (vaginal, anal, oral) without your consent
 - Sexually penetrated (vaginal, anal, oral) without your consent
 - Being a victim of stalking (e.g. waiting for you outside your classroom, residence hall, or office; repeated e-mails/phone calls) (added in 2008)
- Have you been in an intimate (coupled/partnered) relationship that was...
 - Emotionally abusive (e.g., called derogatory names, yelled at, ridiculed)
 - Physically abusive (e.g., kicked, slapped, punched)
 - Sexually abusive (e.g., forced to have sex when you didn't want it, forced to perform an unwanted sexual act on you)
- Do you feel safe... (all questions added in 2008)
 - On this campus (daytime)
 - On this campus (night time)
 - In the community surrounding this school (daytime)
 - In the community surrounding this school (night time)

Within the last 12 months, (In 2006, "Within the last school year")

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Were you... | | | | | | | | |
| In a physical fight | 4.1% | 6.2% | 6.5% | 7.0% | 7.0% | 7.7% | 3.9% | 4.9% |
| Physically assaulted (do not include sexual assault) | 5.3% | 3.5% | 5.6% | 4.4% | 6.6% | 4.7% | 4.6% | 3.2% |
| Verbally threatened | <i>not asked</i> | | 24.5% | 21.8% | 22.1% | 20.9% | 20.7% | 18.4% |
| Sexually touched without your consent (in 2006, "sexual touching against your will") | 10.2% | 8.4% | 10.1% | 7.1% | 8.4% | 6.0% | 13.1% | 8.7% |
| Was sexual penetration attempted (vaginal, anal, oral) without your consent | 3.7% | 2.7% | 3.8% | 2.7% | 2.6% | 2.3% | 6.1% | 3.7% |
| Sexually penetrated (vaginal, anal, oral) without your consent | 2.5% | 1.4% | 3.1% | 1.6% | 1.7% | 1.5% | 4.1% | 2.1% |
| A victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated e-mails/phone calls) | <i>not asked</i> | | 11.9% | 7.0% | 9.8% | 6.6% | 8.5% | 5.5% |
| Have you been in an intimate (coupled/partnered) relationship that was... | | | | | | | | |
| Emotionally abusive (e.g., called derogatory names, yelled at, ridiculed) | 19.9% | 12.1% | 14.4% | 10.3% | 14.1% | 10.0% | 12.6% | 8.6% |
| Physically abusive (e.g., kicked, slapped, punched) | 3.5% | 1.9% | 2.9% | 2.4% | 4.5% | 2.5% | 3.6% | 1.9% |
| Sexually abusive (e.g., forced to have sex when you didn't want it, forced to perform or have an unwanted sexual act performed on you) | 3.7% | 1.5% | 2.9% | 1.5% | 3.0% | 1.6% | 3.2% | 1.9% |
| Have you experienced... | | | | | | | | |
| Verbal threats for sex against your will | 4.7% | 3.4% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, (In 2006, "Within the last school year")


| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|------------------|------------------|------------------|------------------|------------------|------------------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Were you... | | | | | | | | | | | | | | | | |
| In a physical fight | 4% | 11% | 9% | 13% | 11% | 13% | 6% | 9% | 6% | 3% | 6% | 4% | 5% | 4% | 3% | 3% |
| Physically assaulted (do not include sexual assault) | 4% | 5% | 5% | 6% | 9% | 6% | 5% | 4% | 6% | 3% | 6% | 4% | 6% | 4% | 5% | 3% |
| Verbally threatened | <i>not asked</i> | | 31% | 30% | 24% | 28% | 20% | 24% | <i>not asked</i> | | 21% | 18% | 21% | 17% | 21% | 16% |
| Sexually touched without your consent (in 2006, "sexual touching against your will") | 7% | 4% | 6% | 4% | 6% | 4% | 6% | 4% | 12% | 11% | 12% | 9% | 10% | 7% | 15% | 11% |
| Was sexual penetration attempted (vaginal, anal, oral) without your consent | 1% | 1% | 1% | 1% | 3% | 1% | 1% | 1% | 5% | 4% | 5% | 4% | 3% | 3% | 8% | 5% |
| Sexually penetrated (vaginal, anal, oral) without your consent | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 3% | 2% | 4% | 2% | 2% | 2% | 5% | 3% |
| A victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated e-mails/phone calls) | <i>not asked</i> | | 7% | 5% | 9% | 4% | 3% | 3% | <i>not asked</i> | | 14% | 8% | 10% | 8% | 11% | 7% |
| Have you been in an intimate (coupled/partnered) relationship that was... | | | | | | | | | | | | | | | | |
| Emotionally abusive (e.g., called derogatory names, yelled at, ridiculed) | 17% | 9% | 12% | 7% | 15% | 7% | 8% | 6% | 21% | 14% | 15% | 12% | 14% | 11% | 14% | 10% |
| Physically abusive (e.g., kicked, slappd, punched) | 3% | 1% | 3% | 2% | 6% | 2% | 3% | 2% | 4% | 2% | 3% | 2% | 4% | 2% | 4% | 2% |
| Sexually abusive (e.g., forced to have sex when you didn't want it, forced to perform or have an unwanted sexual act performed on you) | 3% | 1% | 1% | 1% | 2% | 1% | 1% | 1% | 4% | 2% | 4% | 2% | 4% | 2% | 4% | 2% |
| Have you experienced... | | | | | | | | | | | | | | | | |
| Verbal threats for sex against your will | 3% | 2% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | 5% | 4% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Do you feel safe...


On this campus (daytime)




NOTE: Item not asked in Spring 2006.

Do you feel safe...

On this campus (night time)




Do you feel safe...



NOTE: Item not asked in Spring 2006.

Do you feel safe...



Tobacco, Alcohol, Marijuana, and Other Drug Use

- Within the last 30 days, on how many days did you use...

| | |
|--------------------------------------------------|-------------------------------------------------------------------------------|
| Alcohol (beer, wine, liquor) | MDMA (Ecstasy) |
| Other amphetamines (diet pills, bennies) | Methamphetamines (crystal meth, ice, crank) (added in 2008) |
| Anabolic steroids (testosterone) (added in 2008) | Opiates (heroin, smack) (added in 2008) |
| Cigarettes | Other club drugs (GHB, Ketamine, Rohypnol) (added in 2008) |
| E-Cigarettes (added in 2016) | Other illegal drugs (added in 2008) |
| Cigars, little cigars, clove cigarettes) | Other drugs (only asked in 2006) |
| Cocaine (crack, rock, freebase) | Rohypnol (roofies), GHB, or Liquid X (intentional users) (only asked in 2006) |
| Hallucinogens (LSD, PCP) (added in 2008) | Sedatives (downers, ludes) (added in 2008) |
| Inhalants (glue, solvents, gas) (added in 2008) | Smokeless tobacco |
| Marijuana (pot, weed, hashish, hash oil) | Tobacco from a water pipe (hookah) (added in 2008) |

- Within the last 30 days, how often do you think the typical student at your school used...

(see same list as above)

- Within the last 30 days, did you...
 - Drive after drinking any alcohol at all
 - Drive after having 5 or more alcoholic drinks
- The last time you “partied”/socialized...
 - How many hours did you drink alcohol?
 - How many alcoholic drinks did you have?
- In the last 2 weeks, on how many occasions did you drink the same or more alcohol as indicated on the previous question? (only asked in 2006)

Tobacco, Alcohol, Marijuana, and Other Drug Use

- How many drinks of alcohol do you think the typical student at your school had the last time he/she “partied”/socialized?
- Over the last two weeks, how many times have you had five or more alcoholic drinks at a sitting?
- During the last school year, if you “partied”/socialized, how often did you...
 - Alternate non-alcoholic with alcoholic beverages
 - Avoid drinking games
 - Choose not to drink alcohol
 - Determine, in advance, not to exceed a set number of drinks
 - Drink an alcohol look-alike (non-alcoholic beer, punch, etc.) (only asked in 2006)
 - Eat before and/or during drinking
 - Have a friend let you know when you’ve had enough
 - Keep track of how many drinks you were having
 - Pace your drinks to 1 or fewer per hour
 - Stay with the same group of friends the entire time you were drinking (added in 2008)
 - Stick with only one kind of alcohol when drinking (added in 2008)
 - Use a designated driver

Tobacco, Alcohol, Marijuana, and Other Drug Use

- Within the last 12 months, have you experienced any of the following when drinking alcohol?
 - Been involved in a fight (only asked in 2006)
 - Did something you later regretted
 - Forgot where you were or what you did
 - Got in trouble with the police (added in 2008)
 - Had sex with someone without their consent (added in 2008)
 - Someone had sex with me without my consent (added in 2008)
 - Had someone use force or threat of force to have sex with you (only asked in 2006)
 - Had unprotected sex
 - Physically injured another person
 - Physically injured yourself
 - Seriously considered suicide (added in 2008)
- Within the last 30 days, what percent of students at your school used... (State your best estimate.)
 - Alcohol
 - Cigarettes
 - Marijuana (added in 2008)
 - Rohypnol or GHB (only asked in 2006)
- Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you? (all added in 2008)
 - Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutin, Zoloft)
 - Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra)
 - Pain killers (e.g., OxyContin, Vicodin, Codeine)
 - Sedatives (e.g., Xanax, Valium)
 - Stimulants (e.g., Ritalin, Adderall)

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol (beer, wine, liquor) | | | | | | | | |
| Never used | 36.2% | 17.2% | 36.4% | 23.1% | 32.9% | 20.9% | 35.5% | 22.7% |
| Have used, but not in last 30 days | 24.9% | 13.2% | 22.6% | 13.8% | 25.9% | 13.9% | 18.1% | 14.7% |
| 1 - 2 days | 15.3% | 18.8% | 17.2% | 17.3% | 17.9% | 17.3% | 17.9% | 17.5% |
| 3 - 5 days | 12.3% | 19.0% | 10.5% | 16.6% | 10.3% | 17.1% | 12.6% | 17.2% |
| 6 - 9 days | 5.3% | 16.3% | 8.0% | 15.1% | 6.5% | 15.3% | 6.2% | 14.3% |
| 10 - 19 days | 4.3% | 12.2% | 4.2% | 10.6% | 4.9% | 11.3% | 6.4% | 10.2% |
| 20 - 29 days | 1.4% | 2.9% | 0.8% | 2.6% | 1.4% | 3.0% | 2.6% | 2.5% |
| Used daily | 0.4% | 0.5% | 0.2% | 0.9% | 0.2% | 1.1% | 0.9% | 0.8% |
| Other amphetamines (diet pills, bennies) | | | | | | | | |
| Never used | 92.4% | 92.8% | 94.6% | 93.7% | 94.6% | 93.2% | 95.3% | 93.8% |
| Have used, but not in last 30 days | 4.9% | 4.8% | 2.5% | 4.2% | 4.2% | 4.4% | 3.3% | 3.6% |
| 1 - 2 days | 0.6% | 0.7% | 1.3% | 0.6% | 0.5% | 0.7% | 0.3% | 0.9% |
| 3 - 5 days | 0.2% | 0.5% | 0.8% | 0.4% | 0.2% | 0.4% | 0.7% | 0.5% |
| 6 - 9 days | 0.6% | 0.3% | 0.2% | 0.3% | 0.0% | 0.3% | 0.0% | 0.3% |
| 10 - 19 days | 0.2% | 0.3% | 0.4% | 0.3% | 0.5% | 0.3% | 0.0% | 0.3% |
| 20 - 29 days | 0.6% | 0.2% | 0.0% | 0.2% | 0.0% | 0.2% | 0.2% | 0.2% |
| Used daily | 0.6% | 0.3% | 0.2% | 0.4% | 0.0% | 0.5% | 0.2% | 0.5% |
| Anabolic steroids (testosterone) | | | | | | | | |
| Never used | not asked | | 98.7% | 99.0% | 99.3% | 98.9% | 99.1% | 99.0% |
| Have used, but not in last 30 days | | | 1.0% | 0.8% | 0.5% | 0.8% | 0.7% | 0.7% |
| 1 - 2 days | | | 0.2% | <0.1% | 0.2% | <0.1% | 0.2% | 0.1% |
| 3 - 5 days | | | 0.2% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 6 - 9 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 10 - 19 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------------------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Cigarettes | | | | | | | | |
| Never used | 72.7% | 64.9% | 69.3% | 66.7% | 70.9% | 66.4% | 76.1% | 74.9% |
| Have used, but not in last 30 days | 13.3% | 17.5% | 16.5% | 16.7% | 15.0% | 17.6% | 10.5% | 14.5% |
| 1 - 2 days | 4.5% | 5.4% | 4.6% | 5.3% | 3.5% | 4.8% | 3.3% | 4.0% |
| 3 - 5 days | 1.4% | 2.0% | 1.3% | 2.2% | 1.9% | 1.9% | 2.4% | 1.6% |
| 6 - 9 days | 0.4% | 1.5% | 0.8% | 1.3% | 1.7% | 1.3% | 1.2% | 0.9% |
| 10 - 19 days | 1.6% | 2.0% | 1.1% | 1.7% | 1.2% | 1.6% | 1.5% | 1.0% |
| 20 - 29 days | 1.6% | 2.1% | 1.0% | 1.1% | 1.0% | 1.1% | 0.9% | 0.6% |
| Used daily | 4.7% | 4.3% | 5.4% | 5.0% | 4.7% | 5.2% | 4.1% | 2.4% |
| E-cigarettes | | | | | | | | |
| Never used | | | | | | | 85.4% | <i>National data unavailable</i> |
| Have used, but not in last 30 days | | | | | | | 9.4% | |
| 1 - 2 days (in 2006, "1 or more days") | | | | | | | 1.9% | |
| 3 - 5 days | | | | | | | 0.5% | |
| 6 - 9 days | | | | | | | 0.7% | |
| 10 - 19 days | | | | | | | 0.5% | |
| 20 - 29 days | | | | | | | 0.3% | |
| Used daily | | | | | | | 1.2% | |
| | <i>Not asked</i> | | | | | | | |
| Cigars, little cigars, clove cigarettes (in 2006, only "Cigars") | | | | | | | | |
| Never used | 77.6% | 74.5% | 76.2% | 72.4% | 77.1% | 72.4% | 82.6% | 79.6% |
| Have used, but not in last 30 days | 14.9% | 20.2% | 13.2% | 19.1% | 14.9% | 20.9% | 11.1% | 16.1% |
| 1 - 2 days | 4.1% | 3.9% | 4.8% | 5.2% | 5.4% | 4.2% | 3.3% | 2.9% |
| 3 - 5 days | 2.0% | 0.7% | 2.3% | 1.5% | 0.9% | 1.1% | 1.6% | 0.6% |
| 6 - 9 days | 0.4% | 0.3% | 1.2% | 0.8% | 0.9% | 0.5% | 0.3% | 0.3% |
| 10 - 19 days | 0.6% | 0.2% | 1.2% | 0.6% | 0.3% | 0.4% | 1.0% | 0.2% |
| 20 - 29 days | 0.0% | 0.1% | 0.8% | 0.2% | 0.3% | 0.2% | 0.0% | 0.2% |
| Used daily | 0.4% | 0.1% | 0.4% | 0.3% | 0.2% | 0.3% | 0.2% | 0.2% |
| Cocaine (crack, rock, freebase) | | | | | | | | |
| Never used | 96.5% | 93.9% | 97.5% | 94.0% | 97.4% | 93.4% | 96.2% | 94.0% |
| Have used, but not in last 30 days | 3.1% | 4.5% | 2.1% | 5.0% | 2.6% | 5.4% | 3.4% | 4.2% |
| 1 - 2 days | 0.2% | 0.9% | 0.2% | 0.6% | 0.0% | 0.6% | 0.2% | 1.1% |
| 3 - 5 days | 0.0% | 0.3% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.3% |
| 6 - 9 days | 0.0% | 0.2% | 0.2% | 0.1% | 0.0% | 0.1% | 0.2% | 0.2% |
| 10 - 19 days | 0.0% | 0.1% | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 20 - 29 days | 0.2% | 0.0% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Hallucinogens (LSD, PCP) | | | | | | | | |
| Never used | | | 96.7% | 94.5% | 95.4% | 93.3% | 93.0% | 93.7% |
| Have used, but not in last 30 days | | | 3.1% | 4.6% | 3.9% | 5.7% | 5.8% | 5.1% |
| 1 - 2 days | | | 0.2% | 0.6% | 0.5% | 0.7% | 0.9% | 0.9% |
| 3 - 5 days | | | 0.0% | 0.1% | 0.2% | 0.1% | 0.3% | 0.2% |
| 6 - 9 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | 0.1% |
| 10 - 19 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | 0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Inhalants (glue, solvents, gas) | | | | | | | | |
| Never used | | | 98.1% | 98.1% | 98.1% | 97.9% | 98.8% | 98.4% |
| Have used, but not in last 30 days | | | 1.5% | 1.6% | 1.8% | 1.7% | 1.0% | 1.3% |
| 1 - 2 days | | | 0.0% | <0.1% | 0.2% | 0.2% | 0.2% | 0.2% |
| 3 - 5 days | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 6 - 9 days | | | 0.2% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 10 - 19 days | | | 0.2% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Marijuana (pot, weed, hashish, hash oil) | | | | | | | | |
| Never used | 77.6% | 65.5% | 76.2% | 67.1% | 74.5% | 63.2% | 65.0% | 60.6% |
| Have used, but not in last 30 days | 12.9% | 20.1% | 15.5% | 18.4% | 15.4% | 19.9% | 16.0% | 20.9% |
| 1 - 2 days | 2.9% | 6.0% | 3.8% | 5.2% | 4.0% | 5.8% | 6.7% | 6.5% |
| 3 - 5 days | 1.4% | 2.3% | 1.5% | 2.5% | 1.6% | 2.7% | 2.2% | 3.2% |
| 6 - 9 days | 0.8% | 1.7% | 1.0% | 1.8% | 1.2% | 2.0% | 2.2% | 2.1% |
| 10 - 19 days | 1.2% | 1.8% | 0.2% | 1.9% | 0.7% | 2.2% | 3.3% | 2.5% |
| 20 - 29 days | 2.2% | 1.5% | 1.1% | 1.3% | 1.2% | 1.6% | 1.7% | 1.7% |
| Used daily | 1.0% | 1.2% | 0.6% | 1.7% | 1.4% | 2.6% | 2.8% | 2.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| MDMA (Ecstasy) (in 2010, "MDMA (Ecstasy, XTC, E, X, Adam)") | | | | | | | | |
| Never used | 97.3% | 95.1% | 97.7% | 94.7% | 97.4% | 93.1% | 96.7% | 92.9% |
| Have used, but not in last 30 days | 2.2% | 4.4% | 1.9% | 4.5% | 2.5% | 5.7% | 2.7% | 5.9% |
| 1 - 2 days | 0.2% | 0.4% | 0.2% | 0.5% | 0.2% | 0.8% | 0.5% | 0.8% |
| 3 - 5 days | 0.2% | 0.1% | 0.0% | 0.1% | 0.0% | 0.2% | 0.0% | 0.2% |
| 6 - 9 days | 0.0% | 0.0% | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 10 - 19 days | 0.0% | 0.0% | 0.2% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 20 - 29 days | 0.2% | 0.0% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | 0.0% | 0.0% | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Methamphetamines (crystal meth, ice, crank) | | | | | | | | |
| Never used | | | 99.0% | 98.1% | 98.8% | 97.5% | 98.8% | 98.7% |
| Have used, but not in last 30 days | | | 0.8% | 1.7% | 1.2% | 2.2% | 1.2% | 1.0% |
| 1 - 2 days | | | 0.0% | 10.0% | 0.0% | 0.1% | 0.0% | 0.1% |
| 3 - 5 days | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 6 - 9 days | | | 0.2% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 10 - 19 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Opiates (heroin, smack) | | | | | | | | |
| Never used | | | 98.5% | 97.9% | 98.4% | 97.6% | 98.5% | 98.4% |
| Have used, but not in last 30 days | | | 1.0% | 1.6% | 1.4% | 1.8% | 1.5% | 1.2% |
| 1 - 2 days | | | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.1% |
| 3 - 5 days | | | 0.2% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 6 - 9 days | | | 0.2% | <0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| 10 - 19 days | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.2% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Other club drugs (GHB, Ketamine, Rohypnol) | | | | | | | | |
| Never used | | | 99.0% | 98.3% | 98.9% | 98.0% | 98.3% | 98.1% |
| Have used, but not in last 30 days | | | 0.8% | 1.4% | 0.7% | 1.7% | 1.5% | 1.5% |
| 1 - 2 days | | | 0.0% | 0.1% | 0.4% | 0.1% | 0.2% | 0.2% |
| 3 - 5 days | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 6 - 9 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 10 - 19 days | | | 0.2% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| 20 - 29 days | | | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% |
| Used daily | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | <0.1% |
| Other illegal drugs | | | | | | | | |
| Never used | | | 97.7% | 95.0% | 96.1% | 94.4% | 96.2% | 95.7% |
| Have used, but not in last 30 days | | | 1.7% | 4.1% | 2.8% | 4.4% | 3.1% | 3.5% |
| 1 - 2 days | | | 0.0% | 0.4% | 0.9% | 0.5% | 0.3% | 0.4% |
| 3 - 5 days | | | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% |
| 6 - 9 days | | | 0.2% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |
| 10 - 19 days | | | 0.2% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| 20 - 29 days | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | <.01% |
| Used daily | | | 0.0% | 0.1% | 0.0% | 0.2% | 0.0% | 0.1% |
| Other drugs | | | | | | | | |
| Never used | 91.4% | 91.2% | | | | | | |
| Have used, but not in last 30 days | 5.0% | 6.4% | | | | | | |
| 1 - 2 days | 1.0% | 0.4% | | | | | | |
| 3 - 5 days | 0.4% | 0.1% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| 6 - 9 days | 0.6% | 0.0% | | | | | | |
| 10 - 19 days | 0.6% | 0.0% | | | | | | |
| 20 - 29 days | 0.4% | 0.0% | | | | | | |
| Used daily | 0.6% | 0.0% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------------------------|------------------------|------------------|----------------------|------------------|------------------------|------------------------------------|------------------------|------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Rohypnol (roofies), GHB or Liquid X (intentional users) | | | | | | | | |
| Never used | 99.4% | 99.0% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> |
| Have used, but not in last 30 days | 0.0% | 0.9% | | | | | | |
| 1 - 2 days | 0.4% | 0.1% | | | | | | |
| 3 - 5 days | 0.0% | 0.0% | | | | | | |
| 6 - 9 days | 0.0% | 0.0% | | | | | | |
| 10 - 19 days | 0.0% | 0.0% | | | | | | |
| 20 - 29 days | 0.2% | 0.0% | | | | | | |
| Used daily | 0.0% | 0.0% | | | | | | |
| Sedatives (downers, ludes) | | | | | | | | |
| Never used | <i>not asked</i> | <i>not asked</i> | 94.6% | 94.1% | 94.6% | 93.8% | 95.0% | 95.1% |
| Have used, but not in last 30 days | | | 3.4% | 4.1% | 3.0% | 4.2% | 3.8% | 3.1% |
| 1 - 2 days | | | 1.3% | 0.9% | 1.8% | 0.9% | 0.5% | 0.8% |
| 3 - 5 days | | | 0.0% | 0.4% | 0.4% | 0.4% | 0.2% | 0.3% |
| 6 - 9 days | | | 0.2% | 0.3% | 0.2% | 0.2% | 0.2% | 0.2% |
| 10 - 19 days | | | 0.2% | 0.2% | 0.0% | 0.2% | 0.3% | 0.1% |
| 20 - 29 days | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Used daily | | | 0.2% | 0.2% | 0.2% | 0.2% | 0.0% | 0.2% |
| Smokeless tobacco | | | | | | | | |
| Never used | 81.0% | 89.6% | 92.9% | 90.7% | 91.7% | 88.9% | 93.9% | 87.7% |
| Have used, but not in last 30 days | 13.0% | 7.1% | 5.4% | 6.4% | 6.7% | 7.2% | 4.7% | 8.4% |
| 1 - 2 days | 4.0% | 1.2% | 0.4% | 0.9% | 0.5% | 1.0% | 0.3% | 1.4% |
| 3 - 5 days | 2.0% | 0.5% | 0.2% | 0.3% | 0.4% | 0.6% | 0.2% | 0.6% |
| 6 - 9 days | 0.0% | 0.4% | 0.0% | 0.4% | 0.0% | 0.5% | 0.0% | 0.4% |
| 10 - 19 days | 0.0% | 0.4% | 0.4% | 0.4% | 0.2% | 0.6% | 0.0% | 0.5% |
| 20 - 29 days | 0.0% | 0.3% | 0.2% | 0.2% | 0.2% | 0.3% | 0.2% | 0.3% |
| Used daily | 0.0% | 0.5% | 0.6% | 0.6% | 0.4% | 0.9% | 0.7% | 0.8% |
| Tobacco from a water pipe (hookah) | | | | | | | | |
| Never used | <i>not asked</i> | <i>not asked</i> | 85.2% | 70.1% | 82.8% | <i>National data not available</i> | 81.9% | 69.9% |
| Have used, but not in last 30 days | | | 10.6% | 19.8% | 12.5% | | 14.0% | 22.5% |
| 1 - 2 days | | | 3.3% | 6.4% | 2.6% | | 2.1% | 4.7% |
| 3 - 5 days | | | 0.6% | 1.8% | 1.2% | | 1.0% | 1.3% |
| 6 - 9 days | | | 0.4% | 0.9% | 0.4% | | 0.2% | 0.6% |
| 10 - 19 days | | | 0.0% | 0.6% | 0.5% | | 0.3% | 0.5% |
| 20 - 29 days | | | 0.0% | 0.3% | 0.0% | | 0.5% | 0.3% |
| Used daily | | | 0.0% | 0.2% | 0.0% | | 0.0% | 0.2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol (beer, wine, liquor) | | | | | | | | | | | | | | | | |
| Never used | 46% | 18% | 36% | 23% | 34% | 22% | 34% | 25% | 33% | 17% | 36% | 23% | 33% | 20% | 37% | 22% |
| Have used, but not in last 30 days | 18% | 11% | 22% | 12% | 26% | 12% | 21% | 13% | 27% | 14% | 23% | 15% | 25% | 15% | 18% | 15% |
| 1 - 2 days | 12% | 16% | 15% | 15% | 14% | 15% | 16% | 15% | 17% | 21% | 19% | 19% | 20% | 19% | 18% | 19% |
| 3 - 5 days | 8% | 18% | 7% | 15% | 11% | 16% | 12% | 16% | 15% | 20% | 12% | 17% | 10% | 18% | 13% | 18% |
| 6 - 9 days | 8% | 17% | 12% | 16% | 9% | 16% | 7% | 15% | 4% | 16% | 6% | 15% | 5% | 15% | 6% | 14% |
| 10 - 19 days | 7% | 15% | 6% | 13% | 5% | 13% | 7% | 12% | 3% | 11% | 3% | 9% | 5% | 10% | 6% | 9% |
| 20 - 29 days | 1% | 4% | 2% | 4% | 2% | 4% | 2% | 3% | 1% | 2% | <1% | 2% | 1% | 2% | 3% | 2% |
| Used daily | 1% | 1% | 1% | 2% | 1% | 2% | 2% | 1% | <1% | 0% | 0% | 1% | 0% | 1% | 0% | 1% |
| Other amphetamines (diet pills, bennies) | | | | | | | | | | | | | | | | |
| Never used | 94% | 93% | 94% | 94% | 94% | 94% | 95% | 93% | 92% | 93% | 95% | 94% | 95% | 93% | 95% | 94% |
| Have used, but not in last 30 days | 3% | 4% | 1% | 4% | 5% | 4% | 3% | 4% | 6% | 5% | 3% | 4% | 4% | 5% | 4% | 3% |
| 1 - 2 days | 1% | 1% | 3% | 1% | 1% | 1% | 1% | 1% | <1% | 1% | 1% | 1% | 1% | 1% | <1% | 1% |
| 3 - 5 days | 0% | 1% | 1% | 1% | 0% | <1% | 1% | 1% | <1% | 0% | 1% | <1% | <1% | <1% | 1% | <1% |
| 6 - 9 days | 1% | 0% | 1% | <1% | 0% | <1% | 0% | <1% | 1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | 0% | 0% | 0% | <1% | 1% | <1% | 0% | <1% | <1% | 0% | 1% | <1% | 1% | <1% | 0% | <1% |
| 20 - 29 days | 1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 1% | 0% | 0% | <1% | 0% | <1% | <1% | <1% |
| Used daily | 0% | 0% | 1% | <1% | 0% | <1% | 1% | 1% | 1% | 0% | 0% | <1% | 0% | 1% | 0% | <1% |
| Anabolic steroids (testosterone) | | | | | | | | | | | | | | | | |
| Never used | | | 98% | 98% | 100% | 98% | 100% | 98% | | | 99% | 100% | 99% | 100% | 99% | 100% |
| Have used, but not in last 30 days | | | 1% | 2% | 1% | 2% | 1% | 1% | | | 1% | <1% | 1% | <1% | 1% | <1% |
| 1 - 2 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | <1% | <1% | 0% | <1% |
| 3 - 5 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | 0% | <1% | 0% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | | |
|-------------------------------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|---------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|---------------------------|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | |
| Cigarettes | | | | | | | | | | | | | | | | | |
| Never used | 74% | 64% | 65% | 64% | 67% | 63% | 75% | 70% | 72% | 66% | 80% | 68% | 73% | 69% | 78% | 78% | |
| Have used, but not in last 30 days | 10% | 17% | 20% | 17% | 19% | 18% | 9% | 16% | 15% | 18% | 10% | 17% | 13% | 17% | 11% | 14% | |
| 1 - 2 days | 6% | 6% | 6% | 6% | 3% | 6% | 4% | 5% | 4% | 5% | 10% | 5% | 4% | 4% | 4% | 4% | |
| 3 - 5 days | 1% | 3% | 1% | 3% | 2% | 2% | 4% | 2% | 1% | 2% | 0% | 2% | 2% | 2% | 2% | 1% | |
| 6 - 9 days | 1% | 2% | 0% | 2% | 2% | 2% | 3% | 1% | 0% | 1% | 0% | 1% | 2% | 1% | <1% | 1% | |
| 10 - 19 days | 1% | 2% | 1% | 2% | 3% | 2% | 2% | 1% | 2% | 2% | 0% | 2% | 1% | 1% | 1% | 1% | |
| 20 - 29 days | 2% | 2% | 1% | 2% | 1% | 2% | 1% | 1% | 1% | 2% | 0% | 1% | 1% | 1% | 1% | 1% | |
| Used daily | 5% | 5% | 7% | 6% | 4% | 6% | 3% | 3% | 5% | 4% | 0% | 5% | 5% | 5% | 4% | 2% | |
| E-cigarettes | | | | | | | | | | | | | | | | | |
| Never used | | | | | | | 82% | | | | | | | | 87% | | |
| Have used, but not in last 30 days | | | | | | | 11% | | | | | | | | 9% | | |
| 1 - 2 days (in 2006, "1 or more days") | | | | | | | 3% | National data unavailable | | | | | | | 1% | National data unavailable | |
| 3 - 5 days | | | | | | | 1% | | | | | | | | <1% | | |
| 6 - 9 days | | | | | | | 1% | | | | | | | | 1% | | |
| 10 - 19 days | | | | | | | 1% | | | | | | | | 1% | | |
| 20 - 29 days | | | | | | | 1% | | | | | | | | <1% | | |
| Used daily | | | | | | | 2% | | | | | | | | 1% | | |
| | | | | | | | | | | | | | | | | | |
| Cigars, little cigars, clove cigarettes (in 2006, only "Cigars") | | | | | | | | | | | | | | | | | |
| Never used | 69% | 60% | 65% | 60% | 71% | 60% | 77% | 67% | 81% | 83% | 82% | 78% | 81% | 79% | 86% | 86% | |
| Have used, but not in last 30 days | 20% | 30% | 19% | 25% | 19% | 25% | 13% | 24% | 13% | 15% | 11% | 16% | 13% | 17% | 11% | 12% | |
| 1 - 2 days | 6% | 8% | 8% | 9% | 6% | 7% | 5% | 6% | 4% | 2% | 3% | 3% | 5% | 2% | 2% | 2% | |
| 3 - 5 days | 3% | 1% | 4% | 3% | 2% | 2% | 4% | 1% | 2% | 0% | 1% | 1% | 1% | 1% | 1% | <1% | |
| 6 - 9 days | 1% | 1% | 2% | 1% | 2% | 1% | 1% | 1% | <1% | 0% | 1% | 1% | 1% | <1% | 0% | <1% | |
| 10 - 19 days | 1% | 0% | 1% | 1% | 1% | 1% | 1% | <1% | <1% | 0% | 1% | <1% | 0% | <1% | 1% | <1% | |
| 20 - 29 days | 0% | 0% | 1% | <1% | 1% | <1% | 0% | <1% | 0% | 0% | 1% | <1% | <1% | <1% | 0% | <1% | |
| Used daily | 1% | 0% | 1% | 1% | 0% | 1% | 1% | <1% | <1% | 0% | 1% | <1% | <1% | <1% | 0% | <1% | |
| Cocaine (crack, rock, freebase) | | | | | | | | | | | | | | | | | |
| Never used | 95% | 93% | 98% | 92% | 97% | 92% | 94% | 91% | 97% | 95% | 97% | 95% | 98% | 95% | 97% | 95% | |
| Have used, but not in last 30 days | 3% | 5% | 2% | 6% | 3% | 7% | 5% | 6% | 3% | 4% | 2% | 5% | 2% | 5% | 2% | 4% | |
| 1 - 2 days | 1% | 1% | 0% | 1% | 0% | 1% | 1% | 2% | 0% | 1% | <1% | 1% | 0% | 1% | 0% | 1% | |
| 3 - 5 days | 0% | 1% | 0% | <1% | 0% | <1% | 0% | 1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | |
| 6 - 9 days | 0% | 0% | 1% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | <1% | <1% | |
| 10 - 19 days | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | |
| 20 - 29 days | 1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | |
| Used daily | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Hallucinogens (LSD, PCP) | | | | | | | | | | | | | | | | |
| Never used | | | 94% | 92% | 94% | 90% | 91% | 90% | | | 98% | 96% | 96% | 95% | 95% | 96% |
| Have used, but not in last 30 days | | | 5% | 6% | 4% | 8% | 7% | 8% | | | 2% | 4% | 4% | 4% | 4% | 4% |
| 1 - 2 days | | | 1% | 1% | 2% | 1% | 2% | 2% | | | 0% | <1% | 0% | 1% | 1% | 1% |
| 3 - 5 days | | | 0% | <1% | 0% | <1% | 1% | <1% | | | 0% | <1% | 0% | <1% | <1% | <1% |
| 6 - 9 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | <1% | <1% | 0% | <1% |
| 10 - 19 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Inhalants (glue, solvents, gas) | | | | | | | | | | | | | | | | |
| Never used | | | 99% | 97% | 98% | 97% | 100% | 97% | | | 98% | 99% | 98% | 99% | 99% | 99% |
| Have used, but not in last 30 days | | | 1% | 2% | 2% | 2% | 1% | 2% | | | 2% | 1% | 2% | 1% | 1% | 1% |
| 1 - 2 days | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 3 - 5 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | <1% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Marijuana (pot, weed, hashish, hash oil) | | | | | | | | | | | | | | | | |
| Never used | 79% | 63% | 69% | 63% | 71% | 60% | 65% | 57% | 77% | 67% | 80% | 69% | 76% | 65% | 66% | 62% |
| Have used, but not in last 30 days | 10% | 20% | 20% | 18% | 17% | 19% | 14% | 21% | 14% | 21% | 14% | 19% | 15% | 20% | 16% | 21% |
| 1 - 2 days | 3% | 6% | 6% | 6% | 3% | 6% | 6% | 6% | 3% | 6% | 3% | 5% | 5% | 6% | 7% | 7% |
| 3 - 5 days | 1% | 3% | 1% | 3% | 3% | 3% | 3% | 3% | 2% | 2% | 1% | 2% | 1% | 3% | 2% | 3% |
| 6 - 9 days | 1% | 2% | 1% | 2% | 2% | 3% | 2% | 3% | 1% | 1% | 1% | 2% | 1% | 2% | 2% | 2% |
| 10 - 19 days | 0% | 2% | 1% | 3% | 2% | 3% | 3% | 3% | 2% | 1% | 0% | 2% | <1% | 2% | 4% | 2% |
| 20 - 29 days | 4% | 2% | 1% | 2% | 1% | 3% | 2% | 3% | 1% | 1% | 1% | 1% | 1% | 1% | 2% | 1% |
| Used daily | 2% | 2% | 1% | 3% | 3% | 4% | 6% | 4% | 1% | 1% | 1% | 1% | 1% | 2% | 1% | 2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| MDMA (Ecstasy) (In 2010: "MDMA (Ecstasy, XTC, E, X, Adam)") | | | | | | | | | | | | | | | | |
| Never used | 97% | 95% | 97% | 93% | 98% | 92% | 96% | 91% | 97% | 95% | 98% | 95% | 97% | 94% | 97% | 94% |
| Have used, but not in last 30 days | 1% | 5% | 3% | 5% | 2% | 7% | 3% | 8% | 3% | 4% | 1% | 4% | 3% | 5% | 3% | 5% |
| 1 - 2 days | 1% | 1% | 0% | 1% | 0% | 1% | 1% | 1% | 0% | 0% | <1% | <1% | 0% | 1% | 0% | 1% |
| 3 - 5 days | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | <1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | 0% | 0% | 1% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | 1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| Methamphetamines (crystal meth, ice, crank) | | | | | | | | | | | | | | | | |
| Never used | | | 99% | 97% | 98% | 97% | 98% | 98% | | | 99% | 99% | 99% | 98% | 99% | 99% |
| Have used, but not in last 30 days | | | 0% | 2% | 2% | 3% | 2% | 2% | | | 1% | 1% | 1% | 2% | 1% | 1% |
| 1 - 2 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 3 - 5 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | 0% | <1% | 0% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Opiates (heroin, smack) | | | | | | | | | | | | | | | | |
| Never used | | | 97% | 96% | 99% | 96% | 98% | 97% | | | 99% | 99% | 98% | 99% | 99% | 99% |
| Have used, but not in last 30 days | | | 1% | 3% | 1% | 3% | 2% | 2% | | | 1% | 1% | 2% | 1% | 1% | 1% |
| 1 - 2 days | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 3 - 5 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------|-------------|----------|------------------|----------|------------------|----------|------------------|----------|-------------|----------|------------------|----------|------------------|----------|------------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Other club drugs (GHB, Ketamine, Rohypnol) | | | | | | | | | | | | | | | | |
| Never used | | | 99% | 98% | 99% | 97% | 99% | 97% | | | 99% | 99% | 99% | 99% | 98% | 99% |
| Have used, but not in last 30 days | | | 1% | 2% | 1% | 2% | 2% | 2% | | | 1% | 1% | 1% | 1% | 1% | 1% |
| 1 - 2 days | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | <1% | <1% | <1% | <1% |
| 3 - 5 days | | | 0% | 0% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 6 - 9 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | 0% | <1% | 0% | <1% |
| 10 - 19 days | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Other illegal drugs | | | | | | | | | | | | | | | | |
| Never used | | | 97% | 93% | 96% | 93% | 95% | 94% | | | 98% | 96% | 97% | 96% | 97% | 97% |
| Have used, but not in last 30 days | | | 2% | 6% | 3% | 6% | 5% | 5% | | | 2% | 4% | 3% | 4% | 2% | 3% |
| 1 - 2 days | | | 0% | 1% | 2% | 1% | 0% | 1% | | | 0% | <1% | 1% | <1% | 1% | 0% |
| 3 - 5 days | | | 0% | <1% | 0% | <1% | 0% | 0% | | | <1% | <1% | 0% | <1% | <1% | 0% |
| 6 - 9 days | | | 1% | <1% | 0% | <1% | 0% | 0% | | | 0% | <1% | 0% | <1% | <1% | 0% |
| 10 - 19 days | | | 1% | <1% | 0% | <1% | 0% | 0% | | | 0% | <1% | 0% | <1% | 0% | 0% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | 0% | | | 0% | <1% | 0% | <1% | 0% | 0% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | 0% | | | 0% | <1% | 0% | <1% | 0% | 0% |
| Other drugs | | | | | | | | | | | | | | | | |
| Never used | 90% | 89% | | | | | | | 92% | 92% | | | | | | |
| Have used, but not in last 30 days | 6% | 8% | | | | | | | 5% | 6% | | | | | | |
| 1 - 2 days | 1% | 2% | | | | | | | 1% | 1% | | | | | | |
| 3 - 5 days | 0% | 1% | | | | | | | 1% | 0% | | | | | | |
| 6 - 9 days | 0% | 0% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 1% | 0% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| 10 - 19 days | 1% | 0% | | | | | | | <1% | 0% | | | | | | |
| 20 - 29 days | 1% | 0% | | | | | | | 0% | 0% | | | | | | |
| Used daily | 1% | 0% | | | | | | | 1% | 0% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, on how many days did you use...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Rohypnol (roofies), GHB or Liquid X (intentional users) | | | | | | | | | | | | | | | | |
| Never used | 99% | 99% | | | | | | | 100% | 99% | | | | | | |
| Have used, but not in last 30 days | 0% | 1% | | | | | | | 0% | 1% | | | | | | |
| 1 - 2 days | 1% | 0% | | | | | | | <1% | 0% | | | | | | |
| 3 - 5 days | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 6 - 9 days | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 10 - 19 days | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 20 - 29 days | 1% | 0% | | | | | | | 0% | 0% | | | | | | |
| Used daily | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| Sedatives (downers, ludes) | | | | | | | | | | | | | | | | |
| Never used | | | 94% | 93% | 93% | 93% | 96% | 94% | | | 95% | 95% | 95% | 94% | 95% | 96% |
| Have used, but not in last 30 days | | | 4% | 5% | 4% | 5% | 3% | 4% | | | 3% | 4% | 3% | 4% | 3% | 3% |
| 1 - 2 days | | | 2% | 1% | 3% | 1% | 0% | 1% | | | 1% | 1% | 1% | 1% | 1% | 1% |
| 3 - 5 days | | | 0% | <1% | 1% | 1% | 1% | <1% | | | 0% | <1% | <1% | <1% | 0% | <1% |
| 6 - 9 days | | | 0% | <1% | 0% | <1% | 1% | <1% | | | <1% | <1% | <1% | <1% | 0% | <1% |
| 10 - 19 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | <1% | <1% | 0% | <1% | 1% | <1% |
| 20 - 29 days | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | | | 1% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Smokeless tobacco | | | | | | | | | | | | | | | | |
| Never used | 88% | 81% | 85% | 81% | 86% | 80% | 91% | 79% | 97% | 95% | 97% | 4% | 95% | 94% | 95% | 92% |
| Have used, but not in last 30 days | 10% | 12% | 11% | 12% | 11% | 12% | 6% | 13% | 3% | 4% | 3% | <1% | 4% | 5% | 4% | 6% |
| 1 - 2 days | 1% | 2% | 1% | 2% | 1% | 2% | 0% | 3% | <1% | 1% | 0% | <1% | <1% | 1% | <1% | 1% |
| 3 - 5 days | 2% | 1% | 1% | 1% | 0% | 1% | 1% | 1% | 0% | 0% | 0% | <1% | 1% | <1% | 0% | <1% |
| 6 - 9 days | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 - 19 days | 0% | 1% | 1% | 1% | 1% | 1% | 0% | 1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 20 - 29 days | 0% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| Used daily | 1% | 1% | 2% | 2% | 1% | 2% | 2% | 2% | <1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| Tobacco from a water pipe (hookah) | | | | | | | | | | | | | | | | |
| Never used | | | 80% | 65% | 82% | 64% | 85% | 66% | | | 87% | 73% | 83% | 72% | 81% | 72% |
| Have used, but not in last 30 days | | | 15% | 22% | 14% | 25% | 12% | 25% | | | 9% | 19% | 12% | 21% | 15% | 22% |
| 1 - 2 days | | | 4% | 8% | 2% | 7% | 2% | 5% | | | 3% | 6% | 3% | 4% | 2% | 4% |
| 3 - 5 days | | | 0% | 3% | 1% | 2% | 1% | 2% | | | 1% | 2% | 2% | 1% | 1% | 1% |
| 6 - 9 days | | | 1% | 1% | 1% | 1% | 0% | 1% | | | <1% | 1% | <1% | 1% | <1% | 1% |
| 10 - 19 days | | | 0% | 1% | 2% | 1% | 0% | 1% | | | 0% | <1% | 0% | <1% | 1% | 1% |
| 20 - 29 days | | | 0% | 1% | 0% | <1% | 1% | <1% | | | 0% | <1% | 0% | <1% | 1% | <1% |
| Used daily | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol (beer, wine, liquor) | | | | | | | | |
| Never used | 6.3% | 3.6% | 3.9% | 3.1% | 2.8% | 3.5% | 7.2% | 4.8% |
| Have used, but not in last 30 days | <i>not an option</i> | | 3.9% | 2.6% | 2.0% | 2.0% | 3.4% | 2.1% |
| 1 - 2 days (in 2006, "1 or more days") | 65.4% | 62.1% | 8.7% | 6.5% | 10.0% | 5.9% | 11.0% | 7.0% |
| 3 - 5 days | <i>not an option</i> | | 12.8% | 9.3% | 14.8% | 9.3% | 13.3% | 11.1% |
| 6 - 9 days | | | 23.3% | 20.0% | 21.4% | 19.8% | 19.1% | 19.8% |
| 10 - 19 days | | | 23.7% | 31.4% | 23.7% | 30.7% | 22.5% | 28.7% |
| 20 - 29 days | | | 11.1% | 13.3% | 9.8% | 13.7% | 10.7% | 13.2% |
| Used daily | 28.3% | 34.4% | 12.6% | 13.7% | 15.7% | 15.1% | 12.7% | 13.2% |
| Other amphetamines (diet pills, bennies) | | | | | | | | |
| Never used | <i>not asked</i> | | 42.4% | 40.7% | 42.9% | 39.8% | 49.1% | 42.7% |
| Have used, but not in last 30 days | | | 19.6% | 21.4% | 20.0% | 21.5% | 17.8% | 20.1% |
| 1 - 2 days | | | 15.1% | 15.5% | 12.0% | 15.7% | 14.0% | 15.8% |
| 3 - 5 days | | | 7.3% | 7.9% | 7.5% | 8.1% | 7.6% | 8.6% |
| 6 - 9 days | | | 4.1% | 6.0% | 6.4% | 5.9% | 3.8% | 5.4% |
| 10 - 19 days | | | 5.7% | 4.2% | 5.4% | 4.3% | 3.1% | 3.4% |
| 20 - 29 days | | | 2.6% | 2.2% | 2.5% | 2.1% | 2.4% | 1.9% |
| Used daily | | | 3.1% | 2.3% | 3.2% | 2.7% | 2.2% | 2.1% |
| Anabolic steroids (testosterone) | | | | | | | | |
| Never used | <i>not asked</i> | | 47.2% | 47.4% | 46.9% | 46.4% | 51.4% | 48.4% |
| Have used, but not in last 30 days | | | 21.7% | 20.2% | 19.7% | 20.1% | 17.2% | 18.7% |
| 1 - 2 days | | | 13.2% | 14.4% | 13.8% | 14.5% | 15.2% | 14.9% |
| 3 - 5 days | | | 5.9% | 7.2% | 7.4% | 7.4% | 6.4% | 7.8% |
| 6 - 9 days | | | 4.7% | 5.1% | 6.0% | 5.2% | 4.0% | 4.6% |
| 10 - 19 days | | | 4.7% | 2.9% | 3.6% | 3.3% | 3.3% | 2.9% |
| 20 - 29 days | | | 1.2% | 1.5% | 1.1% | 1.5% | 1.4% | 1.6% |
| Used daily | | | 1.2% | 1.3% | 1.4% | 1.6% | 1.2% | 1.2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------------------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Cigarettes | | | | | | | | |
| Never used | 12.2% | 14.3% | 4.2% | 6.5% | 4.2% | 6.8% | 12.3% | 10.8% |
| Have used, but not in last 30 days | <i>not an option</i> | | 8.5% | 10.9% | 5.3% | 10.6% | 5.3% | 12.0% |
| 1 - 2 days (in 2006, "1 or more days") | 39.2% | 53.6% | 8.1% | 10.9% | 10.2% | 10.9% | 9.9% | 14.1% |
| 3 - 5 days | <i>not an option</i> | | 8.1% | 11.9% | 8.1% | 11.9% | 9.3% | 15.3% |
| 6 - 9 days | | | 11.6% | 13.1% | 8.3% | 12.9% | 12.5% | 12.8% |
| 10 - 19 days | | | 16.8% | 16.8% | 17.5% | 16.6% | 15.6% | 13.6% |
| 20 - 29 days | | | 7.7% | 5.7% | 6.3% | 6.2% | 6.5% | 5.0% |
| Used daily | 48.6% | 32.1% | 34.9% | 24.2% | 40.0% | 24.2% | 28.5% | 16.5% |
| E-cigarettes | | | | | | | | |
| Never used | <i>not asked</i> | | | | | | 16.3% | <i>National data unavailable</i> |
| Have used, but not in last 30 days | | | | | | | 6.7% | |
| 1 - 2 days (in 2006, "1 or more days") | | | | | | | 13.9% | |
| 3 - 5 days | | | | | | | 11.1% | |
| 6 - 9 days | | | | | | | 13.4% | |
| 10 - 19 days | | | | | | | 12.0% | |
| 20 - 29 days | | | | | | | 5.5% | |
| Used daily | 21.1% | | | | | | | |
| Cigars, little cigars, clove cigarettes (in 2006, only "Cigars") | | | | | | | | |
| Never used | 36.3% | 46.5% | 13.5% | 14.8% | 11.9% | 14.3% | 22.0% | 18.1% |
| Have used, but not in last 30 days | <i>not an option</i> | | 12.5% | 20.1% | 10.0% | 20.3% | 14.5% | 20.5% |
| 1 - 2 days (in 2006, "1 or more days") | 51.4% | 49.9% | 13.7% | 22.1% | 18.2% | 22.0% | 21.0% | 23.4% |
| 3 - 5 days | <i>not an option</i> | | 14.3% | 14.6% | 15.3% | 14.6% | 14.6% | 14.2% |
| 6 - 9 days | | | 13.7% | 11.5% | 9.6% | 10.9% | 7.6% | 9.1% |
| 10 - 19 days | | | 11.6% | 7.6% | 11.9% | 7.8% | 8.3% | 6.4% |
| 20 - 29 days | | | 5.7% | 3.3% | 5.7% | 3.4% | 3.3% | 3.1% |
| Used daily | 12.4% | 3.6% | 14.9% | 5.9% | 17.3% | 6.7% | 8.8% | 5.2% |
| Cocaine (crack, rock, freebase) | | | | | | | | |
| Never used | 70.8% | 65.5% | 50.1% | 42.0% | 47.0% | 40.2% | 46.8% | 40.9% |
| Have used, but not in last 30 days | <i>not an option</i> | | 20.8% | 22.5% | 21.3% | 23.4% | 18.7% | 21.5% |
| 1 - 2 days (in 2006, "1 or more days") | 27.5% | 31.9% | 13.8% | 17.3% | 15.4% | 18.0% | 18.5% | 18.8% |
| 3 - 5 days | <i>not an option</i> | | 6.3% | 7.9% | 4.5% | 7.8% | 6.4% | 8.2% |
| 6 - 9 days | | | 3.1% | 5.0% | 4.8% | 4.8% | 4.3% | 4.9% |
| 10 - 19 days | | | 2.9% | 2.6% | 4.1% | 2.8% | 2.4% | 2.9% |
| 20 - 29 days | | | 1.4% | 1.4% | 1.6% | 1.4% | 2.1% | 1.5% |
| Used daily | 1.8% | 2.5% | 1.6% | 1.3% | 1.3% | 1.6% | 0.9% | 1.2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Hallucinogens (LSD, PCP) | | | | | | | | |
| Never used | | | 46.6% | 46.2% | 45.2% | 43.0% | 42.1% | 41.4% |
| Have used, but not in last 30 days | | | 23.0% | 23.5% | 23.7% | 24.8% | 18.5% | 24.1% |
| 1 - 2 days | | | 13.1% | 16.1% | 14.2% | 169.0% | 19.9% | 18.4% |
| 3 - 5 days | | | 6.2% | 6.5% | 7.0% | 6.7% | 8.1% | 7.6% |
| 6 - 9 days | | | 5.8% | 3.8% | 4.1% | 4.0% | 4.7% | 4.0% |
| 10 - 19 days | | | 4.2% | 1.8% | 3.9% | 2.3% | 4.0% | 2.3% |
| 20 - 29 days | | | 0.6% | 1.2% | 0.9% | 1.1% | 1.4% | 1.4% |
| Used daily | | | 0.6% | 0.9% | 0.9% | 1.2% | 1.4% | 0.9% |
| Inhalants (glue, solvents, gas) | | | | | | | | |
| Never used | | | 49.2% | 52.4% | 51.2% | 51.1% | 54.9% | 55.0% |
| Have used, but not in last 30 days | | | 20.0% | 21.9% | 20.2% | 22.1% | 20.8% | 20.6% |
| 1 - 2 days | | | 11.9% | 13.8% | 11.7% | 13.9% | 12.6% | 13.5% |
| 3 - 5 days | | | 6.9% | 5.3% | 7.4% | 5.4% | 4.0% | 5.0% |
| 6 - 9 days | | | 7.1% | 3.2% | 5.0% | 3.3% | 2.6% | 2.6% |
| 10 - 19 days | | | 3.4% | 1.5% | 2.3% | 1.8% | 2.2% | 1.5% |
| 20 - 29 days | | | 0.8% | 1.1% | 1.1% | 1.1% | 1.5% | 1.0% |
| Used daily | | | 0.8% | 0.8% | 1.1% | 1.2% | 1.4% | 0.8% |
| Marijuana (pot, weed, hashish, hash oil) | | | | | | | | |
| Never used | 23.1% | 20.4% | 12.1% | 9.7% | 7.2% | 8.6% | 11.0% | 8.5% |
| Have used, but not in last 30 days | | | 12.5% | 12.3% | 9.3% | 10.5% | 4.0% | 7.5% |
| 1 - 2 days (in 2006, "1 or more days") | 54.8% | 61.1% | 12.3% | 15.7% | 13.1% | 14.9% | 15.2% | 13.6% |
| 3 - 5 days | | | 15.0% | 15.2% | 15.8% | 14.6% | 10.9% | 15.2% |
| 6 - 9 days | | | 16.0% | 16.0% | 12.7% | 16.1% | 13.3% | 15.5% |
| 10 - 19 days | | | 14.6% | 16.0% | 17.4% | 16.9% | 16.6% | 18.6% |
| 20 - 29 days | | | 7.0% | 6.7% | 10.2% | 7.9% | 10.9% | 9.1% |
| Used daily | 22.1% | 18.5% | 10.4% | 8.2% | 14.3% | 10.5% | 18.3% | 11.9% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| MDMA (Ecstasy) (in 2010, "MDMA (Ecstasy, XTC, E, X, Adam)") | | | | | | | | |
| Never used | 73.3% | 68.7% | 52.7% | 43.7% | 50.3% | 40.3% | 49.1% | 38.4% |
| Have used, but not in last 30 days | <i>not an option</i> | | 20.0% | 23.6% | 21.7% | 24.1% | 22.6% | 23.9% |
| 1 - 2 days (in 2006, "1 or more days") | 25.9% | 30.0% | 12.5% | 16.7% | 13.5% | 17.4% | 15.0% | 19.3% |
| 3 - 5 days | <i>not an option</i> | | 5.7% | 7.2% | 6.0% | 7.6% | 4.7% | 8.6% |
| 6 - 9 days | | | 4.0% | 4.2% | 4.4% | 4.9% | 3.5% | 4.7% |
| 10 - 19 days | | | 3.4% | 2.3% | 1.6% | 2.9% | 1.9% | 2.7% |
| 20 - 29 days | | | 1.2% | 1.4% | 1.8% | 1.6% | 1.9% | 1.6% |
| Used daily | 0.8% | 1.3% | 0.6% | 0.9% | 0.7% | 1.3% | 1.4% | 0.8% |
| Methphetamines (crystal meth, ice, crank) | | | | | | | | |
| Never used | <i>not asked</i> | | 55.2% | 52.1% | 52.4% | 50.6% | 58.0% | 56.2% |
| Have used, but not in last 30 days | | | 17.6% | 21.0% | 21.1% | 21.4% | 19.4% | 19.4% |
| 1 - 2 days | | | 15.4% | 14.5% | 13.4% | 14.8% | 11.4% | 13.4% |
| 3 - 5 days | | | 4.5% | 5.6% | 2.9% | 5.5% | 4.7% | 4.7% |
| 6 - 9 days | | | 2.8% | 3.0% | 4.7% | 3.4% | 2.4% | 2.7% |
| 10 - 19 days | | | 1.8% | 1.6% | 2.3% | 1.8% | 1.6% | 1.6% |
| 20 - 29 days | | | 1.4% | 1.1% | 1.8% | 1.1% | 2.1% | 1.0% |
| Used daily | | | 1.4% | 1.0% | 1.4% | 1.4% | 0.5% | 1.0% |
| Opiates (heroin, smack) | | | | | | | | |
| Never used | <i>not asked</i> | | 55.6% | 55.4% | 57.6% | 53.6% | 57.8% | 57.1% |
| Have used, but not in last 30 days | | | 18.3% | 19.7% | 18.9% | 20.3% | 18.5% | 18.5% |
| 1 - 2 days | | | 12.5% | 13.6% | 11.3% | 13.7% | 13.7% | 13.2% |
| 3 - 5 days | | | 5.6% | 5.0% | 4.7% | 5.2% | 3.5% | 5.1% |
| 6 - 9 days | | | 3.6% | 3.0% | 3.8% | 3.2% | 2.2% | 2.7% |
| 10 - 19 days | | | 3.2% | 1.4% | 2.0% | 1.7% | 2.4% | 1.5% |
| 20 - 29 days | | | 1.0% | 1.1% | 0.9% | 1.0% | 0.9% | 1.1% |
| Used daily | | | 0.4% | 0.8% | 0.9% | 1.2% | 1.0% | 0.8% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Other club drugs (GHB, Ketamine, Rohypnol)(in 2006, "Rohypnol (roofies), GHB, or Liquid X (intentional use)") | | | | | | | | |
| Never used | 78.9% | 76.1% | 55.5% | 51.6% | 55.6% | 49.2% | 57.4% | 50.0% |
| Have used, but not in last 30 days | <i>not an option</i> | | 19.0% | 20.9% | 20.9% | 21.5% | 19.7% | 20.3% |
| 1 - 2 days (in 2006, "1 or more days") | 20.0% | 22.7% | 12.8% | 14.6% | 11.3% | 15.0% | 11.9% | 15.6% |
| 3 - 5 days | <i>not an option</i> | | 4.7% | 5.7% | 4.9% | 6.0% | 4.0% | 6.4% |
| 6 - 9 days | | | 3.6% | 3.4% | 4.0% | 3.7% | 2.8% | 3.5% |
| 10 - 19 days | | | 3.0% | 1.7% | 2.0% | 2.2% | 1.6% | 2.1% |
| 20 - 29 days | | | 0.6% | 1.2% | 0.9% | 1.2% | 1.6% | 1.2% |
| Used daily | 1.2% | 1.1% | 0.8% | 0.8% | 0.5% | 1.2% | 1.2% | 0.8% |
| Other illegal drugs | | | | | | | | |
| Never used | <i>not asked</i> | | 45.3% | 43.6% | 46.7% | 42.2% | 48.6% | 43.1% |
| Have used, but not in last 30 days | | | 23.1% | 23.9% | 21.7% | 23.8% | 21.9% | 22.3% |
| 1 - 2 days | | | 13.6% | 16.1% | 13.4% | 16.2% | 14.7% | 17.0% |
| 3 - 5 days | | | 5.1% | 6.5% | 6.5% | 6.6% | 4.7% | 7.5% |
| 6 - 9 days | | | 5.7% | 4.3% | 5.1% | 4.6% | 4.5% | 4.2% |
| 10 - 19 days | | | 4.3% | 2.6% | 3.1% | 2.9% | 2.4% | 2.5% |
| 20 - 29 days | | | 1.4% | 1.5% | 1.8% | 1.6% | 1.0% | 1.6% |
| Used daily | | | 1.4% | 1.7% | 1.8% | 2.2% | 2.2% | 1.6% |
| Other drugs | | | | | | | | |
| Never used | 48.5% | 55.4% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Have used, but not in last 30 days | <i>not an option</i> | | | | | | | |
| 1 - 2 days (in 2006, "1 or more days") | 45.0% | 40.7% | | | | | | |
| 3 - 5 days | <i>not an option</i> | | | | | | | |
| 6 - 9 days | | | | | | | | |
| 10 - 19 days | | | | | | | | |
| 20 - 29 days | | | | | | | | |
| Used daily | 6.4% | 3.9% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Sedatives (downers, ludes) | | | | | | | | |
| Never used | <i>not asked</i> | | 38.7% | 40.9% | 37.9% | 39.8% | 44.1% | 42.8% |
| Have used, but not in last 30 days | | | 21.5% | 22.2% | 21.2% | 22.6% | 16.4% | 20.3% |
| 1 - 2 days | | | 16.0% | 17.7% | 16.9% | 17.5% | 16.0% | 17.7% |
| 3 - 5 days | | | 8.5% | 8.2% | 9.2% | 8.4% | 9.5% | 8.5% |
| 6 - 9 days | | | 6.7% | 5.2% | 5.9% | 5.3% | 5.7% | 4.8% |
| 10 - 19 days | | | 5.9% | 2.9% | 5.4% | 3.3% | 4.5% | 2.9% |
| 20 - 29 days | | | 1.0% | 1.5% | 0.7% | 1.4% | 1.9% | 1.6% |
| Used daily | | | 1.2% | 1.4% | 2.9% | 1.8% | 2.1% | 1.3% |
| Smokeless tobacco | | | | | | | | |
| Never used | 35.8% | 48.9% | 18.4% | 25.2% | 15.7% | 22.9% | 23.4% | 19.7% |
| Have used, but not in last 30 days | <i>not an option</i> | | 12.8% | 20.2% | 11.8% | 18.6% | 10.5% | 15.0% |
| 1 - 2 days (in 2006, "1 or more days") | 45.2% | 41.6% | 13.6% | 18.1% | 14.6% | 17.6% | 19.3% | 18.0% |
| 3 - 5 days | <i>not an option</i> | | 10.5% | 10.6% | 12.5% | 11.0% | 12.8% | 13.7% |
| 6 - 9 days | | | 10.3% | 9.2% | 10.5% | 9.4% | 10.0% | 10.6% |
| 10 - 19 days | | | 12.1% | 7.6% | 10.7% | 8.6% | 8.6% | 9.6% |
| 20 - 29 days | | | 5.7% | 3.2% | 6.1% | 4.1% | 5.2% | 5.0% |
| Used daily | 19.1% | 9.4% | 16.6% | 6.0% | 18.2% | 7.9% | 10.2% | 8.4% |
| Tobacco from a water pipe (hookah) | | | | | | | | |
| Never used | <i>not asked</i> | | 26.5% | 15.0% | 17.4% | 13.8% | 20.5% | 12.9% |
| Have used, but not in last 30 days | | | 22.2% | 18.2% | 18.1% | 18.9% | 12.6% | 14.3% |
| 1 - 2 days | | | 18.4% | 23.0% | 21.2% | 22.7% | 22.7% | 21.4% |
| 3 - 5 days | | | 11.6% | 15.3% | 13.9% | 15.5% | 15.1% | 17.0% |
| 6 - 9 days | | | 9.2% | 12.5% | 9.6% | 12.3% | 10.7% | 13.0% |
| 10 - 19 days | | | 4.3% | 8.9% | 8.9% | 8.8% | 8.1% | 10.7% |
| 20 - 29 days | | | 2.4% | 3.3% | 2.7% | 3.4% | 3.8% | 4.6% |
| Used daily | | | 5.5% | 3.8% | 8.2% | 4.5% | 6.5% | 6.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol (beer, wine, liquor) | | | | | | | | | | | | | | | | |
| Never used | 8% | 4% | 4% | 4% | 4% | 4% | 7% | 6% | 5% | 3% | 4% | 3% | 2% | 3% | 7% | 4% |
| Have used, but not in last 30 days | <i>not an option</i> | | 6% | 3% | 3% | 2% | 3% | 3% | <i>not an option</i> | | 3% | 3% | 2% | 2% | 4% | 2% |
| 1 - 2 days (in 2006, "1 or more days") | 64% | 64% | 8% | 7% | 13% | 6% | 10% | 7% | 65% | 61% | 9% | 7% | 9% | 6% | 11% | 7% |
| 3 - 5 days | <i>not an option</i> | | 12% | 10% | 15% | 11% | 14% | 13% | <i>not an option</i> | | 14% | 9% | 15% | 8% | 14% | 10% |
| 6 - 9 days | | | 28% | 22% | 22% | 22% | 23% | 23% | | | 22% | 19% | 21% | 19% | 17% | 18% |
| 10 - 19 days | | | 24% | 31% | 21% | 19% | 22% | 27% | | | 23% | 32% | 25% | 32% | 23% | 30% |
| 20 - 29 days | | | 11% | 11% | 9% | 12% | 7% | 11% | | | 38% | 14% | 10% | 15% | 13% | 14% |
| Used daily | 27% | 32% | 9% | 12% | 14% | 13% | 14% | 11% | 29% | 36% | 51% | 14% | 17% | 16% | 12% | 14% |
| Other amphetamines (diet pills, bennies) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 50% | 48% | 48% | 47% | 58% | 50% | <i>not asked</i> | | 39% | 37% | 40% | 36% | 44% | 39% |
| Have used, but not in last 30 days | | | 18% | 21% | 24% | 21% | 14% | 19% | | | 21% | 22% | 18% | 22% | 21% | 21% |
| 1 - 2 days | | | 17% | 15% | 10% | 15% | 12% | 14% | | | 14% | 16% | 13% | 16% | 15% | 17% |
| 3 - 5 days | | | 6% | 6% | 6% | 7% | 8% | 7% | | | 8% | 9% | 8% | 9% | 7% | 9% |
| 6 - 9 days | | | 3% | 5% | 4% | 5% | 4% | 4% | | | 5% | 7% | 8% | 7% | 4% | 6% |
| 10 - 19 days | | | 4% | 3% | 3% | 3% | 2% | 3% | | | 7% | 5% | 7% | 5% | 3% | 4% |
| 20 - 29 days | | | 3% | 2% | 1% | 2% | 2% | 1% | | | 3% | 3% | 3% | 2% | 3% | 2% |
| Used daily | | | 0% | 2% | 4% | 2% | 2% | 2% | | | 5% | 3% | 3% | 3% | 3% | 2% |
| Anabolic steroids (testosterone) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 48% | 53% | 48% | 51% | 59% | 54% | <i>not asked</i> | | 47% | 45% | 46% | 44% | 47% | 46% |
| Have used, but not in last 30 days | | | 19% | 18% | 20% | 19% | 9% | 17% | | | 23% | 21% | 19% | 21% | 22% | 19% |
| 1 - 2 days | | | 17% | 14% | 16% | 14% | 18% | 13% | | | 11% | 15% | 13% | 15% | 14% | 16% |
| 3 - 5 days | | | 7% | 6% | 6% | 7% | 7% | 7% | | | 6% | 8% | 8% | 8% | 6% | 8% |
| 6 - 9 days | | | 4% | 4% | 4% | 4% | 2% | 4% | | | 5% | 5% | 7% | 6% | 5% | 5% |
| 10 - 19 days | | | 3% | 3% | 1% | 3% | 3% | 2% | | | 5% | 3% | 5% | 4% | 4% | 3% |
| 20 - 29 days | | | 1% | 1% | 2% | 1% | 0% | 1% | | | 2% | 2% | 1% | 2% | 2% | 2% |
| Used daily | | | 1% | 1% | 3% | 2% | 2% | 1% | | | 2% | 1% | 1% | 2% | 1% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------------------------------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Cigarettes | | | | | | | | | | | | | | | | |
| Never used | 12% | 18% | 4% | 8% | 6% | 8% | 12% | 13% | 12% | 12% | 4% | 6% | 3% | 6% | 13% | 10% |
| Have used, but not in last 30 days | <i>not an option</i> | | 8% | 12% | 7% | 12% | 7% | 14% | <i>not an option</i> | | 9% | 10% | 4% | 10% | 4% | 11% |
| 1 - 2 days (in 2006, "1 or more days") | 44% | 57% | 12% | 12% | 13% | 12% | 8% | 16% | 38% | 52% | 6% | 10% | 9% | 0% | 11% | 14% |
| 3 - 5 days | <i>not an option</i> | | 6% | 14% | 11% | 13% | 9% | 16% | <i>not an option</i> | | 9% | 11% | 7% | 11% | 10% | 15% |
| 6 - 9 days | | | 17% | 14% | 10% | 14% | 13% | 13% | | | 9% | 13% | 8% | 12% | 12% | 13% |
| 10 - 19 days | | | 16% | 17% | 15% | 16% | 16% | 12% | | | 18% | 17% | 19% | 17% | 16% | 14% |
| 20 - 29 days | | | 9% | 5% | 7% | 6% | 8% | 4% | | | 7% | 6% | 6% | 7% | 5% | 5% |
| Used daily | | | 44% | 26% | 28% | 19% | 33% | 19% | | | 28% | 12% | 50% | 36% | 38% | 27% |
| E-cigarettes | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | | | | | 15% | <i>National data unavailable</i> | <i>not asked</i> | | | | | | 17% | <i>National data unavailable</i> |
| Have used, but not in last 30 days | | | | | | | 7% | | | | | | | | 7% | |
| 1 - 2 days (in 2006, "1 or more days") | | | | | | | 12% | | | | | | | | 15% | |
| 3 - 5 days | | | | | | | 12% | | | | | | | | 11% | |
| 6 - 9 days | | | | | | | 16% | | | | | | | | 12% | |
| 10 - 19 days | | | | | | | 12% | | | | | | | | 12% | |
| 20 - 29 days | | | | | | | 4% | | | | | | | | 5% | |
| Used daily | | | | | | | 22% | | | | | | | | 21% | |
| Cigars, little cigars, clove cigarettes (in 2006, only "Cigars") | | | | | | | | | | | | | | | | |
| Never used | 36% | 48% | 10% | 14% | 10% | 15% | 21% | 19% | 37% | 46% | 15% | 15% | 13% | 14% | 22% | 17% |
| Have used, but not in last 30 days | <i>not an option</i> | | 11% | 21% | 10% | 21% | 16% | 22% | <i>not an option</i> | | 13% | 20% | 10% | 20% | 14% | 20% |
| 1 - 2 days (in 2006, "1 or more days") | 51% | 49% | 16% | 23% | 19% | 23% | 19% | 24% | 51% | 51% | 13% | 22% | 18% | 22% | 22% | 23% |
| 3 - 5 days | <i>not an option</i> | | 18% | 16% | 16% | 15% | 15% | 14% | <i>not an option</i> | | 13% | 14% | 15% | 14% | 15% | 14% |
| 6 - 9 days | | | 15% | 11% | 11% | 11% | 8% | 8% | | | 13% | 12% | 9% | 11% | 8% | 10% |
| 10 - 19 days | | | 13% | 7% | 12% | 7% | 7% | 5% | | | 12% | 8% | 12% | 8% | 9% | 7% |
| 20 - 29 days | | | 6% | 3% | 7% | 3% | 3% | 2% | | | 6% | 4% | 5% | 4% | 3% | 3% |
| Used daily | | | 13% | 3% | 12% | 5% | 15% | 6% | | | 11% | 4% | 12% | 4% | 16% | 6% |
| Cocaine (crack, rock, freebase) | | | | | | | | | | | | | | | | |
| Never used | 71% | 71% | 50% | 47% | 49% | 44% | 48% | 46% | 71% | 63% | 50% | 40% | 46% | 38% | 46% | 39% |
| Have used, but not in last 30 days | <i>not an option</i> | | 25% | 21% | 24% | 23% | 18% | 22% | <i>not an option</i> | | 19% | 23% | 20% | 24% | 18% | 22% |
| 1 - 2 days (in 2006, "1 or more days") | 29% | 27% | 13% | 17% | 13% | 17% | 17% | 18% | 27% | 35% | 14% | 17% | 17% | 18% | 19% | 19% |
| 3 - 5 days | <i>not an option</i> | | 6% | 7% | 5% | 7% | 9% | 7% | <i>not an option</i> | | 7% | 9% | 4% | 8% | 6% | 9% |
| 6 - 9 days | | | 3% | 4% | 3% | 4% | 3% | 4% | | | 3% | 5% | 6% | 5% | 5% | 5% |
| 10 - 19 days | | | 1% | 2% | 3% | 2% | 2% | 2% | | | 3% | 3% | 5% | 3% | 3% | 3% |
| 20 - 29 days | | | 1% | 1% | 2% | 1% | 2% | 1% | | | 2% | 2% | 2% | 2% | 2% | 2% |
| Used daily | | | 1% | 2% | 1% | 1% | 3% | 2% | | | 1% | 1% | 2% | 3% | 2% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Hallucinogens (LSD, PCP) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 47% | 50% | 47% | 47% | 43% | 45% | <i>not asked</i> | | 46% | 45% | 44% | 41% | 41% | 40% |
| Have used, but not in last 30 days | <i>not asked</i> | | 23% | 22% | 24% | 24% | 14% | 24% | <i>not asked</i> | | 23% | 24% | 24% | 25% | 21% | 24% |
| 1 - 2 days | <i>not asked</i> | | 16% | 16% | 13% | 16% | 23% | 17% | <i>not asked</i> | | 12% | 16% | 15% | 17% | 19% | 19% |
| 3 - 5 days | <i>not asked</i> | | 4% | 6% | 7% | 6% | 9% | 7% | <i>not asked</i> | | 7% | 7% | 7% | 7% | 8% | 8% |
| 6 - 9 days | <i>not asked</i> | | 8% | 3% | 3% | 3% | 5% | 3% | <i>not asked</i> | | 5% | 4% | 5% | 4% | 4% | 4% |
| 10 - 19 days | <i>not asked</i> | | 3% | 1% | 3% | 2% | 4% | 2% | <i>not asked</i> | | 5% | 2% | 5% | 3% | 4% | 3% |
| 20 - 29 days | <i>not asked</i> | | 0% | 1% | 1% | 1% | 1% | 1% | <i>not asked</i> | | 1% | 1% | 1% | 1% | 1% | 2% |
| Used daily | <i>not asked</i> | | 0% | 1% | 2% | 1% | 1% | 1% | <i>not asked</i> | | 1% | 1% | <1% | 1% | 1% | 1% |
| Inhalants (glue, solvents, gas) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 51% | 57% | 52% | 55% | 64% | 60% | <i>not asked</i> | | 49% | 50% | 51% | 49% | 48% | 53% |
| Have used, but not in last 30 days | <i>not asked</i> | | 20% | 20% | 24% | 21% | 16% | 19% | <i>not asked</i> | | 20% | 23% | 18% | 23% | 24% | 21% |
| 1 - 2 days | <i>not asked</i> | | 13% | 13% | 9% | 13% | 12% | 12% | <i>not asked</i> | | 11% | 14% | 13% | 15% | 13% | 14% |
| 3 - 5 days | <i>not asked</i> | | 8% | 4% | 6% | 5% | 3% | 4% | <i>not asked</i> | | 7% | 6% | 8% | 6% | 5% | 5% |
| 6 - 9 days | <i>not asked</i> | | 7% | 3% | 4% | 3% | 2% | 2% | <i>not asked</i> | | 8% | 3% | 6% | 4% | 4% | 3% |
| 10 - 19 days | <i>not asked</i> | | 1% | 1% | 1% | 2% | 1% | 1% | <i>not asked</i> | | 4% | 2% | 3% | 2% | 3% | 2% |
| 20 - 29 days | <i>not asked</i> | | 0% | 1% | 2% | 1% | 2% | 1% | <i>not asked</i> | | 1% | 1% | 1% | 1% | 2% | 1% |
| Used daily | <i>not asked</i> | | 0% | 1% | 2% | 1% | 2% | 1% | <i>not asked</i> | | 1% | 1% | 1% | 1% | 1% | 1% |
| Marijuana (pot, weed, hashish, hash oil) | | | | | | | | | | | | | | | | |
| Never used | 26% | 24% | 13% | 11% | 8% | 10% | 12% | 10% | 22% | 18% | 12% | 9% | 6% | 8% | 10% | 8% |
| Have used, but not in last 30 days | <i>not an option</i> | | 14% | 14% | 11% | 12% | 3% | 9% | <i>not an option</i> | | 12% | 12% | 8% | 10% | 4% | 7% |
| 1 - 2 days (in 2006, "1 or more days") | 53% | 60% | 13% | 17% | 15% | 16% | 14% | 15% | 55% | 62% | 12% | 15% | 12% | 14% | 16% | 13% |
| 3 - 5 days | <i>not an option</i> | | 18% | 16% | 14% | 15% | 13% | 17% | <i>not an option</i> | | 14% | 15% | 17% | 14% | 10% | 14% |
| 6 - 9 days | <i>not an option</i> | | 16% | 16% | 13% | 16% | 16% | 16% | <i>not an option</i> | | 16% | 16% | 13% | 16% | 12% | 15% |
| 10 - 19 days | <i>not an option</i> | | 13% | 15% | 14% | 15% | 16% | 16% | <i>not an option</i> | | 15% | 17% | 19% | 18% | 17% | 20% |
| 20 - 29 days | <i>not an option</i> | | 5% | 6% | 11% | 7% | 8% | 7% | <i>not an option</i> | | 8% | 7% | 10% | 9% | 13% | 10% |
| Used daily | 21% | 16% | 8% | 7% | 14% | 10% | 19% | 9% | 23% | 20% | 12% | 9% | 15% | 11% | 18% | 13% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| MDMA (Ecstasy) (in 2010, "MDMA (Ecstasy, XTC, E, X, Adam)") | | | | | | | | | | | | | | | | |
| Never used | 72% | 73% | 54% | 47% | 52% | 44% | 56% | 42% | 74% | 66% | 53% | 42% | 49% | 39% | 46% | 37% |
| Have used, but not in last 30 days | <i>not an option</i> | | 19% | 22% | 25% | 23% | 18% | 24% | <i>not an option</i> | | 20% | 25% | 20% | 25% | 25% | 24% |
| 1 - 2 days (in 2006, "1 or more days") | 40% | 26% | 13% | 16% | 13% | 16% | 17% | 18% | 25% | 32% | 12% | 17% | 14% | 18% | 14% | 20% |
| 3 - 5 days | <i>not an option</i> | | 7% | 7% | 4% | 7% | 2% | 8% | <i>not an option</i> | | 5% | 7% | 7% | 8% | 6% | 9% |
| 6 - 9 days | | | 4% | 4% | 2% | 4% | 3% | 4% | | | 4% | 4% | 6% | 5% | 4% | 5% |
| 10 - 19 days | | | 1% | 2% | 1% | 3% | 1% | 2% | | | 4% | 2% | 2% | 3% | 3% | 3% |
| 20 - 29 days | | | 1% | 1% | 2% | 1% | 2% | 1% | | | 1% | 1% | 2% | 2% | 2% | 2% |
| Used daily | 1% | 1% | 0% | 1% | 2% | 2% | 2% | 1% | 1% | 1% | 1% | 1% | <1% | 1% | 1% | 1% |
| Methamphetamines (Crystal meth, ice, crank) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 55% | 57% | 55% | 55% | 66% | 62% | <i>not asked</i> | | 55% | 50% | 51% | 48% | 53% | 53% |
| Have used, but not in last 30 days | | | 21% | 20% | 24% | 20% | 16% | 18% | | | 16% | 22% | 20% | 22% | 22% | 20% |
| 1 - 2 days | | | 16% | 14% | 11% | 14% | 10% | 11% | | | 16% | 15% | 15% | 16% | 12% | 14% |
| 3 - 5 days | | | 4% | 5% | 3% | 5% | 5% | 4% | | | 5% | 6% | 3% | 6% | 5% | 5% |
| 6 - 9 days | | | 2% | 2% | 3% | 3% | 2% | 2% | | | 3% | 3% | 6% | 4% | 3% | 3% |
| 10 - 19 days | | | 1% | 1% | 0% | 2% | 1% | 1% | | | 2% | 2% | 3% | 2% | 2% | 2% |
| 20 - 29 days | | | 1% | 1% | 0% | 1% | 1% | 1% | | | 2% | 1% | 2% | 1% | 3% | 1% |
| Used daily | | | 1% | 1% | 3% | 2% | 1% | 1% | | | 2% | 1% | 0% | 1% | 1% | 1% |
| Opiates (heroin, smack) | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 54% | 59% | 60% | 57% | 65% | 62% | <i>not asked</i> | | 56% | 54% | 56% | 52% | 53% | 55% |
| Have used, but not in last 30 days | | | 21% | 18% | 20% | 19% | 13% | 17% | | | 17% | 20% | 18% | 21% | 21% | 19% |
| 1 - 2 days | | | 14% | 13% | 9% | 13% | 15% | 12% | | | 12% | 14% | 13% | 14% | 14% | 14% |
| 3 - 5 days | | | 6% | 4% | 5% | 5% | 3% | 4% | | | 5% | 5% | 4% | 6% | 4% | 6% |
| 6 - 9 days | | | 3% | 3% | 2% | 3% | 2% | 2% | | | 4% | 3% | 5% | 4% | 3% | 3% |
| 10 - 19 days | | | 2% | 1% | 1% | 1% | 3% | 1% | | | 4% | 2% | 3% | 2% | 3% | 2% |
| 20 - 29 days | | | 1% | 1% | 1% | 1% | 1% | 1% | | | 1% | 1% | 1% | 1% | 1% | 1% |
| Used daily | | | 0% | 1% | 2% | 1% | 1% | 1% | | | 1% | 1% | <1% | 1% | 1% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...

| | MALES | | | | | | | | FEMALES | | | | | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------|----------------------|----------|------------------|----------|------------------|----------|------------------|----------|----------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|--|----------------------|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | | | |
| Other club drugs (GHB, Ketamine, Rohypnol)(in 2006, "Rohypnol (roofies), GHB, or Liquid X (intentional use)") | | | | | | | | | | | | | | | | | | | | |
| Never used | 78% | 80% | 56% | 56% | 55% | 53% | 66% | 55% | 79% | 74% | 56% | 50% | 56% | 47% | 52% | 48% | | | | |
| Have used, but not in last 30 days | <i>not an option</i> | | 19% | 19% | 26% | 20% | 16% | 19% | <i>not an option</i> | | 19% | 22% | 18% | 22% | 22% | 21% | | | | |
| 1 - 2 days (in 2006, "1 or more days") | 21% | 19% | 14% | 14% | 11% | 14% | 11% | 14% | 19% | 25% | 12% | 15% | 12% | 16% | 12% | 17% | | | | |
| 3 - 5 days | <i>not an option</i> | | 5% | 5% | 4% | 6% | 3% | 6% | <i>not an option</i> | | 5% | 6% | 5% | 6% | 4% | 7% | | | | |
| 6 - 9 days | | | 4% | 3% | 2% | 3% | 1% | 3% | | | 4% | 4% | 5% | 4% | 4% | 4% | | | | |
| 10 - 19 days | | | 2% | 2% | 1% | 2% | 1% | 2% | | | 3% | 2% | 3% | 2% | 2% | 2% | | | | |
| 20 - 29 days | | | 1% | 1% | 1% | 1% | 2% | 1% | | | 1% | 1% | 1% | 1% | 1% | 2% | 1% | | | |
| Used daily | 1% | 1% | 0% | 1% | 1% | 2% | 1% | 1% | 1% | 1% | 1% | 1% | <1% | 1% | 1% | 1% | | | | |
| Other illegal drugs | | | | | | | | | | | | | | | | | | | | |
| Never used | <i>not asked</i> | | 48% | 48% | 49% | 46% | 56% | 48% | <i>not asked</i> | | 44% | 42% | 45% | 40% | 44% | 41% | | | | |
| Have used, but not in last 30 days | | | 21% | 22% | 22% | 23% | 17% | 22% | | | 24% | 25% | 22% | 24% | 24% | 23% | | | | |
| 1 - 2 days | | | 17% | 15% | 15% | 15% | 15% | 15% | | | 12% | 16% | 13% | 17% | 15% | 18% | | | | |
| 3 - 5 days | | | 6% | 6% | 4% | 6% | 5% | 6% | | | 5% | 7% | 8% | 7% | 4% | 8% | | | | |
| 6 - 9 days | | | 6% | 4% | 3% | 4% | 3% | 4% | | | 6% | 5% | 6% | 5% | 6% | 5% | | | | |
| 10 - 19 days | | | 1% | 2% | 2% | 2% | 1% | 2% | | | 6% | 3% | 4% | 3% | 4% | 3% | | | | |
| 20 - 29 days | | | 1% | 1% | 3% | 1% | 1% | 1% | | | 2% | 2% | 2% | 1% | 2% | 1% | 2% | | | |
| Used daily | | | 1% | 2% | 3% | 2% | 2% | 2% | | | 2% | 2% | 2% | 1% | 2% | 3% | 2% | | | |
| Other drugs | | | | | | | | | | | | | | | | | | | | |
| Never used | 47% | 60% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 49% | 53% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | | | | |
| Have used, but not in last 30 days | <i>not an option</i> | | | | | | | | <i>not an option</i> | | | | | | | | | | | |
| 1 - 2 days (in 2006, "1 or more days") | 46% | 36% | | | | | | | <i>not an option</i> | | | | | | | | | | | |
| 3 - 5 days | <i>not an option</i> | | | | | | | | <i>not asked</i> | | | | | | | | <i>not asked</i> | | <i>not an option</i> | |
| 6 - 9 days | | | | | | | | | | | | | | | | | | | | |
| 10 - 19 days | | | | | | | | | | | | | | | | | | | | |
| 20 - 29 days | | | | | | | | | | | | | | | | | | | | |
| Used daily | 7% | 4% | | | | | | | <i>not asked</i> | | | | | | | | <i>not asked</i> | | <i>not an option</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days, how often do you think the typical student at your school used...


| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Sedatives (downers, ludes) | | | | | | | | | | | | | | | | |
| Never used | | | 44% | 46% | 43% | 45% | 51% | 49% | | | 37% | 39% | 35% | 37% | 39% | 40% |
| Have used, but not in last 30 days | <i>not asked</i> | | 18% | 22% | 17% | 22% | 11% | 20% | <i>not asked</i> | | 23% | 23% | 23% | 23% | 19% | 21% |
| 1 - 2 days | <i>not asked</i> | | 18% | 17% | 18% | 16% | 18% | 16% | <i>not asked</i> | | 16% | 18% | 17% | 18% | 16% | 19% |
| 3 - 5 days | <i>not asked</i> | | 8% | 7% | 9% | 7% | 9% | 7% | <i>not asked</i> | | 9% | 9% | 9% | 9% | 10% | 9% |
| 6 - 9 days | <i>not asked</i> | | 8% | 4% | 6% | 4% | 4% | 4% | <i>not asked</i> | | 6% | 6% | 6% | 6% | 6% | 5% |
| 10 - 19 days | <i>not asked</i> | | 4% | 2% | 4% | 3% | 5% | 2% | <i>not asked</i> | | 6% | 3% | 6% | 4% | 5% | 3% |
| 20 - 29 days | <i>not asked</i> | | 1% | 1% | 1% | 1% | 1% | 1% | <i>not asked</i> | | 1% | 2% | 1% | 2% | 3% | 2% |
| Used daily | <i>not asked</i> | | 0% | 1% | 4% | 2% | 1% | 1% | <i>not asked</i> | | 2% | 1% | 3% | 2% | 3% | 1% |
| Smokeless tobacco | | | | | | | | | | | | | | | | |
| Never used | 35% | 52% | 15% | 25% | 13% | 24% | 23% | 22% | 37% | 48% | 19% | 25% | 17% | 22% | 23% | 19% |
| Have used, but not in last 30 days | <i>not an option</i> | | 13% | 20% | 14% | 19% | 12% | 16% | <i>not an option</i> | | 13% | 20% | 11% | 19% | 9% | 15% |
| 1 - 2 days (in 2006, "1 or more days") | 45% | 39% | 16% | 18% | 14% | 17% | 21% | 17% | 45% | 43% | 13% | 18% | 15% | 18% | 20% | 18% |
| 3 - 5 days | <i>not an option</i> | | 11% | 11% | 14% | 11% | 10% | 14% | <i>not an option</i> | | 10% | 10% | 12% | 11% | 14% | 14% |
| 6 - 9 days | <i>not an option</i> | | 13% | 10% | 12% | 9% | 9% | 11% | <i>not an option</i> | | 9% | 9% | 10% | 9% | 10% | 10% |
| 10 - 19 days | <i>not an option</i> | | 13% | 8% | 10% | 8% | 8% | 9% | <i>not an option</i> | | 12% | 8% | 11% | 9% | 9% | 10% |
| 20 - 29 days | <i>not an option</i> | | 4% | 3% | 6% | 4% | 5% | 4% | <i>not an option</i> | | 7% | 3% | 6% | 4% | 6% | 5% |
| Used daily | 20% | 9% | 14% | 6% | 18% | 8% | 12% | 7% | 18% | 9% | 18% | 6% | 18% | 8% | 10% | 9% |
| Tobacco from a water pipe (hookah) | | | | | | | | | | | | | | | | |
| Never used | | | 29% | 16% | 17% | 15% | 21% | 16% | | | 25% | 14% | 17% | 13% | 19% | 12% |
| Have used, but not in last 30 days | <i>not asked</i> | | 23% | 19% | 20% | 20% | 15% | 17% | <i>not asked</i> | | 22% | 18% | 17% | 18% | 12% | 13% |
| 1 - 2 days | <i>not asked</i> | | 20% | 23% | 18% | 23% | 21% | 23% | <i>not asked</i> | | 18% | 23% | 23% | 23% | 24% | 21% |
| 3 - 5 days | <i>not asked</i> | | 10% | 16% | 15% | 15% | 14% | 17% | <i>not asked</i> | | 13% | 15% | 14% | 16% | 16% | 17% |
| 6 - 9 days | <i>not asked</i> | | 9% | 11% | 11% | 11% | 11% | 12% | <i>not asked</i> | | 9% | 13% | 9% | 13% | 10% | 14% |
| 10 - 19 days | <i>not asked</i> | | 4% | 8% | 9% | 7% | 7% | 8% | <i>not asked</i> | | 4% | 9% | 9% | 10% | 9% | 12% |
| 20 - 29 days | <i>not asked</i> | | 1% | 3% | 3% | 3% | 3% | 3% | <i>not asked</i> | | 3% | 4% | 3% | 4% | 5% | 5% |
| Used daily | <i>not asked</i> | | 4% | 4% | 7% | 4% | 7% | 5% | <i>not asked</i> | | 7% | 4% | 9% | 5% | 6% | 7% |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys


Within the last 30 days, did you: Drive after drinking any alcohol at all

(Totals may not add to 100% due to rounding.)




Within the last 30 days, did you: Drive after having 5 or more alcoholic drinks

(Totals may not add to 100% due to rounding.)




The last time you "partied"/socialized,

How many alcoholic drinks did you have?




The last time you "partied"/socialized,

How many hours did you drink alcohol?



How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized?



Over the last two weeks, how many times have you had five or more alcoholic drinks at a sitting (in 2010, "Think back over the last 2 weeks, how many times, if any, have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------|------------------------|----------|----------------------|----------------------|------------------------|----------------------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| N/A Don't drink | <i>not an option</i> | | 39.6% | 25.3% | 34.8% | 22.0% | 42.0% | 25.1% |
| None | 84.8% | 62.9% | 43.6% | 41.7% | 49.0% | 42.9% | 36.3% | 41.7% |
| 1 time | 7.9% | 13.4% | 8.2% | 13.3% | 9.4% | 14.4% | 9.1% | 14.5% |
| 2 times | 3.4% | 9.0% | 4.0% | 8.2% | 3.3% | 8.6% | 5.3% | 8.0% |
| 3 times | 1.8% | 5.3% | 2.3% | 4.2% | 1.6% | 4.5% | 2.2% | 4.0% |
| 4 times | 1.0% | 3.8% | 1.5% | 3.4% | 1.2% | 3.4% | 1.9% | 2.8% |
| 5 times | 0.4% | 2.2% | 0.4% | 1.6% | 0.3% | 1.7% | 1.2% | 1.6% |
| 6 times | 0.0% | 1.4% | 0.0% | 1.0% | 0.2% | 1.0% | 0.9% | 1.0% |
| 7 times | 0.6% | 0.7% | 0.0% | 0.5% | 0.2% | 0.5% | 0.2% | 0.5% |
| 8 times | 0.0% | 0.5% | 0.0% | 0.3% | 0.0% | 0.3% | 0.5% | 0.3% |
| 9 (in 2010, "9 or more times") | 0.2% | 0.8% | 0.0% | 0.2% | 0.0% | 0.1% | 0.2% | 0.2% |
| 10 or more times | <i>not an option</i> | | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | 0.3% | 0.3% |


| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------|----------------------|----------|----------------------|----------------------|----------------------|----------------------|-------------|----------|----------------------|----------------------|----------------------|----------------------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| N/A Don't drink | <i>not an option</i> | | 41% | 25% | 36% | 22% | 41% | 27% | <i>not an option</i> | 39% | 25% | 34% | 22% | 44% | 24% | |
| None | 77% | 54% | 34% | 32% | 42% | 34% | 31% | 33% | 88% | 68% | 48% | 46% | 52% | 48% | 38% | 46% |
| 1 time | 10% | 14% | 11% | 14% | 11% | 15% | 11% | 15% | 7% | 13% | 7% | 13% | 9% | 14% | 8% | 14% |
| 2 times | 7% | 11% | 8% | 11% | 6% | 11% | 7% | 10% | 2% | 8% | 2% | 7% | 2% | 8% | 4% | 7% |
| 3 times | 2% | 7% | 4% | 6% | 2% | 6% | 2% | 6% | 2% | 4% | 2% | 3% | 1% | 4% | 2% | 3% |
| 4 times | 1% | 5% | 1% | 5% | 2% | 5% | 2% | 4% | 1% | 3% | 2% | 3% | 1% | 3% | 2% | 2% |
| 5 times | 1% | 3% | 1% | 3% | 1% | 3% | 2% | 2% | 0% | 2% | <1% | 1% | <1% | 1% | 1% | 1% |
| 6 times | 0% | 2% | 0% | 2% | 1% | 2% | 2% | 2% | 0% | 1% | 0% | 1% | 0% | 1% | <1% | 1% |
| 7 times | 1% | 1% | 0% | 1% | 1% | 1% | 1% | 1% | <1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 8 times | 0% | 1% | 0% | 1% | 0% | 1% | 1% | 1% | 0% | 0% | 0% | <1% | 0% | <1% | <1% | <1% |
| 9 (in 2010, "9 or more times") | 0% | 2% | 0% | 0% | 0% | <1% | 1% | <1% | <1% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 10 or more times | <i>not an option</i> | | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | 1% | 1% | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | 0% | <1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys


During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Alternate non-alcoholic with alcoholic beverages




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Avoid drinking games




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Choose not to drink alcohol




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Determine, in advance, not to exceed a set number of drinks




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Drink an alcohol look-alike (non-alcoholic beer, punch, etc.)




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Eat before and/or during drinking




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Have a friend let you know when you've had enough




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Keep track of how many drinks you were having




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Pace your drinks to 1 or fewer per hour




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Stay with the same group of friends the entire time you were drinking




During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Stick with only one kind of alcohol when drinking



During the last school year, when you "partied"/socialized, how often did you...
 (In 2006: "if you 'partied'/socialized...")

Use a designated driver



Within the last 12 months, have you experienced any of the following when drinking alcohol (in 2010, "If you drink, in the last school year, have you experienced any of the following as a consequence of your drinking?") Percent indicating "yes"

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Been involved in a fight | 1.4% | 4.8% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Did something you later regretted | 16.5% | 4.8% | 15.7% | 24.9% | 15.4% | 26.8% | 16.6% | 26.1% |
| Forgot where you were or what you did | 10.8% | 23.6% | 14.2% | 21.6% | 13.7% | 24.1% | 10.8% | 23.2% |
| Got in trouble with the police | <i>not asked</i> | | 1.0% | 3.4% | 0.7% | 3.2% | 0.7% | 2.2% |
| Had sex with someone without their consent (prior to 2016, "without getting their consent") | <i>not asked</i> | | 0.6% | 0.3% | 0.2% | 0.5% | 0.3% | 0.3% |
| Someone had sex with me without my consent | <i>not asked</i> | | 1.9% | 1.5% | 2.3% | 1.8% | 2.1% | 1.8% |
| Had someone use force or threat of force to have sex with you | 0.8% | 1.0% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Had unprotected sex | 6.4% | 11.0% | 10.4% | 11.2% | 7.5% | 13.4% | 10.8% | 15.9% |
| Physically injured another person | 2.2% | 3.2% | 0.8% | 1.7% | 1.9% | 2.2% | 0.7% | 1.3% |
| Physically injured yourself | 6.0% | 14.4% | 8.6% | 11.4% | 7.9% | 12.8% | 7.2% | 10.8% |
| Seriously considered suicide | <i>not asked</i> | | 1.9% | 1.2% | 0.9% | 1.3% | 4.8% | 2.4% |


| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------------------------------------------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Been involved in a fight | 4% | 8% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 1% | 3% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Did something you later regretted | 18% | 30% | 17% | 25% | 17% | 27% | 16% | 26% | 17% | 27% | 15% | 25% | 15% | 27% | 15% | 26% |
| Forgot where you were or what you did | 13% | 26% | 14% | 24% | 18% | 26% | 10% | 25% | 10% | 22% | 14% | 21% | 12% | 23% | 11% | 23% |
| Got in trouble with the police | <i>not asked</i> | | 1% | 5% | 1% | 5% | 2% | 3% | <i>not asked</i> | | 1% | 3% | 1% | 2% | <1% | 2% |
| Had sex with someone without their consent (in 2010, "without getting their consent") | <i>not asked</i> | | 1% | 0% | 0% | 1% | 0% | <1% | <i>not asked</i> | | 1% | <1% | <1% | <1% | <1% | <1% |
| Someone had sex with me without my consent | <i>not asked</i> | | 3% | 1% | 2% | 2% | 1% | 1% | <i>not asked</i> | | 0% | 0% | 3% | 2% | 3% | 2% |
| Had someone use force or threat of force to have sex with you | 1% | 1% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 1% | 1% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Had unprotected sex | 5% | 13% | 12% | 13% | 9% | 15% | 10% | 17% | 7% | 10% | 10% | 10% | 7% | 13% | 11% | 15% |
| Physically injured another person | 4% | 5% | 0% | 3% | 1% | 3% | 1% | 2% | 2% | 2% | 1% | 1% | 3% | 1% | <1% | 1% |
| Physically injured yourself | 6% | 15% | 31% | 13% | 11% | 14% | 7% | 12% | 6% | 14% | 8% | 11% | 6% | 12% | 6% | 10% |
| Seriously considered suicide | <i>not asked</i> | | 2% | 1% | 1% | 2% | 5% | 3% | <i>not asked</i> | | 2% | 1% | 1% | 1% | 5% | 2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys


Within the last thirty days, what percent of students at your school used...? State your best estimate.

Cigarettes




Within the last thirty days, what percent of students at your school used...? State your best estimate.

Alcohol



Within the last thirty days, what percent of students at your school used...? State your best estimate.

Marijuana



Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you? Percent indicating "yes."

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft) | <i>not asked</i> | | 1.7% | 3.1% | 3.1% | 3.2% | 2.1% | 2.2% |
| Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra) | | | 0.2% | 1.0% | 0.7% | 1.0% | 0.2% | 0.5% |
| Pain killers (e.g., OxyContin, Vicodin, Codeine) | | | 7.7% | 8.6% | 9.6% | 9.3% | 3.8% | 5.5% |
| Sedatives (e.g., Xanax, Valium) | | | 2.9% | 4.4% | 3.0% | 4.5% | 1.2% | 3.3% |
| Stimulants (e.g., Ritalin, Adderall) | | | 1.7% | 5.6% | 3.1% | 7.0% | 3.8% | 8.1% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft) | <i>not asked</i> | | 2% | 3% | 3% | 3% | 2% | 2% | <i>not asked</i> | | 2% | 3% | 4% | 3% | 2% | 2% |
| Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra) | | | 1% | 1% | 0% | 1% | 0% | 1% | | | 0% | <1% | | | | |
| Pain killers (e.g., OxyContin, Vicodin, Codeine) | | | 9% | 9% | 12% | 11% | 4% | 6% | | | 7% | 8% | 9% | 8% | 3% | 5% |
| Sedatives (e.g., Xanax, Valium) | | | 2% | 5% | 2% | 5% | 0% | 4% | | | 4% | 4% | 4% | 4% | 1% | 3% |
| Stimulants (e.g., Ritalin, Adderall) | | | 3% | 6% | 3% | 8% | 2% | 11% | | | 2% | 5% | 3% | 6% | 4% | 7% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Sexual Behavior

- Within the last 12 months...
 - With how many partners have you had oral sex, vaginal intercourse or anal intercourse?
 - Did you have sexual partner(s) who were...
 - Women
 - Men
 - Trans women (added in 2016)
 - Trans men (added in 2016)
 - Genderqueer (added in 2016)
 - Person(s) with another identity (added in 2016)
 - Transgender (only asked in 2008 and 2010)
 - Both male and female (only asked in 2006)

- Within the last 30 days...
 - Did you have oral sex?
 - Did you have vaginal intercourse?
 - Did you have anal intercourse?
 - How many times do you think the typical student at your school has had... (only asked in 2006)
 - Oral sex
 - Vaginal intercourse
 - Anal intercourse

- Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:
 - Oral sex
 - Vaginal intercourse
 - Anal intercourse

Sexual Behavior

- Within the last 30 days, how often do you think a typical student at your school has used a condom during: (asked only in 2006)
 - Oral sex
 - Vaginal sex
 - Anal sex

- Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse? (added in 2008)


- What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse?

| | |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Have not had vaginal intercourse (only asked in 2006; navigation used in later years) | Contraceptive sponge (added in 2008) |
| Birth control implants | Diaphragm or cervical cup |
| Birth control patch (added in 2008) | Fertility awareness (e.g., calendar, mucous, basal body temperature) |
| Birth control pills (monthly or extended cycle) | Intrauterine device (IUD) (added in 2008) |
| Birth control shots | Spermicide (e.g., foam, jelly, cream) |
| Cervical ring (added in 2008) | Sterilization (e.g., hysterectomy, tubes tied, or vasectomy) (added in 2008) |
| Condom (female) (added in 2008) | Withdrawal |
| Condom (male) (added in 2008) | Other method |
| Condoms (male or female) (only asked in 2006) | Nothing (only asked in 2006) |

- Within the last 12 months, have you or your partner(s) used emergency contraception (“morning after pill”)?
- Within the last 12 months, have you unintentionally become pregnant or gotten someone else pregnant?

Within the last 12 months, with how many partners have you had...

Oral sex, vaginal intercourse, or anal intercourse



| Response Rates: | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Within the last 12 months, Did you have sexual partner(s) who were... | | | | | | | | |
| Women (in 2010, "Female") | 16.7% | 25.4% | 22.6% | 22.9% | 26.0% | 27.9% | 25.0% | 23.3% |
| Men (in 2010, "Male") | 38.7% | 44.8% | 43.1% | 47.7% | 43.3% | 47.9% | 39.6% | 47.5% |
| Trans women | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 0.5% | <i>not available</i> |
| Trans men | | | | | | | 0.7% | |
| Genderqueer | | | | | | | 1.6% | |
| Person(s) with another identity | | | | | | | 0.7% | |
| Transgender | | | 0.2% | 0.4% | 0.4% | 0.4% | <i>not an option</i> | |
| Both male and female | 2.4% | 1.2% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|------------------------------------------------------------------------------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------------------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------------------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Within the last 12 months, Did you have sexual partner(s) who were... | | | | | | | | | | | | | | | | |
| Women (in 2010, "Female") | 49% | 66% | 59% | 64% | 61% | 68% | 53% | 62% | 3% | 2% | 5% | 4% | 6% | 4% | 7% | 5% |
| Men (in 2010, "Male") | 5% | 4% | 8% | 5% | 7% | 6% | 7% | 8% | 52% | 68% | 58% | 65% | 62% | 70% | 56% | 66% |
| Trans women | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 0% | <i>not available</i> | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 0% | <i>not available</i> |
| Trans men | | | | | | | 0% | | | | | | | | | |
| Genderqueer | | | | | | | 1% | | | | | | | | | |
| Person(s) with another identity | | | | | | | 0% | | | | | | | | | |
| Transgender | | | 0% | <1% | 1% | <1% | <i>not an option</i> | | <1% | <1% | <1% | <1% | <i>not an option</i> | | | |
| Both male and female | 1% | 1% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 3% | 1% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,

| Response Rates: | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| If you are sexually active, how many times did you have: ORAL SEX | | | | | | | | |
| Never did this sexual activity | 39.9% | 27.9% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 24.2% | 27.0% | | | | | | |
| 1-2 times | 15.0% | 17.6% | | | | | | |
| 3-4 times | 7.4% | 10.4% | | | | | | |
| 5-6 times | 3.6% | 6.0% | | | | | | |
| 7-8 times | 3.4% | 3.6% | | | | | | |
| 9-10 times | 1.8% | 2.4% | | | | | | |
| 11 or more times | 4.8% | 5.2% | | | | | | |
| Did you have: ORAL SEX | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006; see above</i> | | 36.6% | 31.7% | 33.9% | 27.2% | 38.6% | 32.0% |
| No, Have, but not last 30 days | | | 28.2% | 27.4% | 26.1% | 27.7% | 22.4% | 24.7% |
| Yes | | | 35.2% | 40.9% | 40.0% | 45.1% | 39.0% | 43.3% |
| How many times do you think the typical students at your school has had: ORAL SEX | | | | | | | | |
| 0 times | 8.8% | 6.9% | <i>not asked</i> | | | | | |
| 1-2 times | 31.4% | 32.0% | | | | | | |
| 3-4 times | 23.7% | 27.4% | | | | | | |
| 5-6 times | 16.9% | 17.0% | | | | | | |
| 7-8 times | 8.6% | 7.8% | | | | | | |
| 9-10 times | 5.1% | 3.9% | | | | | | |
| 11 or more times | 5.5% | 5.1% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------------------------------|------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| If you are sexually active, how many times did you have: VAGINAL INTERCOURSE | | | | | | | | |
| Never did this sexual activity | 44.5% | 31.4% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 18.6% | 19.8% | | | | | | |
| 1-2 times | 7.0% | 9.3% | | | | | | |
| 3-4 times | 8.4% | 8.3% | | | | | | |
| 5-6 times | 4.0% | 7.2% | | | | | | |
| 7-8 times | 3.0% | 5.7% | | | | | | |
| 9-10 times | 3.6% | 5.1% | | | | | | |
| 11 or more times | 11.0% | 13.2% | | | | | | |
| Did you have: VAGINAL INTERCOURSE | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006;</i> | | 40.0% | 35.6% | 37.2% | 30.1% | 43.5% | 35.3% |
| No, Have, but not last 30 days | | | 21.7% | 19.0% | 19.0% | 10.1% | 17.4% | 18.6% |
| Yes | | | 38.3% | 45.4% | 43.7% | 49.8% | 39.1% | 46.0% |
| How many times do you think the typical students at your school has had: VAGINAL INTERCOURSE | | | | | | | | |
| 0 times | 6.9% | 6.1% | <i>not asked</i> | | | | | |
| 1-2 times | 25.5% | 25.1% | | | | | | |
| 3-4 times | 23.7% | 25.5% | | | | | | |
| 5-6 times | 15.1% | 19.0% | | | | | | |
| 7-8 times | 12.0% | 10.3% | | | | | | |
| 9-10 times | 6.5% | 6.3% | | | | | | |
| 11 or more times | 10.2% | 7.7% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------------------------------|------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| If you are sexually active, how many times did you have: ANAL INTERCOURSE | | | | | | | | |
| Never did this sexual activity | 79.1% | 74.9% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 17.1% | 20.4% | | | | | | |
| 1-2 times | 2.2% | 3.2% | | | | | | |
| 3-4 times | 0.8% | 0.6% | | | | | | |
| 5-6 times | 0.2% | 0.3% | | | | | | |
| 7-8 times | 0.2% | 0.2% | | | | | | |
| 9-10 times | 0.0% | 0.1% | | | | | | |
| 11 or more times | 0.4% | 0.3% | | | | | | |
| Did you have: ANAL INTERCOURSE | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006;</i> | | 79.7% | 79.9% | 75.6% | 76.0% | 73.2% | 77.5% |
| No, Have, but not last 30 days | | | 16.5% | 15.9% | 18.3% | 19.1% | 19.9% | 17.2% |
| Yes | | | 3.8% | 4.2% | 6.0% | 4.9% | 6.9% | 5.3% |
| How many times do you think the typical students at your school has had: ANAL INTERCOURSE | | | | | | | | |
| 0 times | 29.7% | 42.0% | <i>not asked</i> | | | | | |
| 1-2 times | 42.6% | 41.5% | | | | | | |
| 3-4 times | 17.2% | 9.0% | | | | | | |
| 5-6 times | 4.5% | 3.8% | | | | | | |
| 7-8 times | 2.9% | 1.4% | | | | | | |
| 9-10 times | 0.8% | 0.7% | | | | | | |
| 11 or more times | 2.3% | 1.6% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|------------------------------------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|----------------------------------------------------|----------|-----------|----------|----------------------------------------------------------------------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| If you are sexually active, how many times did you have: ORAL SEX | | | | | | | | | | | | | | | | | | |
| Never did this sexual activity | 45% | 27% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | | | | 38% | 28% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 22% | 28% | | | | | | | | | | | | | | | | |
| 1-2 times | 10% | 17% | | | | | | | | | | | | | | | | |
| 3-4 times | 8% | 10% | | | | | | | | | | | | | | | | |
| 5-6 times | 3% | 6% | | | | | | | | | | | | | | | | |
| 7-8 times | 3% | 4% | | | | | | | | | | | | | | | | |
| 9-10 times | 3% | 2% | | | | | | | | | | | | | | | | |
| 11 or more times | 7% | 6% | | | | | | | | | | | | | | | | |
| Did you have: ORAL SEX | | | | | | | | | | | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006; see above</i> | | 32% | 30% | 32% | 27% | 37% | 30% | <i>asked differently in Spring 2006; see above</i> | | 39% | 33% | 35% | 28% | 40% | 33% | | |
| No, Have, but not last 30 days | <i>asked differently in Spring 2006; see above</i> | | 28% | 29% | 27% | 29% | 22% | 26% | <i>asked differently in Spring 2006; see above</i> | | 28% | 27% | 26% | 27% | 23% | 24% | | |
| Yes | <i>asked differently in Spring 2006; see above</i> | | 41% | 41% | 42% | 45% | 41% | 44% | <i>asked differently in Spring 2006; see above</i> | | 33% | 41% | 39% | 45% | 37% | 43% | | |
| How many times do you think the typical students at your school has had: ORAL SEX | | | | | | | | | | | | | | | | | | |
| 0 times | 18% | 9% | <i>not asked</i> | | | | | | | | 5% | 6% | <i>not asked</i> | | | | | |
| 1-2 times | 36% | 38% | | | | | | | | | | | | | | | | |
| 3-4 times | 20% | 27% | | | | | | | | | | | | | | | | |
| 5-6 times | 14% | 14% | | | | | | | | | | | | | | | | |
| 7-8 times | 5% | 6% | | | | | | | | | | | | | | | | |
| 9-10 times | 2% | 3% | | | | | | | | | | | | | | | | |
| 11 or more times | 6% | 4% | | | | | | | | | | | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------|------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|------------------------------------------|----------|-----------|----------|----------------------------------------------------------------------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| If you are sexually active, how many times did you have: VAGINAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| Never did this sexual activity | 51% | 32% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | | | | 42% | 31% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 19% | 22% | | | | | | | | | 19% | 19% | | | | | | |
| 1-2 times | 4% | 9% | | | | | | | | | 8% | 10% | | | | | | |
| 3-4 times | 8% | 8% | | | | | | | | | 9% | 9% | | | | | | |
| 5-6 times | 5% | 7% | | | | | | | | | 4% | 8% | | | | | | |
| 7-8 times | 3% | 5% | | | | | | | | | 3% | 6% | | | | | | |
| 9-10 times | 4% | 5% | | | | | | | | | 4% | 5% | | | | | | |
| 11 or more times | 8% | 12% | | | | | | | | | 13% | 14% | | | | | | |
| Did you have: VAGINAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006;</i> | | 40% | 37% | 41% | 32% | 46% | 37% | <i>asked differently in Spring 2006;</i> | | 41% | 35% | 35% | 29% | 42% | 35% | | |
| No, Have, but not last 30 days | | | 24% | 22% | 20% | 23% | 19% | 21% | | | 20% | 18% | 19% | 19% | 16% | 18% | | |
| Yes | | | 36% | 42% | 40% | 45% | 34% | 42% | | | 39% | 47% | 46% | 52% | 42% | 48% | | |
| How many times do you think the typical students at your school has had: VAGINAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| 0 times | 14% | 8% | <i>not asked</i> | | | | | | | | 4% | 5% | <i>not asked</i> | | | | | |
| 1-2 times | 35% | 33% | | | | | | | | | 22% | 21% | | | | | | |
| 3-4 times | 23% | 26% | | | | | | | | | 25% | 25% | | | | | | |
| 5-6 times | 13% | 16% | | | | | | | | | 16% | 21% | | | | | | |
| 7-8 times | 7% | 7% | | | | | | | | | 14% | 12% | | | | | | |
| 9-10 times | 1% | 4% | | | | | | | | | 9% | 8% | | | | | | |
| 11 or more times | 8% | 5% | | | | | | | | | 11% | 9% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 30 days,


| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|--------------------------------------------------------------------------------------------------|------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|------------------------------------------|----------|-----------|----------|----------------------------------------------------------------------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| If you are sexually active, how many times did you have: ANAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| Never did this sexual activity | 75% | 71% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | | | | 80% | 74% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see below</i> | | | | | |
| Have not done this during last 30 days | 20% | 23% | | | | | | | | | 17% | 21% | | | | | | |
| 1-2 times | 2% | 4% | | | | | | | | | 2% | 3% | | | | | | |
| 3-4 times | 1% | 1% | | | | | | | | | 1% | 1% | | | | | | |
| 5-6 times | 0% | 0% | | | | | | | | | 0% | 0% | | | | | | |
| 7-8 times | 1% | 0% | | | | | | | | | 0% | 0% | | | | | | |
| 9-10 times | 0% | 0% | | | | | | | | | 0% | 0% | | | | | | |
| 11 or more times | 1% | 1% | 0% | 1% | | | | | | | | | | | | | | |
| Did you have: ANAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| No, Never done this sexual activity | <i>asked differently in Spring 2006;</i> | | 78% | 77% | 74% | 73% | 72% | 74% | <i>asked differently in Spring 2006;</i> | | 81% | 81% | 76% | 78% | 75% | 79% | | |
| No, Have, but not last 30 days | | | 18% | 18% | 20% | 21% | 18% | 19% | | | 15% | 15% | 18% | 18% | 20% | 16% | | |
| Yes | | | 4% | 6% | 6% | 6% | 10% | 7% | | | 3% | 4% | 6% | 4% | 5% | 4% | | |
| How many times do you think the typical students at your school has had: ANAL INTERCOURSE | | | | | | | | | | | | | | | | | | |
| 0 times | 39% | 49% | <i>not asked</i> | | | | | | | | 26% | 38% | <i>not asked</i> | | | | | |
| 1-2 times | 37% | 38% | | | | | | | | | 45% | 43% | | | | | | |
| 3-4 times | 18% | 7% | | | | | | | | | 17% | 10% | | | | | | |
| 5-6 times | 2% | 3% | | | | | | | | | 6% | 4% | | | | | | |
| 7-8 times | 3% | 1% | | | | | | | | | 3% | 2% | | | | | | |
| 9-10 times | 0% | 1% | | | | | | | | | 1% | 1% | | | | | | |
| 11 or more times | 1% | 2% | | | | | | | | | 3% | 2% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys


Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

Oral sex



NOTE: Means are based on those who have done this sexual activity. Additional option of "Have not during last 30 days" was available.


Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:



NOTE: Means are based on those who have done this sexual activity. Additional option of "Have not during last 30 days" was available.

Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during:

Anal intercourse




NOTE: Means are based on those who have done this sexual activity. Additional option of "Have not during last 30 days" was available.

Within the last 30 days, how often do you think a typical student at your school has used a condom during:

(Totals may not add to 100% due to rounding.)

Spring 2006 Only

Oral sex




Within the last 30 days, how often do you think a typical student at your school has used a condom during:

(Totals may not add to 100% due to rounding.)

Spring 2006 Only

Vaginal sex




Within the last 30 days, how often do you think a typical student at your school has used a condom during:

(Totals may not add to 100% due to rounding.)

Spring 2006 Only

Anal sex



| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------|----------------------|----------------------|------------------------|----------------------|------------------------|----------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse? | | | | | | | | |
| Yes | | | 44.1% | 52.4% | 51.5% | 56.6% | 43.5% | 52.5% |
| Not had vaginal intercourse | | | 38.2% | 34.1% | 34.9% | 28.0% | 41.3% | 32.4% |
| No intercourse resulting pregnancy | | | 5.2% | 3.1% | 4.4% | 3.2% | 4.1% | 4.3% |
| Not want to prevent pregnancy | | | 1.3% | 1.1% | 0.7% | 1.3% | 1.4% | 1.2% |
| Not use any birth control | | | 10.0% | 7.4% | 6.9% | 8.4% | 6.7% | 7.5% |
| Don't know | | | 1.2% | 1.9% | 1.6% | 2.6% | 2.9% | 2.2% |
| What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse? | | | | | | | | |
| Have not had vaginal intercourse | 35.5% | 23.5% | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> |
| Birth control implants | 0.4% | 0.2% | 0.4% | 0.6% | 1.7% | 1.1% | 5.2% | 4.6% |
| Birth control patch | <i>not an option</i> | <i>not an option</i> | 0.0% | 1.2% | 1.0% | 1.3% | 1.6% | 1.0% |
| Birth control pills (monthly or extended cycle) | 21.2% | 38.0% | 54.7% | 60.9% | 64.0% | 60.9% | 51.2% | 62.0% |
| Birth controls shots | 2.3% | 1.5% | 4.1% | 2.5% | 1.7% | 3.0% | 10.0% | 4.3% |
| Cervical ring | <i>not an option</i> | <i>not an option</i> | 3.2% | 5.4% | 4.1% | 4.6% | 3.2% | 3.3% |
| Condom (female) | <i>not an option</i> | <i>not an option</i> | 0.4% | 0.7% | 0.3% | 0.7% | 0.8% | 0.8% |
| Condom (male) | <i>not an option</i> | <i>not an option</i> | 73.6% | 63.6% | 64.6% | 61.2% | 70.0% | 65.7% |
| Condoms (male or female) | 28.8% | 37.1% | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> |
| Contraceptive sponge | <i>not an option</i> | <i>not an option</i> | 0.4% | 0.4% | 0.0% | 0.4% | 0.4% | 0.3% |
| Diaphragm or cervical cap | 0.8% | 0.5% | 1.4% | 0.5% | 0.0% | 0.5% | 0.4% | 0.3% |
| Fertility awareness (e.g., calendar, mucous, basal body temperature) | 4.1% | 2.6% | 9.9% | 5.6% | 7.6% | 5.4% | 12.0% | 7.8% |
| Intrauterine device (IUD) | <i>not an option</i> | <i>not an option</i> | 2.7% | 3.3% | 3.8% | 4.3% | 6.0% | 6.2% |
| Spermicide (e.g., foam, jelly, cream) | 3.3% | 2.5% | 12.2% | 6.6% | 9.3% | 5.0% | 9.1% | 3.9% |
| Sterilization (e.g., hysterectomy, tubes tied, or vasectomy) | <i>not an option</i> | <i>not an option</i> | 3.6% | 2.5% | 2.4% | 2.8% | 0.8% | 1.6% |
| Withdrawal | 19.1% | 13.8% | 41.7% | 27.4% | 30.6% | 26.3% | 42.0% | 34.5% |
| Other method | 4.7% | 4.4% | 2.2% | 2.1% | 2.8% | 2.3% | 3.2% | 2.0% |
| Nothing | 6.4% | 4.0% | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> | <i>not an option</i> |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------|----------------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse? | | | | | | | | | | | | | | | | |
| Yes | | | 47% | 50% | 48% | 53% | 39% | 50% | | | 43% | 54% | 54% | 59% | 46% | 54% |
| Not had vaginal intercourse | | | 36% | 35% | 37% | 29% | 45% | 33% | | | 40% | 34% | 34% | 27% | 40% | 32% |
| No intercourse resulting pregnancy | <i>not asked</i> | | 7% | 3% | 4% | 3% | 1% | 4% | <i>not asked</i> | | 4% | 3% | 5% | 3% | 6% | 4% |
| Not want to prevent pregnancy | | | 1% | 1% | 2% | 1% | 3% | 1% | | | 2% | 1% | <1% | 1% | 1% | 1% |
| Not use any birth control | | | 9% | 7% | 6% | 8% | 8% | 7% | | | 10% | 8% | 7% | 8% | 6% | 8% |
| Don't know | | | 1% | 4% | 4% | 5% | 5% | 5% | | | 1% | 1% | <1% | 1% | 1% | 1% |
| What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse? | | | | | | | | | | | | | | | | |
| Have not had vaginal intercourse | 39% | 23% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 34% | 25% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | |
| Birth control implants | 1% | 0% | 1% | 1% | 2% | 2% | 4% | 5% | <1% | 0% | 0% | <1% | 2% | 1% | 6% | 5% |
| Birth control patch | <i>not an option</i> | | 0% | 2% | 3% | 2% | 1% | 2% | <i>not an option</i> | | 0% | 1% | 0% | 1% | 1% | 1% |
| Birth control pills (monthly or extended cycle) | 19% | 36% | 48% | 63% | 71% | 61% | 57% | 64% | 22% | 40% | 58% | 60% | 61% | 61% | 48% | 61% |
| Birth controls shots | 3% | 1% | 9% | 3% | 1% | 3% | 9% | 5% | 2% | 2% | 1% | 2% | 2% | 3% | 9% | 4% |
| Cervical ring | <i>not an option</i> | | 0% | 5% | 6% | 5% | 1% | 4% | <i>not an option</i> | | 5% | 6% | 3% | 5% | 3% | 3% |
| Condom (female) | <i>not an option</i> | | 0% | 1% | 0% | 1% | 0% | 1% | <i>not an option</i> | | 1% | 1% | 1% | 1% | 1% | 1% |
| Condom (male) | <i>not an option</i> | | 78% | 69% | 67% | 66% | 75% | 71% | <i>not an option</i> | | 71% | 61% | 64% | 59% | 67% | 64% |
| Condoms (male or female) | 30% | 40% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 29% | 36% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | |
| Contraceptive sponge | <i>not an option</i> | | 0% | 1% | 0% | 1% | 0% | 1% | <i>not an option</i> | | 1% | <1% | 0% | <1% | 0% | <1% |
| Diaphragm or cervical cap | 1% | 1% | 3% | 1% | 0% | 1% | 0% | 1% | 1% | 0% | 1% | <1% | 0% | <1% | 0% | <1% |
| Fertility awareness (e.g., calendar, mucous, basal body temperature) | 3% | 3% | 9% | 5% | 3% | 5% | 4% | 6% | 5% | 3% | 15% | 6% | 10% | 6% | 16% | 9% |
| Intrauterine device (IUD) | <i>not an option</i> | | 3% | 3% | 2% | 4% | 3% | 6% | <i>not an option</i> | | 3% | 3% | 4% | 5% | 8% | 6% |
| Spermicide (e.g., foam, jelly, cream) | 4% | 3% | 19% | 9% | 13% | 7% | 9% | 6% | 3% | 2% | 13% | 6% | 8% | 4% | 8% | 3% |
| Sterilization (e.g., hysterectomy, tubes tied, or vasectomy) | <i>not an option</i> | | 0% | 2% | 1% | 2% | 0% | 2% | <i>not an option</i> | | 8% | 3% | 3% | 3% | 1% | 2% |
| Withdrawal | 16% | 13% | 36% | 25% | 35% | 25% | 34% | 32% | 20% | 14% | 65% | 29% | 28% | 27% | 46% | 36% |
| Other method | 5% | 3% | 5% | 2% | 5% | 3% | 4% | 3% | 4% | 5% | 1% | 2% | 2% | 2% | 1% | 2% |
| Nothing | 5% | 5% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | | 7% | 4% | <i>not an option</i> | | <i>not an option</i> | | <i>not an option</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Response Rates: | | | | | | | | |
| Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")? (in 2010, if you are sexually active...") | | | | | | | | |
| N/A No vaginal intercourse in last 12 months | 42.5% | 28.9% | 42.4% | 36.8% | 37.3% | 31.1% | 44.7% | 36.4% |
| No | 49.2% | 60.8% | 50.7% | 52.8% | 53.7% | 55.9% | 44.0% | 50.8% |
| Yes | 5.9% | 8.0% | 5.0% | 8.9% | 8.0% | 11.3% | 10.2% | 11.3% |
| Don't know | 2.4% | 2.3% | 1.9% | 1.5% | 1.1% | 1.7% | 1.0% | 1.4% |
| Within the last 12 months, have you or your partner become pregnant? (in 2010, "have you unintentionally become pregnant or gotten someone else pregnant?") | | | | | | | | |
| No vaginal intercourse in last 12 months | 41.4% | 30.0% | 42.0% | 36.8% | 37.6% | 31.0% | 44.9% | 36.4% |
| No | 55.3% | 67.6% | 54.5% | 60.4% | 59.4% | 65.8% | 51.7% | 61.5% |
| Yes | 1.8% | 1.5% | not an option | | not an option | | not an option | |
| Yes, unintentionally | not an option | | 2.5% | 1.3% | 1.6% | 1.5% | 1.2% | 0.9% |
| Yes, intentionally | not an option | | 0.2% | 0.7% | 0.7% | 0.8% | 1.0% | 0.6% |
| Don't know | 14.0% | 0.9% | 0.8% | 0.8% | 0.7% | 0.8% | 1.2% | 0.7% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|---------------|----------|---------------|----------|---------------|----------|---------------|----------|---------------|----------|---------------|----------|---------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Response Rates: | | | | | | | | | | | | | | | | |
| Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")? (in 2010, "Within the last 12 months, if you are sexually active...") | | | | | | | | | | | | | | | | |
| N/A No vaginal intercourse in last 12 months | 44% | 28% | 43% | 39% | 39% | 33% | 46% | 39% | 42% | 30% | 42% | 36% | 36% | 30% | 44% | 35% |
| No | 41% | 59% | 46% | 50% | 51% | 54% | 44% | 49% | 52% | 62% | 53% | 54% | 55% | 57% | 45% | 52% |
| Yes | 7% | 7% | 5% | 7% | 7% | 9% | 7% | 9% | 6% | 9% | 5% | 10% | 9% | 12% | 11% | 12% |
| Don't know | 8% | 6% | 6% | 4% | 3% | 4% | 3% | 4% | <1% | 0% | <1% | <1% | 0% | <1% | 0% | <1% |
| Within the last 12 months, have you or your partner become pregnant? (in 2010, "have you unintentionally become pregnant or gotten someone else pregnant?") | | | | | | | | | | | | | | | | |
| No vaginal intercourse in last 12 months | 44% | 31% | 43% | 39% | 40% | 33% | 47% | 39% | 40% | 30% | 42% | 36% | 37% | 30% | 44% | 35% |
| No | 54% | 66% | 55% | 58% | 56% | 63% | 49% | 58% | 57% | 68% | 54% | 61% | 61% | 67% | 54% | 63% |
| Yes | 0% | 2% | not an option | | not an option | | not an option | | 2% | 1% | not an option | | not an option | | not an option | |
| Yes, unintentionally | not an option | | 2% | 1% | 3% | 2% | 2% | 1% | not an option | | 3% | 1% | 1% | 2% | 1% | 1% |
| Yes, intentionally | not an option | | 0% | 1% | 1% | 1% | 1% | 1% | not an option | | <1% | 1% | 1% | 1% | 1% | <1% |
| Don't know | 3% | 2% | 1% | 2% | 1% | 1% | 2% | 1% | 1% | 0% | 1% | <1% | 1% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.


Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Nutrition and Exercise

- How many servings of fruits and vegetables do you usually have per day?
- On how many of the past 7 days did you...
 - Participate in vigorous exercise for at least 20 minutes or moderate exercise for at least 30 minutes (only asked in 2006)
 - Do moderate intensity cardio or aerobic exercise for at least 30 minutes (added in 2008)
 - Do 8-10 strength training exercises for 8-12 repetitions each (added in 2008)
 - Do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting (only asked in 2006)
 - Do vigorous intensity cardio or aerobic exercise for at least 20 minutes (added in 2008)
- How do you describe your weight?
- Are you trying to do any of the following about your weight?
 - Gain weight
 - Lose weight
 - Stay the same weight
 - I am not trying to do anything
- Within the last 30 days, did you do any of the following to lose weight?
 - Take diet pills
 - Vomit or take laxatives
 - Diet
 - Exercise

How many servings of fruits and vegetables do you usually have per day?

(Totals may not add to 100% due to rounding.)



On how many of the past 7 days did you...

| | | ALL STUDENTS | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------|------------------|------------------------|----------------------|----------------------|----------|------------------------|----------|------------------------|----------|
| Response Rates: | | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | | Berea | National | Berea | National | Berea | National | Berea | National |
| Do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting | | | | | | | | | |
| 0 days | 40.9% | 38.2% | <i>not asked</i> | | | | | | |
| 1 day | 11.6% | 14.1% | | | | | | | |
| 2 days | 16.9% | 15.4% | | | | | | | |
| 3 days | 15.2% | 14.4% | | | | | | | |
| 4 days | 6.5% | 7.4% | | | | | | | |
| 5-7 days | 8.9% | 10.6% | | | | | | | |
| Do vigorous intensity cardio or aerobic exercise for at least 20 minutes (in 2010, "for at least 30 minutes") | | | | | | | | | |
| 0 days | <i>not asked</i> | | 40.0% | 41.4% | 37.1% | 37.6% | 42.7% | 40.2% | |
| 1 day | | | 15.4% | 15.7% | 16.8% | 16.1% | 15.4% | 16.5% | |
| 2 days | | | 14.1% | 14.3% | 13.7% | 15.0% | 14.2% | 14.6% | |
| 3 days | | | 13.1% | 11.3% | 14.7% | 12.3% | 13.0% | 11.2% | |
| 4 days | | | 5.4% | 6.3% | 8.4% | 7.1% | 5.7% | 6.4% | |
| 5 days (in 2010, "5-7 days") | | | 12.0% | 11.0% | 9.3% | 11.8% | 4.8% | 5.8% | |
| 6 days | | | <i>not an option</i> | | | | | 2.6% | 3.3% |
| 7 days | | | | | | 1.6% | 2.0% | | |
| Participate in vigorous exercise for at least 20 minutes or moderate exercise for at least 30 minutes | | | | | | | | | |
| 0 days | 25.4% | 24.4% | <i>not asked</i> | | | | | | |
| 1 day | 10.6% | 14.4% | | | | | | | |
| 2 days | 14.9% | 17.0% | | | | | | | |
| 3 days | 20.2% | 16.7% | | | | | | | |
| 4 days | 9.2% | 9.9% | | | | | | | |
| 5-7 days | 19.8% | 17.5% | | | | | | | |
| Do moderate intensity cardio or aerobic exercise for at least 30 minutes | | | | | | | | | |
| 0 days | <i>not asked</i> | | 21.0% | 24.2% | 20.5% | 22.5% | 20.5% | 23.2% | |
| 1 day | | | 10.6% | 14.5% | 13.5% | 14.0% | 14.1% | 14.4% | |
| 2 days | | | 14.5% | 17.7% | 15.9% | 18.2% | 18.4% | 17.3% | |
| 3 days | | | 18.0% | 15.8% | 19.2% | 16.5% | 16.4% | 15.6% | |
| 4 days | | | 9.8% | 8.7% | 11.4% | 9.7% | 9.8% | 9.3% | |
| 5 days (in 2010, "5-7 days") | | | 26.0% | 19.0% | 19.5% | 19.3% | 11.2% | 9.9% | |
| 6 days | | | <i>not an option</i> | | | | | 4.0% | 4.7% |
| 7 days | | | | | | 5.7% | 5.4% | | |
| Do 8-10 strength training exercises for 8-12 repetitions each | | | | | | | | | |
| 0 days | <i>not asked</i> | | 59.9% | 56.4% | 54.9% | 50.7% | 60.8% | 49.8% | |
| 1 day | | | 13.4% | 11.3% | 10.0% | 11.7% | 11.7% | 12.0% | |
| 2 days | | | 7.0% | 11.2% | 13.0% | 12.2% | 7.9% | 11.8% | |
| 3 days | | | 12.0% | 9.9% | 11.8% | 11.2% | 9.5% | 10.7% | |
| 4 days | | | 2.7% | 4.8% | 6.0% | 6.0% | 3.6% | 6.1% | |
| 5 days (in 2010, "5-7 days") | | | 5.1% | 6.3% | 4.3% | 8.2% | 3.6% | 5.4% | |
| 6 days | | | <i>not an option</i> | | | | | 1.4% | 2.7% |
| 7 days | | | | | | 1.5% | 1.6% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

On how many of the past 7 days did you...


| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------|----------------------|----------|------------------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|------------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| Do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting | | | | | | | | | | | | | | | | | | |
| 0 days | 37% | 35% | <i>not asked</i> | | | | | | | | 43% | 40% | <i>not asked</i> | | | | | |
| 1 day | 9% | 13% | | | | | | | | | | | | | | | | |
| 2 days | 16% | 14% | | | | | | | | | | | | | | | | |
| 3 days | 17% | 15% | | | | | | | | | | | | | | | | |
| 4 days | 10% | 9% | | | | | | | | | | | | | | | | |
| 5-7 days | 13% | 14% | | | | | | | | | 7% | 9% | | | | | | |
| Do vigorous intensity cardio or aerobic exercise for at least 20 minutes (in 2010, "for at least 30 minutes") | | | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 33% | 33% | 28% | 32% | 36% | 35% | <i>not asked</i> | | | | | | | | | |
| 1 day | | | 16% | 17% | 13% | 17% | 13% | 17% | | | | | | | | | | |
| 2 days | | | 13% | 15% | 17% | 16% | 18% | 16% | | | | | | | | | | |
| 3 days | | | 14% | 14% | 17% | 14% | 14% | 12% | | | | | | | | | | |
| 4 days | | | 8% | 8% | 12% | 8% | 4% | 7% | | | | | | | | | | |
| 5 days (in 2010, "5-7 days") | | | 17% | 14% | 14% | 15% | 8% | 7% | | | | | | | | | | |
| 6 days | <i>not an option</i> | | | | | | 5% | 4% | <i>not an option</i> | | | | | | | | | |
| 7 days | <i>not an option</i> | | | | | | 3% | 3% | | | | | | | 2% | 3% | | |
| Participate in vigorous exercise for at least 20 minutes or moderate exercise for at least 30 minutes | | | | | | | | | | | | | | | | | | |
| 0 days | 27% | 22% | <i>not asked</i> | | | | | | | | 25% | 26% | <i>not asked</i> | | | | | |
| 1 day | 6% | 15% | | | | | | | | | | | | | | | | |
| 2 days | 15% | 17% | | | | | | | | | | | | | | | | |
| 3 days | 18% | 17% | | | | | | | | | | | | | | | | |
| 4 days | 11% | 10% | | | | | | | | | | | | | | | | |
| 5-7 days | 23% | 20% | | | | | | | | | 9% | 10% | | | | | | |
| Do moderate intensity cardio or aerobic exercise for at least 30 minutes | | | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 23% | 22% | 19% | 22% | 20% | 23% | <i>not asked</i> | | | | | | | | | |
| 1 day | | | 10% | 14% | 10% | 14% | 13% | 14% | | | | | | | | | | |
| 2 days | | | 11% | 16% | 18% | 17% | 18% | 16% | | | | | | | | | | |
| 3 days | | | 20% | 15% | 21% | 16% | 12% | 15% | | | | | | | | | | |
| 4 days | | | 11% | 9% | 14% | 10% | 11% | 9% | | | | | | | | | | |
| 5 days (in 2010, "5-7 days") | | | 26% | 23% | 20% | 21% | 12% | 11% | | | | | | | | | | |
| 6 days | <i>not an option</i> | | | | | | 7% | 5% | <i>not an option</i> | | | | | | | | | |
| 7 days | <i>not an option</i> | | | | | | 7% | 7% | | | | | | | 5% | 5% | | |
| Do 8-10 strength training exercises for 8-12 repetitions each (in 2010 "for at least 30 minutes") | | | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 53% | 45% | 47% | 43% | 49% | 42% | <i>not asked</i> | | | | | | | | | |
| 1 day | | | 12% | 11% | 10% | 11% | 11% | 11% | | | | | | | | | | |
| 2 days | | | 9% | 11% | 13% | 12% | 10% | 11% | | | | | | | | | | |
| 3 days | | | 14% | 13% | 14% | 14% | 10% | 13% | | | | | | | | | | |
| 4 days | | | 4% | 8% | 9% | 8% | 7% | 8% | | | | | | | | | | |
| 5 days (in 2010, "5-7 days") | | | 7% | 12% | 7% | 12% | 6% | 8% | | | | | | | | | | |
| 6 days | <i>not an option</i> | | | | | | 3% | 4% | <i>not an option</i> | | | | | | | | | |
| 7 days | <i>not an option</i> | | | | | | 3% | 3% | | | | | | | 1% | 1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys


How do you describe your weight?

(Totals may not add to 100% due to rounding.)




Are you trying to do any of the following about your weight?

(Totals may not add to 100% due to rounding.)




Within the last 30 days, did you do any of the following to lose weight?

Exercise




Within the last 30 days, did you do any of the following to lose weight?

Diet




Within the last 30 days, did you do any of the following to lose weight?

Vomit or take laxatives



Within the last 30 days, did you do any of the following to lose weight?

Take diet pills



Mental Health

- Have you ever...
 - Attempted suicide
 - Felt exhausted (not from physical activity)
 - Felt overwhelmed by all you had to do
 - Felt overwhelming anger (added in 2008)
 - Felt overwhelming anxiety (added in 2008)
 - Felt so depressed that it was difficult to function
 - Felt things were hopeless
 - Felt very lonely (added in 2008)
 - Felt very sad
 - Intentionally cut, burned, bruised, or otherwise injured yourself (added in 2008)
 - Seriously considered attempting suicide

- Have you ever been diagnosed with depression?
 - If yes, (follow-up questions only asked in 2006)
 - Have you been diagnosed with depression within the last school year?
 - Are you currently in therapy for depression?
 - Are you currently taking medication for depression?

- Within the last 12 months, have you been diagnosed or treated by a professional for (added in 2008)

| | |
|----------------------------------------------|-------------------------------------------------------|
| Anorexia | Obsessive Compulsive Disorder (OCD) |
| Anxiety | Panic attacks |
| Attention Deficit and Hyperactivity Disorder | Phobia |
| Bipolar Disorder | Schizophrenia |
| Bulimia | Substance abuse or addiction (alcohol or other drugs) |
| Depression | Other addiction (e.g., gambling, Internet, sexual) |
| Insomnia | Other mental health condition |
| Other sleep disorder | |

Mental Health

- Within the last 12 months, has any of the following been traumatic or very difficult for you to handle? (added in 2008)

| | |
|----------------------------------------------|------------------------|
| Academics | Intimate relationships |
| Career-related issues | Other relationships |
| Death of a family member or friend | Personal appearance |
| Family problems | Personal health issue |
| Finances | Sleep difficulties |
| Health problem of a family member or partner | Other |

- Have you ever received psychological or mental health services from any of the following? (added in 2008)
 - Counselor/therapist/psychologist
 - Psychiatrist
 - Other medical provider (e.g., physician, nurse practitioner)
 - Minister/Priest/Rabbi/other clergy
 - College's counseling or health service
- If in the future, you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional? (added in 2008)
- Within the last 12 months, how would you rate the overall level of stress you have experienced? (added in 2008)

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Attempted suicide | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 88.8% | 92.3% | 85.0% | 92.3% | 82.9% | 90.6% |
| Not in the last 12 months | | | 9.7% | 6.5% | 13.5% | 6.4% | 13.6% | 7.8% |
| In the last 2 weeks | | | 0.4% | 0.3% | 0.3% | 0.3% | 0.9% | 0.3% |
| In the last 30 days | | | 0.0% | 0.1% | 0.2% | 0.2% | 0.0% | 0.2% |
| In the last 12 months | | | 1.2% | 0.9% | 1.0% | 0.8% | 2.6% | 1.1% |
| Never | 98.6% | 98.7% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 1.2% | 0.9% | | | | | | |
| 3 - 4 times | 0.0% | 0.1% | | | | | | |
| 5 - 6 times | 0.0% | 0.1% | | | | | | |
| 7 - 8 times | 0.0% | 0.0% | | | | | | |
| 9 - 10 times | 0.0% | 0.0% | | | | | | |
| 11 or more times | 0.2% | 0.1% | | | | | | |
| Felt exhausted (not from physical activity) | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 6.9% | 11.7% | 7.2% | 13.1% | 11.6% | 11.5% |
| Not in the last 12 months | | | 5.2% | 6.4% | 6.1% | 6.9% | 3.6% | 6.2% |
| In the last 2 weeks | | | 62.0% | 50.4% | 54.6% | 45.0% | 58.8% | 51.3% |
| In the last 30 days | | | 14.5% | 16.8% | 15.4% | 17.2% | 15.7% | 15.8% |
| In the last 12 months | | | 11.4% | 14.4% | 16.6% | 17.8% | 10.3% | 15.3% |
| Never | 6.1% | 8.5% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 12.2% | 17.0% | | | | | | |
| 3 - 4 times | 11.8% | 14.8% | | | | | | |
| 5 - 6 times | 13.7% | 13.4% | | | | | | |
| 7 - 8 times | 12.0% | 10.4% | | | | | | |
| 9 - 10 times | 11.4% | 8.7% | | | | | | |
| 11 or more times | 32.9% | 27.2% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt overwhelmed by all you had to do | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 5.6% | 8.2% | 4.7% | 9.6% | 10.6% | 8.9% |
| Not in the last 12 months | | | 3.7% | 4.4% | 2.8% | 5.2% | 2.9% | 4.4% |
| In the last 2 weeks | | | 64.0% | 54.2% | 52.6% | 47.0% | 58.2% | 52.7% |
| In the last 30 days | | | 12.5% | 17.1% | 17.0% | 17.7% | 15.6% | 16.4% |
| In the last 12 months | | | 14.3% | 16.1% | 22.9% | 20.5% | 12.7% | 17.7% |
| Never | 3.9% | 6.5% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 13.2% | 16.3% | | | | | | |
| 3 - 4 times | 13.9% | 15.5% | | | | | | |
| 5 - 6 times | 14.5% | 14.3% | | | | | | |
| 7 - 8 times | 10.4% | 10.5% | | | | | | |
| 9 - 10 times | 8.4% | 9.1% | | | | | | |
| 11 or more times | 35.6% | 27.7% | | | | | | |
| Felt overwhelming anger | | | | | | | | |
| Never | <i>not asked</i> | | 31.0% | 39.8% | 29.2% | 40.4% | 30.7% | 38.6% |
| Not in the last 12 months | | | 21.7% | 21.6% | 21.8% | 21.4% | 20.2% | 22.0% |
| In the last 2 weeks | | | 15.9% | 12.0% | 16.0% | 11.4% | 18.6% | 13.0% |
| In the last 30 days | | | 9.5% | 8.8% | 11.2% | 8.4% | 12.4% | 8.5% |
| In the last 12 months | | | 21.9% | 17.9% | 21.8% | 18.4% | 18.1% | 17.9% |
| Felt overwhelming anxiety | | | | | | | | |
| Never | <i>not asked</i> | | 30.2% | 35.0% | 27.0% | 35.7% | 25.9% | 29.2% |
| Not in the last 12 months | | | 15.1% | 15.9% | 16.1% | 15.9% | 9.8% | 13.1% |
| In the last 2 weeks | | | 24.2% | 19.4% | 20.4% | 17.5% | 30.4% | 24.7% |
| In the last 30 days | | | 12.4% | 11.5% | 13.3% | 11.0% | 15.8% | 12.6% |
| In the last 12 months | | | 18.0% | 18.2% | 23.2% | 19.9% | 18.0% | 20.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt so depressed that it was difficult to function | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 40.0% | 46.6% | 34.4% | 47.2% | 32.8% | 43.7% |
| Not in the last 12 months | | | 20.0% | 22.7% | 21.7% | 22.1% | 18.2% | 21.1% |
| In the last 2 weeks | | | 14.7% | 10.0% | 12.6% | 9.1% | 21.1% | 12.4% |
| In the last 30 days | | | 7.5% | 5.8% | 8.7% | 6.0% | 10.7% | 6.8% |
| In the last 12 months | | | 16.8% | 14.8% | 22.6% | 15.6% | 17.2% | 16.1% |
| Never | 39.6% | 56.2% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 26.9% | 20.8% | | | | | | |
| 3 - 4 times | 9.6% | 6.7% | | | | | | |
| 5 - 6 times | 5.5% | 4.1% | | | | | | |
| 7 - 8 times | 2.7% | 2.8% | | | | | | |
| 9 - 10 times | 3.1% | 2.3% | | | | | | |
| 11 or more times | 12.5% | 7.1% | | | | | | |
| Felt things were hopeless | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 27.0% | 33.1% | 21.6% | 34.6% | 23.8% | 31.5% |
| Not in the last 12 months | | | 16.8% | 20.0% | 19.5% | 19.9% | 14.9% | 19.0% |
| In the last 2 weeks | | | 24.9% | 16.9% | 19.9% | 14.9% | 30.3% | 19.1% |
| In the last 30 days | | | 10.6% | 8.9% | 11.8% | 8.7% | 13.7% | 9.4% |
| In the last 12 months | | | 20.8% | 21.1% | 27.2% | 22.0% | 17.4% | 21.0% |
| Never | 29.0% | 37.8% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 23.3% | 26.9% | | | | | | |
| 3 - 4 times | 14.5% | 11.6% | | | | | | |
| 5 - 6 times | 8.2% | 6.9% | | | | | | |
| 7 - 8 times | 5.1% | 4.0% | | | | | | |
| 9 - 10 times | 4.5% | 3.0% | | | | | | |
| 11 or more times | 15.3% | 9.8% | | | | | | |
| Felt very lonely | | | | | | | | |
| Never | <i>not asked</i> | | 16.2% | 21.4% | 13.6% | 23.9% | 17.8% | 21.9% |
| Not in the last 12 months | | | 15.6% | 18.9% | 17.5% | 19.8% | 15.4% | 17.6% |
| In the last 2 weeks | | | 35.1% | 25.5% | 32.2% | 21.1% | 34.8% | 26.4% |
| In the last 30 days | | | 13.9% | 13.8% | 12.6% | 12.7% | 12.3% | 12.8% |
| In the last 12 months | | | 19.3% | 20.5% | 24.1% | 22.6% | 19.7% | 21.3% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt very sad | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 12.2% | 19.1% | 12.3% | 21.3% | 17.3% | 19.1% |
| Not in the last 12 months | | | 13.7% | 17.1% | 14.9% | 18.0% | 11.7% | 15.9% |
| In the last 2 weeks | | | 38.0% | 26.3% | 33.5% | 22.3% | 38.4% | 27.8% |
| In the last 30 days | | | 14.5% | 14.1% | 13.9% | 13.3% | 15.4% | 13.7% |
| In the last 12 months | | | 21.6% | 23.3% | 25.4% | 25.1% | 17.2% | 23.6% |
| Never | 12.4% | 20.6% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 25.7% | 31.0% | | | | | | |
| 3 - 4 times | 15.1% | 14.4% | | | | | | |
| 5 - 6 times | 13.1% | 9.4% | | | | | | |
| 7 - 8 times | 8.4% | 6.3% | | | | | | |
| 9 - 10 times | 4.7% | 5.0% | | | | | | |
| 11 or more times | 20.6% | 13.3% | | | | | | |
| Intentionally cut, burned, bruised, or otherwise injured yourself | | | | | | | | |
| Never | <i>not asked</i> | | 77.0% | 83.1% | 75.3% | 83.2% | 73.6% | 80.3% |
| Not in the last 12 months | | | 12.8% | 11.4% | 17.7% | 11.5% | 15.9% | 12.6% |
| In the last 2 weeks | | | 2.5% | 1.4% | 1.1% | 1.3% | 2.8% | 1.8% |
| In the last 30 days | | | 1.4% | 0.9% | 1.1% | 0.8% | 2.2% | 1.2% |
| In the last 12 months | | | 6.4% | 3.2% | 4.9% | 3.1% | 5.5% | 4.1% |
| Seriously considered attempting suicide | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 72.9% | 80.8% | 70.0% | 81.2% | 64.9% | 75.9% |
| Not in the last 12 months | | | 17.4% | 12.8% | 20.4% | 12.6% | 17.4% | 14.3% |
| In the last 2 weeks | | | 1.9% | 1.3% | 1.6% | 1.3% | 4.3% | 2.1% |
| In the last 30 days | | | 1.5% | 0.9% | 1.6% | 0.9% | 3.5% | 1.5% |
| In the last 12 months | | | 6.2% | 4.1% | 6.5% | 3.9% | 9.8% | 6.2% |
| Never | 81.8% | 90.7% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 10.8% | 6.1% | | | | | | |
| 3 - 4 times | 3.3% | 1.2% | | | | | | |
| 5 - 6 times | 1.2% | 0.6% | | | | | | |
| 7 - 8 times | 0.8% | 0.3% | | | | | | |
| 9 - 10 times | 0.2% | 0.2% | | | | | | |
| 11 or more times | 2.0% | 0.9% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Attempted suicide | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 91% | 93% | 88% | 94% | 88% | 92% | <i>asked differently in Spring 2006; see below</i> | | 88% | 92% | 83% | 92% | 81% | 90% |
| Not in the last 12 months | | | 8% | 5% | 9% | 5% | 10% | 6% | | | 11% | 7% | 16% | 6% | 15% | 8% |
| In the last 2 weeks | | | 0% | 0% | 1% | <1% | 1% | 0% | | | <1% | <1% | <1% | <1% | 1% | 0% |
| In the last 30 days | | | 0% | 0% | 1% | <1% | 0% | 0% | | | 0% | <1% | 0% | <1% | 0% | 0% |
| In the last 12 months | | | 2% | 1% | 2% | 1% | 1% | 1% | | | 1% | 1% | 1% | 1% | 3% | 1% |
| Never | 98% | 99% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | 99% | 99% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 1% | 1% | | | | | | | 1% | 1% | | | | | | |
| 3 - 4 times | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 5 - 6 times | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 7 - 8 times | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 9 - 10 times | 0% | 0% | | | | | | | 0% | 0% | | | | | | |
| 11 or more times | 1% | 0% | | | | | | | 0% | 0% | | | | | | |
| Felt exhausted (not from physical activity) | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 11% | 19% | 9% | 20% | 21% | 18% | <i>asked differently in Spring 2006; see below</i> | | 5% | 8% | 6% | 9% | 7% | 8% |
| Not in the last 12 months | | | 7% | 9% | 7% | 9% | 7% | 8% | | | 4% | 6% | 6% | 6% | 2% | 5% |
| In the last 2 weeks | | | 53% | 41% | 53% | 37% | 45% | 42% | | | 67% | 55% | 56% | 50% | 66% | 55% |
| In the last 30 days | | | 21% | 16% | 12% | 16% | 13% | 15% | | | 11% | 17% | 17% | 18% | 17% | 16% |
| In the last 12 months | | | 8% | 16% | 20% | 19% | 14% | 17% | | | 13% | 14% | 15% | 17% | 8% | 15% |
| Never | 10% | 14% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | 5% | 5% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 19% | 21% | | | | | | | 10% | 15% | | | | | | |
| 3 - 4 times | 16% | 16% | | | | | | | 10% | 14% | | | | | | |
| 5 - 6 times | 8% | 12% | | | | | | | 16% | 14% | | | | | | |
| 7 - 8 times | 11% | 9% | | | | | | | 13% | 11% | | | | | | |
| 9 - 10 times | 7% | 7% | | | | | | | 13% | 10% | | | | | | |
| 11 or more times | 29% | 22% | | | | | | | 35% | 30% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt overwhelmed by all you had to do | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 12% | 15% | 8% | 16% | 19% | 16% | <i>asked differently in Spring 2006; see below</i> | | 3% | 5% | 3% | 6% | 5% | 6% |
| Not in the last 12 months | | | 6% | 8% | 5% | 8% | 5% | 7% | | | 2% | 3% | 1% | 4% | 2% | 3% |
| In the last 2 weeks | | | 57% | 43% | 46% | 37% | 45% | 41% | | | 67% | 59% | 57% | 53% | 66% | 58% |
| In the last 30 days | | | 14% | 16% | 15% | 16% | 15% | 16% | | | 12% | 18% | 18% | 19% | 16% | 17% |
| In the last 12 months | | | 11% | 18% | 26% | 23% | 17% | 21% | | | 16% | 15% | 21% | 19% | 10% | 16% |
| Never | 9% | 12% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | 2% | 3% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 20% | 22% | | | | | | | 11% | 13% | | | | | | |
| 3 - 4 times | 16% | 17% | | | | | | | 13% | 15% | | | | | | |
| 5 - 6 times | 12% | 13% | | | | | | | 16% | 15% | | | | | | |
| 7 - 8 times | 6% | 8% | | | | | | | 13% | 12% | | | | | | |
| 9 - 10 times | 7% | 7% | | | | | | | 9% | 10% | | | | | | |
| 11 or more times | 31% | 20% | | | | | | | 37% | 32% | | | | | | |
| Felt overwhelming anger | | | | | | | | | | | | | | | | |
| Never | <i>not asked</i> | | 37% | 43% | 31% | 43% | 39% | 42% | <i>not asked</i> | | 29% | 39% | 28% | 39% | 27% | 37% |
| Not in the last 12 months | | | 24% | 22% | 23% | 21% | 18% | 22% | | | 21% | 22% | 22% | 22% | 22% | |
| In the last 2 weeks | | | 11% | 11% | 13% | 11% | 13% | 12% | | | 17% | 12% | 18% | 12% | 21% | 14% |
| In the last 30 days | | | 7% | 8% | 9% | 8% | 12% | 7% | | | 11% | 9% | 12% | 9% | 13% | 9% |
| In the last 12 months | | | 22% | 17% | 24% | 17% | 18% | 17% | | | 22% | 18% | 21% | 19% | 18% | 18% |
| Felt overwhelming anxiety | | | | | | | | | | | | | | | | |
| Never | <i>not asked</i> | | 38% | 44% | 32% | 45% | 36% | 39% | <i>not asked</i> | | 27% | 31% | 24% | 31% | 19% | 25% |
| Not in the last 12 months | | | 15% | 17% | 14% | 17% | 14% | 15% | | | 15% | 15% | 17% | 15% | 8% | 12% |
| In the last 2 weeks | | | 22% | 15% | 18% | 13% | 19% | 18% | | | 25% | 22% | 21% | 20% | 35% | 28% |
| In the last 30 days | | | 11% | 9% | 10% | 8% | 13% | 10% | | | 13% | 13% | 15% | 12% | 18% | 14% |
| In the last 12 months | | | 15% | 16% | 26% | 17% | 18% | 19% | | | 20% | 19% | 22% | 22% | 19% | 21% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|----------------------------------------------------|----------------------------------------------------------------------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt so depressed that it was difficult to function | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 44% | 53% | 35% | 53% | 42% | 50% | <i>asked differently in Spring 2006; see below</i> | | 38% | 44% | 34% | 44% | 28% | 41% |
| Not in the last 12 months | | | 19% | 21% | 21% | 21% | 15% | 20% | | | 22% | 24% | 23% | 23% | 21% | 22% |
| In the last 2 weeks | | | 15% | 9% | 16% | 8% | 17% | 11% | | | 15% | 11% | 11% | 10% | 21% | 13% |
| In the last 30 days | | | 7% | 5% | 6% | 5% | 10% | 5% | | | 8% | 6% | 10% | 7% | 11% | 7% |
| In the last 12 months | | | 15% | 12% | 23% | 13% | 16% | 14% | | | 18% | 16% | 23% | 17% | 18% | 17% |
| Never | 43% | 62% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | 39% | 53% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | |
| 1 - 2 times | 27% | 19% | | | | | | 27% | 22% | | | | | | | |
| 3 - 4 times | 7% | 6% | | | | | | 11% | 7% | | | | | | | |
| 5 - 6 times | 7% | 4% | | | | | | 5% | 4% | | | | | | | |
| 7 - 8 times | 3% | 2% | | | | | | 3% | 3% | | | | | | | |
| 9 - 10 times | 3% | 2% | | | | | | 3% | 3% | | | | | | | |
| 11 or more times | 11% | 6% | | | | | | 13% | 8% | | | | | | | |
| Felt things were hopeless | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 37% | 41% | 24% | 42% | 33% | 39% | <i>asked differently in Spring 2006; see below</i> | | 22% | 30% | 20% | 30% | 19% | 28% |
| Not in the last 12 months | | | 14% | 20% | 17% | 19% | 16% | 19% | | | 19% | 20% | 21% | 20% | 15% | 19% |
| In the last 2 weeks | | | 27% | 14% | 19% | 13% | 26% | 16% | | | 24% | 18% | 20% | 16% | 33% | 20% |
| In the last 30 days | | | 6% | 7% | 12% | 7% | 8% | 8% | | | 13% | 10% | 11% | 10% | 16% | 10% |
| In the last 12 months | | | 17% | 18% | 28% | 19% | 17% | 18% | | | 22% | 23% | 27% | 24% | 18% | 22% |
| Never | 35% | 45% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | 27% | 33% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | |
| 1 - 2 times | 24% | 25% | | | | | | 24% | 28% | | | | | | | |
| 3 - 4 times | 14% | 10% | | | | | | 15% | 13% | | | | | | | |
| 5 - 6 times | 4% | 6% | | | | | | 10% | 8% | | | | | | | |
| 7 - 8 times | 3% | 3% | | | | | | 6% | 5% | | | | | | | |
| 9 - 10 times | 5% | 2% | | | | | | 4% | 3% | | | | | | | |
| 11 or more times | 16% | 8% | | | | | | 15% | 11% | | | | | | | |
| Felt very lonely | | | | | | | | | | | | | | | | |
| Never | <i>not asked</i> | | 24% | 29% | 16% | 31% | 32% | 28% | <i>not asked</i> | | 13% | 18% | 12% | 20% | 11% | 19% |
| Not in the last 12 months | | | 14% | 20% | 16% | 20% | 14% | 18% | | | 17% | 19% | 19% | 20% | 17% | 17% |
| In the last 2 weeks | | | 35% | 22% | 27% | 18% | 29% | 23% | | | 35% | 27% | 35% | 23% | 38% | 28% |
| In the last 30 days | | | 12% | 11% | 13% | 11% | 6% | 11% | | | 14% | 15% | 12% | 14% | 15% | 14% |
| In the last 12 months | | | 15% | 19% | 28% | 21% | 20% | 20% | | | 21% | 21% | 22% | 24% | 20% | 22% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Have you ever... (In 2006, began with prefix of "Within the last school year, how many times have you...")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------------------------------------------------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|----------------------------------------------------|----------|----------------------------------------------------------------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Felt very sad | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 19% | 27% | 15% | 29% | 28% | 27% | <i>asked differently in Spring 2006; see below</i> | | 9% | 16% | 11% | 17% | 11% | 16% |
| Not in the last 12 months | | | 14% | 20% | 14% | 20% | 13% | 18% | | | 14% | 16% | 16% | 17% | 12% | 15% |
| In the last 2 weeks | | | 33% | 20% | 28% | 17% | 28% | 22% | | | 41% | 29% | 37% | 25% | 44% | 31% |
| In the last 30 days | | | 15% | 11% | 13% | 11% | 12% | 11% | | | 14% | 16% | 14% | 15% | 18% | 15% |
| In the last 12 months | | | 19% | 22% | 31% | 23% | 19% | 23% | | | 23% | 24% | 22% | 26% | 16% | 24% |
| Never | 18% | 30% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | 10% | 15% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 32% | 32% | | | | | | | 23% | 31% | | | | | | |
| 3 - 4 times | 13% | 13% | | | | | | | 16% | 16% | | | | | | |
| 5 - 6 times | 9% | 8% | | | | | | | 14% | 11% | | | | | | |
| 7 - 8 times | 10% | 5% | | | | | | | 8% | 7% | | | | | | |
| 9 - 10 times | 2% | 4% | | | | | | | 6% | 6% | | | | | | |
| 11 or more times | 16% | 10% | | | | | | | 22% | 15% | | | | | | |
| Intentionally cut, burned, bruised, or otherwise injured yourself | | | | | | | | | | | | | | | | |
| Never | <i>not asked</i> | | 82% | 87% | 82% | 87% | 81% | 86% | <i>not asked</i> | | 75% | 82% | 72% | 81% | 71% | 78% |
| Not in the last 12 months | | | 11% | 9% | 10% | 9% | 10% | 9% | | | 14% | 13% | 22% | 13% | 19% | 14% |
| In the last 2 weeks | | | 1% | 1% | 2% | 1% | 3% | 1% | | | 3% | 2% | 1% | 1% | 2% | 2% |
| In the last 30 days | | | 2% | 1% | 1% | 1% | 2% | 1% | | | 1% | 1% | 1% | 1% | 3% | 1% |
| In the last 12 months | | | 4% | 3% | 6% | 2% | 3% | 3% | | | 7% | 4% | 5% | 4% | 6% | 5% |
| Seriously considered attempting suicide | | | | | | | | | | | | | | | | |
| Never | <i>asked differently in Spring 2006; see below</i> | | 79% | 83% | 75% | 83% | 73% | 78% | <i>asked differently in Spring 2006; see below</i> | | 70% | 80% | 68% | 81% | 62% | 75% |
| Not in the last 12 months | | | 11% | 11% | 14% | 11% | 12% | 13% | | | 21% | 14% | 23% | 13% | 20% | 15% |
| In the last 2 weeks | | | 2% | 2% | 2% | 1% | 5% | 2% | | | 2% | 1% | 1% | 1% | 4% | 2% |
| In the last 30 days | | | 2% | 1% | 3% | 1% | 3% | 1% | | | 1% | 1% | 1% | 1% | 4% | 2% |
| In the last 12 months | | | 6% | 4% | 6% | 4% | 8% | 6% | | | 6% | 4% | 7% | 4% | 10% | 6% |
| Never | 84% | 92% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | | 81% | 90% | <i>asked differently in Fall 2008, Spring 2010, Spring 2016; see above</i> | | | | | |
| 1 - 2 times | 10% | 5% | | | | | | | 11% | 7% | | | | | | |
| 3 - 4 times | 1% | 1% | | | | | | | 4% | 1% | | | | | | |
| 5 - 6 times | 1% | 1% | | | | | | | 1% | 1% | | | | | | |
| 7 - 8 times | 1% | 0% | | | | | | | 1% | 0% | | | | | | |
| 9 - 10 times | 0% | 0% | | | | | | | <1% | 0% | | | | | | |
| 11 or more times | 3% | 1% | | | | | | | 1% | 1% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Have you ever been diagnosed with depression? | | | | | | | | |
| Yes | 15.7% | 14.8% | 18.9% | 18.2% | 21.6% | 18.0% | 24.3% | 18.6% |
| If yes, have you been diagnosed with depression within the last school year? | | | | | | | | |
| No | 62.5% | 65.6% | <i>not asked</i> | | | | | |
| Yes | 37.5% | 34.4% | <i>not asked</i> | | | | | |
| If yes, Are you currently in therapy for depression? | | | | | | | | |
| No | 71.2% | 73.6% | <i>not asked</i> | | | | | |
| Yes | 28.8% | 26.4% | <i>not asked</i> | | | | | |
| If yes, Are you currently taking medication for depression? | | | | | | | | |
| No | 72.2% | 63.4% | <i>not asked</i> | | | | | |
| Yes | 27.8% | 36.6% | <i>not asked</i> | | | | | |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------------------------------------------------------------------|-------------|----------|------------------|----------|-------------|----------|-------------|----------|-------------|----------|------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Have you ever been diagnosed with depression? | | | | | | | | | | | | | | | | |
| Yes | 12% | 10% | 11% | 13% | 17% | 13% | 19% | 14% | 18% | 18% | 22% | 21% | 24% | 21% | 25% | 21% |
| If yes, have you been diagnosed with depression within the last school year? | | | | | | | | | | | | | | | | |
| No | 50% | 70% | <i>not asked</i> | | | | | | 66% | 64% | <i>not asked</i> | | | | | |
| Yes | 50% | 30% | <i>not asked</i> | | | | | | 34% | 36% | <i>not asked</i> | | | | | |
| If yes, Are you currently in therapy for depression? | | | | | | | | | | | | | | | | |
| No | 83% | 78% | <i>not asked</i> | | | | | | 68% | 72% | <i>not asked</i> | | | | | |
| Yes | 17% | 22% | <i>not asked</i> | | | | | | 32% | 28% | <i>not asked</i> | | | | | |
| If yes, Are you currently taking medication for depression? | | | | | | | | | | | | | | | | |
| No | 72% | 71% | <i>not asked</i> | | | | | | 72% | 61% | <i>not asked</i> | | | | | |
| Yes | 28% | 30% | <i>not asked</i> | | | | | | 28% | 39% | <i>not asked</i> | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------|--|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| Response Rates: | | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | | Berea | National | Berea | National | Berea | National | Berea | National |
| Anorexia | | | | | | | | | |
| No | | not asked | | 99.0% | 98.8% | 99.5% | 99.1% | 99.0% | 98.6% |
| Yes, diagnosed not treated | | not asked | | 0.2% | 0.4% | 0.2% | 0.3% | 0.2% | 0.5% |
| Yes, treated with medication | | not asked | | 0.0% | 0.1% | 0.2% | 0.1% | 0.3% | 0.1% |
| Yes, treated with psychotherapy | | not asked | | 0.4% | 0.3% | 0.0% | 0.2% | 0.2% | 0.4% |
| Yes, treat meds & psychotherapy | | not asked | | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.2% |
| Yes, other treatment | | not asked | | 0.4% | 0.2% | 0.2% | 0.1% | 0.3% | 0.2% |
| Anxiety | | | | | | | | | |
| No | | not asked | | 89.0% | 89.6% | 88.6% | 89.6% | 80.9% | 84.2% |
| Yes, diagnosed not treated | | not asked | | 3.1% | 2.1% | 1.9% | 2.2% | 5.0% | 4.1% |
| Yes, treated with medication | | not asked | | 2.7% | 3.4% | 3.5% | 3.6% | 5.7% | 4.9% |
| Yes, treated with psychotherapy | | not asked | | 2.9% | 1.7% | 3.2% | 1.6% | 3.3% | 2.4% |
| Yes, treat meds & psychotherapy | | not asked | | 1.9% | 2.7% | 2.5% | 2.5% | 3.4% | 3.8% |
| Yes, other treatment | | not asked | | 0.4% | 0.4% | 0.4% | 0.5% | 1.7% | 0.6% |
| Attention Deficit and Hyperactivity Disorder (ADHD) | | | | | | | | | |
| No | | not asked | | 98.1% | 96.4% | 97.9% | 96.1% | 96.1% | 94.4% |
| Yes, diagnosed not treated | | not asked | | 1.0% | 0.9% | 1.2% | 0.9% | 1.4% | 1.3% |
| Yes, treated with medication | | not asked | | 0.8% | 2.0% | 0.5% | 2.2% | 1.7% | 3.3% |
| Yes, treated with psychotherapy | | not asked | | 0.0% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |
| Yes, treat meds & psychotherapy | | not asked | | 0.0% | 0.5% | 0.4% | 0.5% | 0.2% | 0.7% |
| Yes, other treatment | | not asked | | 0.2% | 0.1% | 0.0% | 0.1% | 0.5% | 0.1% |
| Bipolar Disorder | | | | | | | | | |
| No | | not asked | | 97.5% | 98.6% | 96.7% | 98.6% | 98.3% | 98.4% |
| Yes, diagnosed not treated | | not asked | | 0.0% | 0.4% | 0.9% | 0.4% | 1.0% | 0.5% |
| Yes, treated with medication | | not asked | | 1.4% | 0.4% | 0.7% | 0.4% | 0.2% | 0.5% |
| Yes, treated with psychotherapy | | not asked | | 0.4% | 0.1% | 0.4% | 0.1% | 0.2% | 0.1% |
| Yes, treat meds & psychotherapy | | not asked | | 0.8% | 0.4% | 1.2% | 0.5% | 0.2% | 0.5% |
| Yes, other treatment | | not asked | | 0.0% | <0.1% | 0.2% | 0.1% | 0.2% | 0.1% |
| Bulimia | | | | | | | | | |
| No | | not asked | | 99.4% | 98.9% | 99.3% | 99.0% | 99.3% | 96.9% |
| Yes, diagnosed not treated | | not asked | | 0.2% | 0.4% | 0.2% | 0.3% | 0.3% | 0.5% |
| Yes, treated with medication | | not asked | | 0.0% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |
| Yes, treated with psychotherapy | | not asked | | 0.2% | 0.3% | 0.4% | 0.2% | 0.0% | 0.3% |
| Yes, treat meds & psychotherapy | | not asked | | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.2% |
| Yes, other treatment | | not asked | | 0.2% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | | ALL STUDENTS | | | | | | | |
|--------------------------------------------|--|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| Response Rates: | | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | | Berea | National | Berea | National | Berea | National | Berea | National |
| Depression | | | | | | | | | |
| No | | | | 89.8% | 89.8% | 87.9% | 90.3% | 83.5% | 86.8% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.7% | 1.7% | 1.8% | 1.6% | 4.6% | 2.4% |
| Yes, treated with medication | | | | 3.3% | 3.3% | 4.0% | 3.3% | 5.2% | 4.1% |
| Yes, treated with psychotherapy | | | | 2.3% | 1.6% | 2.8% | 1.5% | 240.0% | 2.0% |
| Yes, treat meds & psychotherapy | | | | 2.7% | 3.4% | 3.0% | 3.0% | 3.6% | 4.0% |
| Yes, other treatment | | | | 0.2% | 0.3% | 0.5% | 0.3% | 0.7% | 0.4% |
| | | | | | | | | | |
| Insomnia | | | | | | | | | |
| No | | | | 96.7% | 96.7% | 96.3% | 96.3% | 96.9% | 95.5% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.6% | 1.1% | 1.9% | 1.2% | 1.4% | 1.9% |
| Yes, treated with medication | | | | 1.0% | 1.3% | 1.2% | 1.5% | 0.7% | 1.6% |
| Yes, treated with psychotherapy | | | | 0.2% | 0.2% | 0.0% | 0.3% | 0.2% | 0.3% |
| Yes, treat meds & psychotherapy | | | | 0.6% | 0.5% | 0.4% | 0.5% | 0.5% | 0.5% |
| Yes, other treatment | | | | 0.0% | 0.2% | 0.2% | 0.2% | 0.3% | 0.2% |
| | | | | | | | | | |
| Other sleep disorder | | | | | | | | | |
| No | | | | 97.9% | 98.0% | 98.1% | 97.8% | 98.3% | 97.8% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.4% | 0.7% | 0.9% | 0.8% | 0.3% | 0.9% |
| Yes, treated with medication | | | | 0.6% | 0.7% | 0.5% | 0.7% | 0.2% | 0.7% |
| Yes, treated with psychotherapy | | | | 0.0% | 0.2% | 0.2% | 0.1% | 0.2% | 0.1% |
| Yes, treat meds & psychotherapy | | | | 0.0% | 0.1% | 0.2% | 0.2% | 0.3% | 0.2% |
| Yes, other treatment | | | | 0.2% | 0.3% | 0.2% | 0.4% | 0.7% | 0.3% |
| | | | | | | | | | |
| Obsessive Compulsive Disorder (OCD) | | | | | | | | | |
| No | | | | 97.7% | 97.9% | 99.0% | 98.0% | 96.9% | 97.3% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.5% | 0.8% | 0.5% | 0.9% | 2.1% | 1.3% |
| Yes, treated with medication | | | | 0.2% | 0.4% | 0.0% | 0.4% | 0.2% | 0.5% |
| Yes, treated with psychotherapy | | | | 0.2% | 0.3% | 0.2% | 0.3% | 0.2% | 0.3% |
| Yes, treat meds & psychotherapy | | | | 0.4% | 0.5% | 0.3% | 0.4% | 0.5% | 0.5% |
| Yes, other treatment | | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.2% | 0.1% |
| | | | | | | | | | |
| Panic Attacks | | | | | | | | | |
| No | | | | 95.6% | 94.9% | 94.9% | 95.0% | 87.1% | 92.3% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.9% | 1.7% | 1.2% | 1.5% | 6.9% | 2.7% |
| Yes, treated with medication | | | | 1.4% | 1.6% | 1.6% | 1.6% | 2.1% | 2.1% |
| Yes, treated with psychotherapy | | | | 0.6% | 0.7% | 1.1% | 0.7% | 1.4% | 1.1% |
| Yes, treat meds & psychotherapy | | | | 0.4% | 1.0% | 0.9% | 1.0% | 1.4% | 1.5% |
| Yes, other treatment | | | | 0.2% | 0.1% | 0.4% | 0.2% | 1.2% | 0.3% |
| | | | | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | | ALL STUDENTS | | | | | | | |
|-------------------------------------------------------------|--|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| Response Rates: | | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | | Berea | National | Berea | National | Berea | National | Berea | National |
| Phobia | | | | | | | | | |
| No | | | | 98.1% | 98.9% | 99.0% | 99.0% | 99.0% | 98.8% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 1.0% | 0.5% | 0.3% | 0.4% | 0.7% | 0.6% |
| Yes, treated with medication | | | | 0.0% | 0.2% | 0.3% | 0.2% | 0.0% | 0.2% |
| Yes, treated with psychotherapy | | | | 1.0% | 0.2% | 0.3% | 0.2% | 0.2% | 0.3% |
| Yes, treat meds & psychotherapy | | | | 0.0% | 0.2% | 0.0% | 0.1% | 0.0% | 0.2% |
| Yes, other treatment | | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.2% | <.01% |
| | | | | | | | | | |
| Schizophrenia | | | | | | | | | |
| No | | | | 100.0% | 99.7% | 99.6% | 99.1% | 99.8% | 99.7% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Yes, treated with medication | | | | 0.0% | 0.1% | 0.2% | 0.1% | 0.0% | 0.1% |
| Yes, treated with psychotherapy | | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | <.01% |
| Yes, treat meds & psychotherapy | | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Yes, other treatment | | | | 0.0% | <0.1% | 0.2% | <0.1% | 0.2% | <.01% |
| | | | | | | | | | |
| Substance abuse or addition (alcohol or other drugs) | | | | | | | | | |
| No | | | | 99.6% | 989.0% | 99.1% | 98.8% | 99.3% | 98.9% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 0.2% | 0.4% | 0.2% | 0.4% | 0.3% | 0.4% |
| Yes, treated with medication | | | | 0.0% | 0.1% | 0.2% | 0.1% | 0.0% | 0.1% |
| Yes, treated with psychotherapy | | | | 0.0% | 0.4% | 0.3% | 0.3% | 0.2% | 0.3% |
| Yes, treat meds & psychotherapy | | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Yes, other treatment | | | | 0.2% | 0.2% | 0.2% | 0.3% | 0.2% | 0.2% |
| | | | | | | | | | |
| Other addiction (e.g., gambling, Internet, sexual) | | | | | | | | | |
| No | | | | 99.2% | 99.5% | 99.1% | 99.4% | 98.8% | 99.4% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 0.4% | 0.2% | 0.2% | 0.2% | 0.9% | 0.3% |
| Yes, treated with medication | | | | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Yes, treated with psychotherapy | | | | 0.2% | 0.1% | 0.5% | 0.1% | 0.2% | 0.1% |
| Yes, treat meds & psychotherapy | | | | 0.0% | <0.1% | 0.0% | 0.1% | 0.0% | 0.1% |
| Yes, other treatment | | | | 0.2% | 0.1% | 0.2% | 0.1% | 0.2% | 0.2% |
| | | | | | | | | | |
| Other mental health condition | | | | | | | | | |
| No | | | | 97.9% | 98.0% | 97.5% | 98.1% | 95.2% | 97.4% |
| Yes, diagnosed not treated | | <i>not asked</i> | | 0.4% | 0.4% | 0.2% | 0.4% | 1.7% | 0.7% |
| Yes, treated with medication | | | | 0.6% | 0.4% | 0.5% | 0.4% | 0.7% | 0.5% |
| Yes, treated with psychotherapy | | | | 0.6% | 0.5% | 0.9% | 0.5% | 1.2% | 0.6% |
| Yes, treat meds & psychotherapy | | | | 0.4% | 0.5% | 0.7% | 0.5% | 0.7% | 0.7% |
| Yes, other treatment | | | | 0.2% | 0.2% | 0.2% | 0.2% | 0.5% | 0.2% |
| | | | | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | MALES | | | | | | | | FEMALES | | | | | | | |
|------------------------------------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Anorexia | | | | | | | | | | | | | | | | |
| No | <i>not asked</i> | | 100% | 99% | 99% | 100% | 100% | 99% | <i>not asked</i> | | 99% | 99% | 100% | 99% | 99% | 98% |
| Yes, diagnosed not treated | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | <1% | <1% | <1% | <1% | <1% | 1% |
| Yes, treated with medication | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | 0% | <1% | 1% | <1% |
| Yes, treated with psychotherapy | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | 1% | <1% | 0% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | 1% | <1% | 0% | <1% | <1% | <1% |
| Anxiety | | | | | | | | | | | | | | | | |
| No | <i>not asked</i> | | 94% | 94% | 88% | 94% | 92% | 91% | <i>not asked</i> | | 87% | 88% | 89% | 87% | 76% | 82% |
| Yes, diagnosed not treated | <i>not asked</i> | | 2% | 1% | 3% | 1% | 2% | 2% | <i>not asked</i> | | 3% | 2% | 2% | 3% | 6% | 5% |
| Yes, treated with medication | <i>not asked</i> | | 1% | 2% | 3% | 2% | 2% | 3% | <i>not asked</i> | | 4% | 4% | 4% | 4% | 8% | 6% |
| Yes, treated with psychotherapy | <i>not asked</i> | | 2% | 1% | 4% | 1% | 3% | 2% | <i>not asked</i> | | 4% | 2% | 3% | 2% | 4% | 3% |
| Yes, treat meds & psychotherapy | <i>not asked</i> | | 2% | 2% | 3% | 1% | 1% | 2% | <i>not asked</i> | | 2% | 3% | 2% | 3% | 5% | 4% |
| Yes, other treatment | <i>not asked</i> | | 0% | <1% | 0% | <1% | 1% | <1% | <i>not asked</i> | | 1% | 1% | 1% | 1% | 2% | 1% |
| Attention Deficit and Hyperactivity Disorder (ADHD) | | | | | | | | | | | | | | | | |
| No | <i>not asked</i> | | 98% | 96% | 99% | 96% | 95% | 94% | <i>not asked</i> | | 98% | 97% | 98% | 96% | 97% | 95% |
| Yes, diagnosed not treated | <i>not asked</i> | | 1% | 1% | 1% | 1% | 2% | 2% | <i>not asked</i> | | 1% | 1% | 2% | 1% | 1% | 1% |
| Yes, treated with medication | <i>not asked</i> | | 1% | 2% | 1% | 2% | 3% | 4% | <i>not asked</i> | | 1% | 2% | 1% | 2% | 1% | 3% |
| Yes, treated with psychotherapy | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | 0% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | <i>not asked</i> | | 0% | 1% | 1% | 1% | 0% | 1% | <i>not asked</i> | | 0% | 1% | <1% | 1% | <1% | 1% |
| Yes, other treatment | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | <1% | <1% | 0% | <1% | 1% | <1% |
| Bipolar Disorder | | | | | | | | | | | | | | | | |
| No | <i>not asked</i> | | 99% | 99% | 97% | 99% | 100% | 98% | <i>not asked</i> | | 97% | 99% | 97% | 99% | 99% | 98% |
| Yes, diagnosed not treated | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | 1% | <i>not asked</i> | | 0% | <1% | 1% | <1% | 1% | 1% |
| Yes, treated with medication | <i>not asked</i> | | 1% | <1% | 1% | <1% | 0% | 1% | <i>not asked</i> | | 1% | <1% | 1% | <1% | <1% | <1% |
| Yes, treated with psychotherapy | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | 1% | <1% | 0% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | <i>not asked</i> | | 0% | <1% | 1% | <1% | 1% | <1% | <i>not asked</i> | | 1% | 1% | 1% | 1% | 0% | 1% |
| Yes, other treatment | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | <1% | <1% | 0% | <1% |
| Bulimia | | | | | | | | | | | | | | | | |
| No | <i>not asked</i> | | 100% | 100% | 99% | 100% | 100% | 99% | <i>not asked</i> | | 99% | 99% | 100% | 99% | 99% | 99% |
| Yes, diagnosed not treated | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | <1% | <1% | 0% | <1% | 1% | 1% |
| Yes, treated with medication | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | 0% | <1% | <1% | <1% |
| Yes, treated with psychotherapy | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | <1% | 1% | <1% | <1% | 0% | <1% |
| Yes, treat meds & psychotherapy | <i>not asked</i> | | 0% | <1% | 1% | <1% | 0% | <1% | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | <i>not asked</i> | | 0% | <1% | 0% | <1% | 0% | <1% | <i>not asked</i> | | <1% | <1% | 0% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | MALES | | | | | | | | FEMALES | | | | | | | | |
|--------------------------------------------|-------------|------------------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|----|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | |
| Depression | | | | | | | | | | | | | | | | | |
| No | | | 95% | 94% | 89% | 94% | 92% | 91% | | | 87% | 88% | 88% | 88% | 80% | 85% | |
| Yes, diagnosed not treated | | <i>not asked</i> | 1% | 1% | 2% | 1% | 2% | 2% | <i>not asked</i> | | | 2% | 2% | 2% | 2% | 6% | 3% |
| Yes, treated with medication | 1% | | 2% | 1% | 2% | 2% | 3% | 5% | | 4% | 5% | 4% | 7% | 5% | | | |
| Yes, treated with psychotherapy | 1% | | 1% | 4% | 1% | 2% | 2% | 3% | | 2% | 2% | 2% | 3% | 2% | | | |
| Yes, treat meds & psychotherapy | 2% | | 2% | 4% | 2% | 3% | 3% | 3% | | 4% | 3% | 4% | 4% | 5% | | | |
| Yes, other treatment | 0% | | <1% | 1% | <1% | 0% | <1% | <1% | | <1% | <1% | <1% | 1% | <1% | | | |
| | | | | | | | | | | | | | | | | | |
| Insomnia | | | | | | | | | | | | | | | | | |
| No | | | 97% | 98% | 97% | 97% | 99% | 97% | | | 97% | 96% | 96% | 96% | 96% | 95% | |
| Yes, diagnosed not treated | | <i>not asked</i> | 1% | 1% | 2% | 1% | 0% | 2% | <i>not asked</i> | | | 2% | 1% | 2% | 1% | 2% | 2% |
| Yes, treated with medication | 1% | | 1% | 1% | 1% | 0% | 1% | 1% | | 2% | 1% | 2% | 1% | 2% | | | |
| Yes, treated with psychotherapy | 0% | | <1% | 0% | <1% | 0% | <1% | <1% | | <1% | 0% | <1% | <1% | <1% | | | |
| Yes, treat meds & psychotherapy | 1% | | <1% | 1% | <1% | 1% | <1% | 1% | | 1% | 1% | 1% | 1% | 1% | | | |
| Yes, other treatment | 0% | | <1% | 0% | <1% | 1% | <1% | 0% | | <1% | 0% | <1% | 0% | <1% | | | |
| | | | | | | | | | | | | | | | | | |
| Other sleep disorder | | | | | | | | | | | | | | | | | |
| No | | | 98% | 98% | 97% | 98% | 98% | 98% | | | 98% | 98% | 99% | 98% | 98% | 98% | |
| Yes, diagnosed not treated | | <i>not asked</i> | 3% | 1% | 2% | 1% | 0% | 1% | <i>not asked</i> | | | 1% | 1% | 1% | 1% | 1% | 1% |
| Yes, treated with medication | 0% | | 1% | 1% | 1% | 0% | 1% | 1% | | 1% | 1% | 1% | <1% | 1% | | | |
| Yes, treated with psychotherapy | 0% | | <1% | 1% | <1% | 1% | <1% | 0% | | <1% | 0% | <1% | 0% | <1% | | | |
| Yes, treat meds & psychotherapy | 0% | | <1% | 0% | <1% | 1% | <1% | 0% | | <1% | 0% | <1% | <1% | <1% | | | |
| Yes, other treatment | 0% | | <1% | 1% | <1% | 1% | <1% | <1% | | <1% | 0% | <1% | 1% | <1% | | | |
| | | | | | | | | | | | | | | | | | |
| Obsessive Compulsive Disorder (OCD) | | | | | | | | | | | | | | | | | |
| No | | | 98% | 98% | 99% | 99% | 97% | 98% | | | 97% | 98% | 99% | 98% | 98% | 97% | |
| Yes, diagnosed not treated | | <i>not asked</i> | 1% | 1% | 1% | 1% | 2% | 1% | <i>not asked</i> | | | 2% | 1% | <1% | 1% | 2% | 1% |
| Yes, treated with medication | 0% | | <1% | 0% | <1% | 1% | <1% | <1% | | <1% | 0% | <1% | 0% | 1% | | | |
| Yes, treated with psychotherapy | 0% | | <1% | 0% | <1% | 0% | <1% | <1% | | <1% | <1% | <1% | 0% | <1% | | | |
| Yes, treat meds & psychotherapy | 1% | | <1% | 1% | <1% | 1% | <1% | <1% | | 1% | <1% | 1% | 1% | 1% | | | |
| Yes, other treatment | 0% | | <1% | 0% | <1% | 0% | <1% | 0% | | <1% | 0% | <1% | 0% | <1% | | | |
| | | | | | | | | | | | | | | | | | |
| Panic Attacks | | | | | | | | | | | | | | | | | |
| No | | | 98% | 98% | 97% | 97% | 95% | 96% | | | 94% | 94% | 94% | 94% | 84% | 91% | |
| Yes, diagnosed not treated | | <i>not asked</i> | 1% | 1% | 2% | 1% | 2% | 1% | <i>not asked</i> | | | 2% | 2% | 1% | 2% | 9% | 3% |
| Yes, treated with medication | 0% | | 1% | 1% | 1% | 1% | 1% | 2% | | 2% | 2% | 2% | 2% | 3% | | | |
| Yes, treated with psychotherapy | 0% | | <1% | 1% | <1% | 0% | 1% | 1% | | 1% | 1% | 1% | 2% | 1% | | | |
| Yes, treat meds & psychotherapy | 1% | | 1% | 1% | <1% | 1% | 1% | <1% | | 1% | <1% | 1% | 2% | 2% | | | |
| Yes, other treatment | 0% | | <1% | 0% | <1% | 1% | <1% | <1% | | <1% | 1% | <1% | 1% | <1% | | | |
| | | | | | | | | | | | | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: (totals may not add to 100% due to rounding)

| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------------------------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Phobia | | | | | | | | | | | | | | | | |
| No | | | 99% | 99% | 100% | 99% | 100% | 99% | | | 98% | 99% | 99% | 99% | 99% | 99% |
| Yes, diagnosed not treated | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 1% | 1% | 1% | 1% | 1% | 1% |
| Yes, treated with medication | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | <1% | <1% | 0% | <1% |
| Yes, treated with psychotherapy | | | 1% | <1% | 0% | <1% | 0% | <1% | | | 1% | <1% | 1% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| | | | | | | | | | | | | | | | | |
| Schizophrenia | | | | | | | | | | | | | | | | |
| No | | | 100% | 100% | 100% | 100% | 100% | 99% | | | 100% | 100% | 100% | 100% | 100% | 100% |
| Yes, diagnosed not treated | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, treated with medication | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, treated with psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, treat meds & psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | 0% | <1% | <1% | 0% | <1% |
| | | | | | | | | | | | | | | | | |
| Substance abuse or addiction (alcohol or other drugs) | | | | | | | | | | | | | | | | |
| No | | | 100% | 99% | 100% | 99% | 100% | 98% | | | 99% | 99% | 99% | 99% | 100% | 99% |
| Yes, diagnosed not treated | | | 0% | 1% | 0% | 1% | 0% | 1% | | | <1% | <1% | <1% | <1% | 0% | <1% |
| Yes, treated with medication | | | 0% | <1% | 1% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, treated with psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 1% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | | | 0% | <1% | 0% | <1% | 0% | <1% | | | <1% | <1% | <1% | <1% | 0% | <1% |
| | | | | | | | | | | | | | | | | |
| Other addiction (e.g., gambling, Internet, sexual) | | | | | | | | | | | | | | | | |
| No | | | 99% | 99% | 99% | 99% | 100% | 99% | | | 99% | 100% | 99% | 100% | 99% | 100% |
| Yes, diagnosed not treated | | | 1% | <1% | 1% | <1% | 1% | <1% | | | <1% | <1% | 0% | <1% | <1% | <1% |
| Yes, treated with medication | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, treated with psychotherapy | | | 0% | <1% | 1% | <1% | 0% | <1% | | | <1% | <1% | 1% | <1% | <1% | <1% |
| Yes, treat meds & psychotherapy | | | 0% | <1% | 0% | <1% | 0% | <1% | | | 0% | <1% | 0% | <1% | 0% | <1% |
| Yes, other treatment | | | 0% | <1% | 0% | <1% | 0% | <1% | | | <1% | <1% | <1% | <1% | 0% | <1% |
| | | | | | | | | | | | | | | | | |
| Other mental health condition | | | | | | | | | | | | | | | | |
| No | | | 98% | 98% | 97% | 99% | 99% | 98% | | | 98% | 98% | 98% | 98% | 94% | 97% |
| Yes, diagnosed not treated | | | 1% | <1% | 1% | <1% | 1% | 1% | | | 0% | <1% | 0% | <1% | 2% | 1% |
| Yes, treated with medication | | | 1% | <1% | 0% | <1% | 0% | 1% | | | 1% | <1% | 1% | 1% | 1% | 1% |
| Yes, treated with psychotherapy | | | 1% | <1% | 2% | <1% | 0% | <1% | | | 1% | 1% | 1% | 1% | 2% | 1% |
| Yes, treat meds & psychotherapy | | | 0% | <1% | 1% | <1% | 1% | 1% | | | 1% | 1% | 1% | <1% | 1% | 1% |
| Yes, other treatment | | | 0% | <1% | 0% | <1% | 0% | <1% | | | <1% | <1% | <1% | <1% | 1% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months, has any of the following been traumatic or very difficult for you to handle?

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Academics | <i>not asked</i> | | 58.0% | 45.2% | 56.6% | 43.9% | 56.2% | 47.0% |
| Career related issues | <i>not asked</i> | | 24.5% | 22.2% | 24.9% | 24.6% | 31.8% | 24.6% |
| Death of a family member or friend | <i>not asked</i> | | 19.9% | 16.1% | 21.1% | 15.8% | 18.5% | 15.5% |
| Family problems | <i>not asked</i> | | 43.0% | 28.4% | 44.8% | 27.7% | 36.4% | 28.3% |
| Finances | <i>not asked</i> | | 47.6% | 35.5% | 46.9% | 35.2% | 40.8% | 34.7% |
| Health problem of a family member or partner | <i>not asked</i> | | 28.7% | 18.6% | 31.7% | 18.4% | 25.9% | 20.3% |
| Intimate relationships | <i>not asked</i> | | 40.0% | 33.8% | 42.3% | 32.6% | 35.7% | 30.9% |
| Other relationships | <i>not asked</i> | | 34.9% | 26.7% | 35.7% | 24.4% | 33.2% | 27.3% |
| Personal appearance | <i>not asked</i> | | 26.2% | 22.9% | 25.3% | 21.6% | 28.5% | 27.6% |
| Personal health issue | <i>not asked</i> | | 23.4% | 17.9% | 27.1% | 17.5% | 27.0% | 21.4% |
| Sleep difficulties | <i>not asked</i> | | 32.0% | 23.8% | 35.0% | 25.4% | 38.4% | 29.8% |
| Other | <i>not asked</i> | | 18.8% | 10.9% | 16.2% | 9.6% | 16.8% | 9.9% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Academics | <i>not asked</i> | | 50% | 39% | 50% | 38% | 42% | 41% | <i>not asked</i> | | 63% | 48% | 61% | 47% | 63% | 50% |
| Career related issues | <i>not asked</i> | | 24% | 20% | 23% | 23% | 27% | 22% | <i>not asked</i> | | 26% | 23% | 26% | 26% | 34% | 26% |
| Death of a family member or friend | <i>not asked</i> | | 15% | 12% | 18% | 12% | 14% | 12% | <i>not asked</i> | | 22% | 18% | 22% | 18% | 20% | 17% |
| Family problems | <i>not asked</i> | | 35% | 19% | 33% | 20% | 24% | 20% | <i>not asked</i> | | 46% | 32% | 51% | 32% | 41% | 32% |
| Finances | <i>not asked</i> | | 40% | 29% | 38% | 31% | 29% | 29% | <i>not asked</i> | | 51% | 38% | 52% | 38% | 46% | 37% |
| Health problem of a family member or partner | <i>not asked</i> | | 24% | 14% | 22% | 14% | 20% | 15% | <i>not asked</i> | | 32% | 21% | 37% | 21% | 28% | 23% |
| Intimate relationships | <i>not asked</i> | | 40% | 29% | 44% | 28% | 30% | 28% | <i>not asked</i> | | 40% | 36% | 41% | 35% | 38% | 32% |
| Other relationships | <i>not asked</i> | | 31% | 21% | 32% | 19% | 26% | 22% | <i>not asked</i> | | 37% | 29% | 38% | 27% | 36% | 30% |
| Personal appearance | <i>not asked</i> | | 18% | 14% | 20% | 14% | 18% | 18% | <i>not asked</i> | | 31% | 27% | 29% | 26% | 34% | 32% |
| Personal health issue | <i>not asked</i> | | 17% | 12% | 21% | 13% | 18% | 15% | <i>not asked</i> | | 26% | 21% | 31% | 20% | 31% | 24% |
| Sleep difficulties | <i>not asked</i> | | 30% | 20% | 30% | 23% | 34% | 26% | <i>not asked</i> | | 33% | 25% | 38% | 27% | 40% | 31% |
| Other | <i>not asked</i> | | 14% | 9% | 21% | 9% | 13% | 9% | <i>not asked</i> | | 21% | 12% | 13% | 10% | 17% | 10% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Percent indicating "yes."

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Have you ever received psychological or mental health services from any of the following? | | | | | | | | |
| Counselor/Therapist/Psychologist | <i>not asked</i> | | 36.1% | 34.4% | 39.1% | 33.5% | 42.6% | 36.3% |
| Psychiatrist | <i>not asked</i> | | 9.1% | 13.2% | 11.3% | 12.6% | 11.5% | 13.2% |
| Other medical provider (e.g., physician, nurse practitioner) | <i>not asked</i> | | 14.3% | 13.8% | 14.2% | 13.8% | 19.5% | 15.5% |
| Minister/Priest/Rabbi/Other clergy | <i>not asked</i> | | 14.1% | 7.8% | 12.6% | 7.1% | 11.0% | 6.3% |
| College's Counseling or Health Service | <i>not asked</i> | | 22.4% | 12.7% | 26.7% | 13.4% | 33.9% | 18.5% |
| If in the future, you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional? | | | | | | | | |
| Yes | <i>not asked</i> | | 62.2% | 69.9% | 66.1% | 68.7% | 70.6% | 73.9% |


| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Have you ever received psychological or mental health services from any of the following? | | | | | | | | | | | | | | | | |
| Counselor/Therapist/Psychologist | <i>not asked</i> | | 27% | 26% | 33% | 26% | 33% | 29% | <i>not asked</i> | | 40% | 38% | 43% | 38% | 46% | 40% |
| Psychiatrist | <i>not asked</i> | | 11% | 11% | 10% | 11% | 8% | 12% | <i>not asked</i> | | 9% | 14% | 12% | 14% | 12% | 14% |
| Other medical provider (e.g., physician, nurse practitioner) | <i>not asked</i> | | 11% | 9% | 13% | 9% | 12% | 10% | <i>not asked</i> | | 16% | 16% | 15% | 16% | 22% | 18% |
| Minister/Priest/Rabbi/Other clergy | <i>not asked</i> | | 11% | 8% | 14% | 7% | 9% | 7% | <i>not asked</i> | | 15% | 8% | 12% | 7% | 12% | 6% |
| College's Counseling or Health Service | <i>not asked</i> | | 17% | 9% | 22% | 10% | 25% | 14% | <i>not asked</i> | | 25% | 14% | 29% | 16% | 38% | 21% |
| If in the future, you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional? | | | | | | | | | | | | | | | | |
| Yes | <i>not asked</i> | | 59% | 61% | 66% | 61% | 65% | 67% | <i>not asked</i> | | 63% | 74% | 66% | 74% | 73% | 77% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Within the last 12 months,

How would you rate the overall level of stress you have experienced?



Sleep

- On how many of the past 7 days did you...
 - Get enough sleep so that you felt rested when you woke up in the morning
 - Go to bed because you could not stay awake any longer (added in 2008)
 - Have an extremely hard time falling asleep (added in 2008)
 - Awaken too early in the morning and couldn't get back to sleep (added in 2008)
 - Felt tired, dragged out, or sleepy during the day (added in 2008)
- On how many of the past 7 days did you have a problem with sleepiness during your daytime activities (added in 2008)

On how many of the past 7 days...

| Response Rates: | ALL STUDENTS | | | | | | | |
|------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Did you get enough sleep so that you felt rested when you woke up in the morning | | | | | | | | |
| 0 days | 15.9% | 10.4% | 12.8% | 9.6% | 11.4% | 9.4% | 19.9% | 11.0% |
| 1 day | 13.6% | 11.1% | 17.4% | 13.3% | 15.2% | 12.0% | 14.8% | 12.6% |
| 2 days | 21.1% | 16.9% | 22.1% | 19.0% | 24.5% | 17.8% | 19.0% | 18.3% |
| 3 days | 17.7% | 17.5% | 17.2% | 17.9% | 17.0% | 17.5% | 16.1% | 18.1% |
| 4 days | 13.2% | 15.7% | 13.8% | 15.8% | 16.4% | 15.9% | 12.3% | 15.5% |
| 5 days (in 2010, "5-7 days") | 18.5% | 28.5% | 16.7% | 24.4% | 15.6% | 27.3% | 10.3% | 13.8% |
| 6 days | <i>not an option</i> | | | | | | 4.5% | 6.3% |
| 7 days | <i>not an option</i> | | | | | | 3.1% | 4.4% |
| How often have you gone to bed because you could not stay awake any longer | | | | | | | | |
| 0 days | <i>not asked</i> | | 25.0% | 32.0% | 25.6% | 35.2% | 27.0% | 32.7% |
| 1 day | | | 15.3% | 19.3% | 17.0% | 19.4% | 14.1% | 19.6% |
| 2 days | | | 19.4% | 16.8% | 18.9% | 15.6% | 15.8% | 16.6% |
| 3 days | | | 12.6% | 11.5% | 12.3% | 10.6% | 13.2% | 11.5% |
| 4 days | | | 10.3% | 7.4% | 9.6% | 6.9% | 10.5% | 7.2% |
| 5 days (in 2010, "5-7 days") | <i>not an option</i> | | 17.5% | 13.0% | 16.6% | 12.3% | 8.8% | 5.7% |
| 6 days | | | 2.9% | 2.6% | | | | |
| 7 days | | | 7.7% | 4.0% | | | | |
| How often have you had an extremely hard time falling asleep | | | | | | | | |
| 0 days | <i>not asked</i> | | 42.6% | 46.4% | 40.4% | 44.4% | 35.8% | 41.4% |
| 1 day | | | 17.5% | 19.4% | 14.6% | 18.9% | 16.7% | 18.9% |
| 2 days | | | 11.4% | 11.8% | 14.0% | 11.8% | 12.2% | 12.3% |
| 3 days | | | 9.4% | 7.4% | 8.6% | 7.7% | 10.7% | 8.6% |
| 4 days | | | 5.8% | 4.7% | 6.3% | 5.0% | 7.7% | 5.5% |
| 5 days (in 2010, "5-7 days") | <i>not an option</i> | | 13.3% | 10.4% | 16.1% | 12.2% | 5.2% | 4.9% |
| 6 days | | | 2.9% | 3.0% | | | | |
| 7 days | | | 8.8% | 5.5% | | | | |
| How often have you awoken too early in the morning and couldn't get back to sleep | | | | | | | | |
| 0 days | <i>not asked</i> | | 57.2% | 56.2% | 53.2% | 53.6% | 49.9% | 49.9% |
| 1 day | | | 17.2% | 18.4% | 17.3% | 18.9% | 18.5% | 19.4% |
| 2 days | | | 10.9% | 12.0% | 13.9% | 12.7% | 14.2% | 14.0% |
| 3 days | | | 4.8% | 6.1% | 6.7% | 6.3% | 7.1% | 7.4% |
| 4 days | | | 3.1% | 2.7% | 4.0% | 3.1% | 5.0% | 3.5% |
| 5 days (in 2010, "5-7 days") | <i>not an option</i> | | 6.7% | 4.6% | 4.9% | 5.4% | 2.2% | 2.7% |
| 6 days | | | 0.5% | 1.2% | | | | |
| 7 days | | | 2.6% | 1.9% | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

On how many of the past 7 days...

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| How often have you felt tired, dragged out, or sleepy during the day | | | | | | | | |
| 0 days | <i>not asked</i> | | 5.0% | 7.2% | 4.4% | 8.8% | 9.8% | 8.2% |
| 1 day | | | 8.5% | 12.5% | 10.5% | 13.7% | 6.7% | 13.1% |
| 2 days | | | 12.6% | 18.5% | 13.8% | 18.8% | 12.3% | 18.3% |
| 3 days | | | 17.0% | 17.9% | 16.3% | 17.3% | 13.4% | 18.1% |
| 4 days | | | 15.7% | 13.7% | 15.7% | 13.2% | 14.4% | 13.5% |
| 5 days (in 2010, "5-7 days") | <i>not an option</i> | | 41.3% | 30.3% | 39.3% | 28.1% | 14.9% | 12.7% |
| 6 days | | | | | 8.7% | 6.3% | | |
| 7 days | | | | | 19.7% | 9.8% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

On how many of the past 7 days...

| | MALES | | | | | | | | FEMALES | | | | | | | |
|------------------------------------------------------------------------------------------|----------------------|----------|----------------------|----------|-------------|----------|-------------|----------|----------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Did you get enough sleep so that you felt rested when you woke up in the morning | | | | | | | | | | | | | | | | |
| 0 days | 18% | 9% | 11% | 8% | 12% | 9% | 18% | 9% | 15% | 11% | 14% | 10% | 11% | 10% | 19% | 12% |
| 1 day | 12% | 10% | 14% | 11% | 11% | 10% | 16% | 11% | 15% | 12% | 20% | 14% | 17% | 13% | 16% | 14% |
| 2 days | 21% | 17% | 25% | 17% | 26% | 17% | 16% | 17% | 21% | 17% | 21% | 20% | 24% | 18% | 21% | 19% |
| 3 days | 14% | 18% | 17% | 18% | 18% | 18% | 13% | 18% | 19% | 17% | 16% | 18% | 16% | 18% | 18% | 18% |
| 4 days | 12% | 16% | 17% | 17% | 16% | 16% | 13% | 17% | 14% | 15% | 12% | 15% | 17% | 16% | 12% | 15% |
| 5 days (in 2010, "5-7 days") | 24% | 29% | 17% | 29% | 17% | 30% | 13% | 16% | 16% | 29% | 17% | 22% | 15% | 26% | 8% | 13% |
| 6 days | <i>not an option</i> | | | | | | 6% | 7% | <i>not an option</i> | | | | | | 4% | 6% |
| 7 days | <i>not an option</i> | | | | | | 5% | 6% | <i>not an option</i> | | | | | | 2% | 4% |
| How often have you gone to bed because you could not stay awake any longer | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 37% | 43% | 35% | 44% | 37% | 43% | <i>not asked</i> | | 20% | 27% | 20% | 30% | 21% | 28% |
| 1 day | <i>not asked</i> | | 17% | 19% | 15% | 19% | 15% | 20% | <i>not asked</i> | | 15% | 19% | 18% | 20% | 14% | 20% |
| 2 days | <i>not asked</i> | | 19% | 15% | 16% | 14% | 15% | 15% | <i>not asked</i> | | 19% | 18% | 20% | 16% | 16% | 17% |
| 3 days | <i>not asked</i> | | 10% | 9% | 10% | 9% | 10% | 9% | <i>not asked</i> | | 14% | 12% | 14% | 12% | 16% | 13% |
| 4 days | <i>not asked</i> | | 6% | 5% | 9% | 5% | 7% | 5% | <i>not asked</i> | | 12% | 8% | 10% | 8% | 13% | 8% |
| 5 days (in 2010, "5-7 days") | <i>not asked</i> | | 11% | 9% | 15% | 9% | 7% | 4% | <i>not asked</i> | | 21% | 15% | 18% | 14% | 10% | 7% |
| 6 days | <i>not asked</i> | | <i>not an option</i> | | | | 2% | 2% | <i>not an option</i> | | | | | | 4% | 3% |
| 7 days | <i>not asked</i> | | <i>not an option</i> | | | | 8% | 3% | <i>not an option</i> | | | | | | 7% | 5% |
| How often have you had an extremely hard time falling asleep | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 48% | 49% | 39% | 47% | 44% | 45% | <i>not asked</i> | | 39% | 45% | 41% | 43% | 32% | 40% |
| 1 day | <i>not asked</i> | | 17% | 20% | 16% | 19% | 17% | 19% | <i>not asked</i> | | 18% | 19% | 14% | 19% | 18% | 19% |
| 2 days | <i>not asked</i> | | 13% | 12% | 13% | 11% | 10% | 12% | <i>not asked</i> | | 11% | 12% | 15% | 12% | 14% | 13% |
| 3 days | <i>not asked</i> | | 6% | 6% | 12% | 7% | 10% | 8% | <i>not asked</i> | | 11% | 8% | 7% | 8% | 11% | 9% |
| 4 days | <i>not asked</i> | | 6% | 5% | 5% | 5% | 4% | 5% | <i>not asked</i> | | 6% | 5% | 7% | 5% | 10% | 6% |
| 5 days (in 2010, "5-7 days") | <i>not asked</i> | | 10% | 8% | 16% | 11% | 3% | 4% | <i>not asked</i> | | 15% | 11% | 16% | 13% | 6% | 5% |
| 6 days | <i>not asked</i> | | <i>not an option</i> | | | | 3% | 3% | <i>not an option</i> | | | | | | 3% | 3% |
| 7 days | <i>not asked</i> | | <i>not an option</i> | | | | 10% | 5% | <i>not an option</i> | | | | | | 7% | 6% |
| How often have you awoken too early in the morning and couldn't get back to sleep | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 62% | 61% | 57% | 58% | 57% | 55% | <i>not asked</i> | | 55% | 54% | 51% | 51% | 46% | 48% |
| 1 day | <i>not asked</i> | | 19% | 18% | 14% | 18% | 17% | 19% | <i>not asked</i> | | 17% | 19% | 19% | 19% | 19% | 20% |
| 2 days | <i>not asked</i> | | 7% | 11% | 13% | 12% | 11% | 12% | <i>not asked</i> | | 13% | 13% | 15% | 13% | 16% | 15% |
| 3 days | <i>not asked</i> | | 4% | 5% | 5% | 5% | 7% | 6% | <i>not asked</i> | | 6% | 7% | 8% | 7% | 8% | 8% |
| 4 days | <i>not asked</i> | | 3% | 2% | 5% | 3% | 4% | 3% | <i>not asked</i> | | 3% | 3% | 4% | 3% | 6% | 4% |
| 5 days (in 2010, "5-7 days") | <i>not asked</i> | | 6% | 4% | 7% | 5% | 1% | 2% | <i>not asked</i> | | 8% | 6% | 4% | 6% | 3% | 3% |
| 6 days | <i>not asked</i> | | <i>not an option</i> | | | | 1% | 1% | <i>not an option</i> | | | | | | <1% | 1% |
| 7 days | <i>not asked</i> | | <i>not an option</i> | | | | 3% | 2% | <i>not an option</i> | | | | | | 2% | 2% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

On how many of the past 7 days...


| | MALES | | | | | | | | | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------------------------|------------------|----------|----------------------|----------|-------------|----------|-------------|----------|------------------|----------|----------------------|----------|-------------|----------|-------------|----------|---------|--|--|--|--|--|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | | | | | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | | | | | | | |
| How often have you felt tired, dragged out, or sleepy during the day | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 days | <i>not asked</i> | | 7% | 11% | 7% | 12% | 15% | 12% | <i>not asked</i> | | 4% | 5% | 3% | 7% | 7% | 6% | | | | | | | | |
| 1 day | | | 11% | 15% | 12% | 16% | 11% | 16% | | | 8% | 12% | 10% | 13% | 5% | 12% | | | | | | | | |
| 2 days | | | 13% | 20% | 16% | 21% | 16% | 20% | | | 12% | 18% | 13% | 18% | 10% | 18% | | | | | | | | |
| 3 days | | | 16% | 18% | 18% | 17% | 12% | 17% | | | 18% | 18% | 15% | 18% | 14% | 18% | | | | | | | | |
| 4 days | | | 19% | 13% | 14% | 12% | 12% | 12% | | | 14% | 14% | 16% | 14% | 16% | 14% | | | | | | | | |
| 5 days (in 2010, "5-7 days") | | | 35% | 24% | 35% | 23% | 10% | 11% | | | 44% | 33% | 42% | 30% | 18% | 14% | | | | | | | | |
| 6 days | | | <i>not an option</i> | | | | 7% | 5% | | | <i>not an option</i> | | | | 10% | 7% | | | | | | | | |
| 7 days | | | | | 16% | 7% | | | | | 20% | 11% | | | | | | | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

In the past 7 days,

How much of a problem have you had with sleepiness during your daytime activities?



Sources of Health Information

- Have you received information on the following topics from your college or university?

| | |
|--------------------------------------------------------|---------------------------------------------------------------------------------------|
| AIDS or HIV infection | Problem use of Internet/computer games (added in 2008) |
| Alcohol and other drug use | Relationship difficulties (added in 2008) |
| Cold/flu/sore throat (added in 2008) | Sexual assault/relationship violence prevention (“violence prevention” added in 2008) |
| Depression/anxiety (added in 2008) | Sexually transmitted disease/infection (STD/I) (“infection” added in 2008) |
| Eating disorders (added in 2008) | Sleep difficulties (added in 2008) |
| Grief and loss (added in 2008) | Stress reduction (added in 2008) |
| How to help others in distress (added in 2008) | Suicide prevention |
| Injury prevention (in 2006, “and safety”) | Tobacco use (in 2006, “and prevention”) |
| Nutrition (in 2006, “dietary behaviors and nutrition”) | Violence prevention |
| Physical activity (in 2006, “and fitness”) | <i>None of the above</i> (only asked in 2006) |
| Pregnancy prevention | |

- Are you interested in receiving information on the following topics from your college or university? (added in 2008)

| | |
|--------------------------------|-------------------------------------------------|
| Alcohol and other drug use | Problem use of Internet/computer games |
| Cold/flu/sore throat | Relationship difficulties |
| Depression/anxiety | Sexual assault/relationship violence prevention |
| Eating disorders | Sexually transmitted disease/infection (STD/I) |
| Grief and loss | Sleep difficulties |
| How to help others in distress | Stress reduction |
| Injury prevention | Suicide prevention |
| Nutrition | Tobacco use |
| Physical activity | Violence prevention |
| Pregnancy prevention | |

Sources of Health Information

- How believable are each of the following sources of information? (only asked in 2006)

| | |
|-----------------------------|-------------------------|
| Leaflets, pamphlets, flyers | Religious center |
| Campus newspaper articles | Television |
| Health center medical staff | Magazines |
| Health educators | Campus peer educators |
| Friends | Faculty/coursework |
| Resident assistant/advisors | Internet/world wide web |
| Parents | Other |

- Do you usually get health-related information from any of the following sources?
(only asked in 2006)

| | |
|-----------------------------|-------------------------|
| Leaflets, pamphlets, flyers | Religious center |
| Campus newspaper articles | Television |
| Health center medical staff | Magazines |
| Health educators | Campus peer educators |
| Friends | Faculty/coursework |
| Resident assistant/advisors | Internet/world wide web |
| Parents | Other |

Have you received information on the following topics from your college or university? (In Spring 2006: "On which of the following health topics have you...")

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| AIDS or HIV infection | 35.1% | 28.0% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Alcohol and other drug use | 51.5% | 46.7% | 69.3% | 71.2% | 65.0% | 70.0% | 84.5% | 80.3% |
| Cold/flu/sore throat | <i>not asked</i> | | 67.3% | 44.3% | 65.0% | 46.0% | 57.7% | 52.1% |
| Depression/anxiety | <i>not asked</i> | | 52.8% | 51.3% | 51.0% | 52.0% | 64.3% | 60.7% |
| Eating disorders | <i>not asked</i> | | 33.5% | 37.4% | 35.0% | 39.0% | 40.2% | 37.0% |
| Grief and loss | <i>not asked</i> | | 27.8% | 29.7% | 26.0% | 29.0% | 36.6% | 37.0% |
| How to help others in distress | <i>not asked</i> | | 34.9% | 35.5% | 32.0% | 35.0% | 57.8% | 48.2% |
| Injury prevention (in 2006, "and safety") | 22.2% | 13.9% | 39.3% | 29.8% | 38.0% | 27.0% | 47.4% | 36.4% |
| Nutrition (in 2006, "Dietary behaviors and nutrition") | 55.2% | 30.9% | 68.1% | 54.8% | 70.0% | 55.0% | 78.2% | 58.6% |
| Physical activity (in 2006, "and fitness") | 66.9% | 36.2% | 79.7% | 60.8% | 79.0% | 60.0% | 88.4% | 62.1% |
| Pregnancy prevention | 32.4% | 22.5% | 48.7% | 38.6% | 50.0% | 39.0% | 54.9% | 51.3% |
| Problem use of Internet/computer games | <i>not asked</i> | | 33.7% | 24.8% | 33.0% | 25.0% | 28.5% | 17.4% |
| Relationship difficulties | <i>not asked</i> | | 55.7% | 31.2% | 55.0% | 32.0% | 45.0% | 39.1% |
| Sexual assault/Relationship violence prevention (in 2006, did not include "violence prevention") | 66.9% | 44.3% | 82.6% | 62.7% | 83.0% | 63.0% | 79.7% | 78.8% |
| Sexually transmitted disease/infection (STD/I) prevention (in 2006, "STD" only) | 46.4% | 35.8% | 57.5% | 51.3% | 59.0% | 50.0% | 64.7% | 62.1% |
| Sleep difficulties | <i>not asked</i> | | 21.5% | 20.3% | 20.0% | 20.0% | 58.0% | 26.9% |
| Stress reduction | <i>not on 2006</i> | | 71.5% | 56.0% | 74.0% | 58.0% | 68.3% | 65.3% |
| Suicide prevention | 15.0% | 14.6% | 25.7% | 28.8% | 23.0% | 28.0% | 45.5% | 49.4% |
| Tobacco use (in 2006, included "prevention") | 27.3% | 22.5% | 38.3% | 36.4% | 35.0% | 35.0% | 50.1% | 42.9% |
| Violence prevention | 33.7% | 21.0% | 47.2% | 38.3% | 46.0% | 38.0% | 61.0% | 51.0% |
| None of the above | 12.1% | 25.8% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) survey

Have you received information on the following topics from your college or university? (In Spring 2006: "On which of the following health topics have you...")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------------------------------------------------------------------------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| AIDS or HIV infection | 41% | 30% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 33% | 27% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |
| Alcohol and other drug use | 58% | 49% | 78% | 74% | 76% | 67% | 88% | 81% | 49% | 45% | 73% | 65% | 71% | 64% | 83% | 80% |
| Cold/flu/sore throat | <i>not asked</i> | | 72% | 41% | 78% | 68% | 60% | 51% | <i>not asked</i> | | 85% | 70% | 89% | 72% | 57% | 53% |
| Depression/anxiety | <i>not asked</i> | | 57% | 50% | 58% | 47% | 69% | 61% | <i>not asked</i> | | 59% | 47% | 59% | 47% | 62% | 61% |
| Eating disorders | <i>not asked</i> | | 30% | 35% | 35% | 30% | 47% | 37% | <i>not asked</i> | | 37% | 32% | 37% | 32% | 37% | 37% |
| Grief and loss | <i>not asked</i> | | 30% | 31% | 38% | 29% | 46% | 39% | <i>not asked</i> | | 37% | 27% | 35% | 26% | 32% | 36% |
| How to help others in distress | <i>not asked</i> | | 42% | 38% | 47% | 33% | 63% | 51% | <i>not asked</i> | | 45% | 31% | 44% | 30% | 55% | 47% |
| Injury prevention (in 2006, "and safety") | 29% | 16% | 44% | 36% | 50% | 34% | 57% | 44% | 19% | 13% | 48% | 29% | 47% | 26% | 42% | 33% |
| Nutrition (in 2006, "Dietary behaviors and nutrition") | 54% | 27% | 64% | 55% | 72% | 52% | 85% | 59% | 56% | 33% | 73% | 52% | 73% | 53% | 75% | 59% |
| Physical activity (in 2006, "and fitness") | 67% | 36% | 83% | 62% | 83% | 58% | 91% | 64% | 66% | 37% | 82% | 57% | 81% | 56% | 88% | 62% |
| Pregnancy prevention | 30% | 19% | 46% | 38% | 64% | 40% | 60% | 53% | 33% | 25% | 63% | 41% | 63% | 41% | 54% | 51% |
| Problem use of Internet/computer games | <i>not asked</i> | | 34% | 25% | 25% | 20% | 28% | 19% | <i>not asked</i> | | 25% | 19% | 25% | 18% | 28% | 17% |
| Relationship difficulties | <i>not asked</i> | | 56% | 29% | 48% | 27% | 42% | 37% | <i>not asked</i> | | 53% | 28% | 55% | 29% | 46% | 40% |
| Sexual assault/Relationship violence prevention (in 2006, did not include "violence prevention") | 67% | 42% | 82% | 61% | 87% | 56% | 85% | 78% | 67% | 46% | 87% | 57% | 86% | 59% | 77% | 79% |
| Sexually transmitted disease/infection (STD/I) prevention (in 2006, "STD" only) | 52% | 37% | 56% | 54% | 73% | 54% | 72% | 65% | 44% | 35% | 72% | 52% | 72% | 51% | 61% | 61% |
| Sleep difficulties | <i>not asked</i> | | 24% | 21% | 22% | 23% | 65% | 29% | <i>not asked</i> | | 24% | 22% | 25% | 21% | 54% | 26% |
| Stress reduction | <i>not asked</i> | | 68% | 52% | 61% | 51% | 71% | 64% | <i>not asked</i> | | 66% | 54% | 69% | 55% | 67% | 66% |
| Suicide prevention | 16% | 15% | 32% | 31% | 40% | 33% | 54% | 52% | 15% | 14% | 38% | 30% | 37% | 29% | 42% | 48% |
| Tobacco use (in 2006, included "prevention") | 35% | 24% | 44% | 39% | 44% | 37% | 57% | 46% | 24% | 22% | 39% | 35% | 36% | 34% | 46% | 42% |
| Violence prevention | 39% | 21% | 49% | 40% | 54% | 37% | 69% | 54% | 31% | 21% | 56% | 36% | 57% | 35% | 56% | 50% |
| None of the above | 12% | 27% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | | 12% | 25% | <i>not asked</i> | | <i>not asked</i> | | <i>not asked</i> | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) survey

Are you interested in receiving information on the following topics from your college or university? (Percent indicating "yes.")

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------|------------------------|------------------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol and other drug use | | | 28.0% | 27.8% | 35.3% | 28.1% | 30.6% | 33.7% |
| Cold/Flu/Sore throat | | | 43.1% | 43.7% | 48.1% | 40.3% | 40.4% | 43.0% |
| Depression/Anxiety | | | 52.5% | 46.9% | 65.1% | 45.1% | 61.5% | 57.9% |
| Eating disorders | | | 29.7% | 28.7% | 40.1% | 27.7% | 45.7% | 38.4% |
| Grief and loss | | | 45.0% | 36.6% | 55.4% | 35.0% | 53.3% | 46.5% |
| How to help others in distress | | | 62.1% | 52.2% | 69.2% | 49.5% | 66.6% | 63.8% |
| Injury prevention | | | 42.7% | 34.7% | 54.0% | 34.3% | 53.3% | 45.6% |
| Nutrition | | | 60.3% | 59.9% | 66.4% | 57.7% | 62.0% | 64.5% |
| Physical activity | | | 55.6% | 55.5% | 63.9% | 53.6% | 57.2% | 60.1% |
| Pregnancy prevention | | <i>not asked</i> | 32.9% | 31.8% | 42.7% | 31.2% | 43.3% | 40.3% |
| Problem use of Internet/computer games | | | 29.7% | 24.7% | 36.5% | 24.3% | 32.2% | 27.4% |
| Relationship difficulties | | | 52.2% | 40.7% | 58.6% | 38.0% | 50.7% | 46.2% |
| Sexual assault/Relationship violence prevention | | | 52.4% | 40.2% | 57.4% | 38.1% | 57.0% | 51.5% |
| Sexually transmitted disease/Infection (STD/I) prevention | | | 44.1% | 39.3% | 52.5% | 38.4% | 50.9% | 47.8% |
| Sleep difficulties | | | 62.1% | 52.7% | 69.5% | 50.4% | 67.3% | 61.5% |
| Stress reduction | | | 70.5% | 63.2% | 75.6% | 59.8% | 71.0% | 70.8% |
| Suicide prevention | | | 43.1% | 31.0% | 49.1% | 31.6% | 59.4% | 49.8% |
| Tobacco use | | | 26.7% | 22.2% | 32.5% | 22.6% | 33.5% | 30.0% |
| Violence prevention | | | 45.7% | 34.9% | 52.9% | 33.6% | 54.5% | 47.5% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Are you interested in receiving information on the following topics from your college or university? (Percent indicating "yes.")

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------------------------------------|-------------|------------------|-----------|----------|-------------|----------|-------------|----------|-------------|------------------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Alcohol and other drug use | | | 31% | 27% | 39% | 27% | 32% | 32% | | | 25% | 28% | 33% | 29% | 31% | 35% |
| Cold/Flu/Sore throat | | | 43% | 37% | 50% | 36% | 37% | 38% | | | 43% | 47% | 48% | 43% | 44% | 46% |
| Depression/Anxiety | | | 49% | 39% | 61% | 38% | 52% | 49% | | | 53% | 50% | 68% | 49% | 67% | 62% |
| Eating disorders | | | 28% | 21% | 35% | 22% | 39% | 30% | | | 30% | 32% | 43% | 31% | 50% | 42% |
| Grief and loss | | | 46% | 31% | 53% | 30% | 46% | 40% | | | 43% | 39% | 57% | 38% | 59% | 49% |
| How to help others in distress | | | 61% | 46% | 62% | 43% | 57% | 56% | | | 63% | 55% | 73% | 53% | 73% | 67% |
| Injury prevention | | | 46% | 33% | 58% | 33% | 48% | 43% | | | 41% | 35% | 52% | 35% | 57% | 47% |
| Nutrition | | | 59% | 52% | 66% | 50% | 55% | 57% | | | 61% | 64% | 67% | 62% | 67% | 68% |
| Physical activity | | | 58% | 50% | 64% | 48% | 50% | 54% | | | 54% | 58% | 64% | 57% | 62% | 63% |
| Pregnancy prevention | | <i>not asked</i> | 37% | 27% | 44% | 27% | 39% | 35% | | <i>not asked</i> | 30% | 34% | 42% | 34% | 46% | 43% |
| Problem use of Internet/computer games | | | 35% | 27% | 43% | 26% | 38% | 30% | | | 27% | 24% | 33% | 23% | 29% | 26% |
| Relationship difficulties | | | 52% | 35% | 58% | 33% | 46% | 40% | | | 52% | 43% | 60% | 41% | 54% | 49% |
| Sexual assault/Relationship violence prevention | | | 43% | 29% | 49% | 29% | 46% | 42% | | | 56% | 45% | 62% | 43% | 64% | 56% |
| Sexually transmitted disease/Infection (STD/I) prevention | | | 46% | 36% | 54% | 35% | 44% | 43% | | | 42% | 41% | 52% | 40% | 55% | 50% |
| Sleep difficulties | | | 59% | 47% | 67% | 45% | 62% | 55% | | | 63% | 55% | 70% | 54% | 71% | 65% |
| Stress reduction | | | 65% | 53% | 70% | 50% | 64% | 61% | | | 73% | 68% | 76% | 66% | 76% | 75% |
| Suicide prevention | | | 39% | 28% | 49% | 28% | 52% | 43% | | | 44% | 33% | 49% | 34% | 64% | 53% |
| Tobacco use | | | 27% | 22% | 35% | 22% | 32% | 28% | | | 26% | 22% | 33% | 23% | 35% | 31% |
| Violence prevention | | | 43% | 29% | 48% | 28% | 45% | 40% | | | 47% | 38% | 53% | 37% | 60% | 51% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.


Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)

Spring 2006

Leaflets, pamphlets, flyers




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)


Spring 2006

Campus newspaper articles



How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)

Spring 2006

Health educators




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)

Spring 2006

Friends




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)


Spring 2006

Resident assistant/advisors




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)



How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)

Spring 2006

Television




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)


Spring 2006

Magazines



How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)

Spring 2006

Faculty/coursework




How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)


Spring 2006

Internet/world wide web



How believable are each of the following sources of information?

(Totals may not add to 100% due to rounding.)



Do you usually get health-related information from any of the following sources? (Percent indicating "yes.")

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------|------------------------|----------|----------------------|------------------|------------------------|------------------|------------------------|------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Campus newspapers articles | 16.6% | 26.7% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> |
| Campus peer educators | 27.4% | 18.4% | | | | | | |
| Faculty/coursework | 53.0% | 37.8% | | | | | | |
| Friends | 58.7% | 60.6% | | | | | | |
| Health center medical staff | 70.8% | 59.7% | | | | | | |
| Health educators | 71.3% | 51.6% | | | | | | |
| Internet/world wide web | 69.2% | 72.4% | | | | | | |
| Leaflets, pamphlets, flyers | 62.9% | 51.5% | | | | | | |
| Magazines | 52.4% | 52.5% | | | | | | |
| Parents | 70.3% | 73.2% | | | | | | |
| Religious Center | 12.6% | 9.9% | | | | | | |
| Resident assistant/advisors | 23.0% | 16.9% | | | | | | |
| Television | 44.6% | 43.2% | | | | | | |
| Other | 41.2% | 38.5% | | | | | | |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-----------------------------|-------------|----------|------------------|------------------|------------------|------------------|------------------|------------------|-------------|----------|------------------|------------------|------------------|------------------|------------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Campus newspapers articles | 20.0% | 28.0% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | 15.0% | 26.0% | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | <i>not asked</i> | |
| Campus peer educators | 33.0% | 18.0% | | | | | | | 24.0% | 19.0% | | | | | | |
| Faculty/coursework | 45.0% | 33.0% | | | | | | | 56.0% | 41.0% | | | | | | |
| Friends | 46.0% | 54.0% | | | | | | | 64.0% | 65.0% | | | | | | |
| Health center medical staff | 64.0% | 52.0% | | | | | | | 74.0% | 64.0% | | | | | | |
| Health educators | 68.0% | 46.0% | | | | | | | 73.0% | 55.0% | | | | | | |
| Internet/world wide web | 61.0% | 68.0% | | | | | | | 73.0% | 76.0% | | | | | | |
| Leaflets, pamphlets, flyers | 59.0% | 42.0% | | | | | | | 65.0% | 57.0% | | | | | | |
| Magazines | 45.0% | 44.0% | | | | | | | 55.0% | 58.0% | | | | | | |
| Parents | 59.0% | 67.0% | | | | | | | 75.0% | 77.0% | | | | | | |
| Religious Center | 18.0% | 11.0% | | | | | | | 11.0% | 9.0% | | | | | | |
| Resident assistant/advisors | 20.0% | 17.0% | | | | | | | 24.0% | 17.0% | | | | | | |
| Television | 44.0% | 42.0% | | | | | | | 44.0% | 44.0% | | | | | | |
| Other | 42.0% | 35.0% | | | | | | | 40.0% | 41.0% | | | | | | |

Demographics and Student Characteristics

- How old are you?
- What is your gender? (in 2006, “your sex”; not asked in this format in 2016 – see format below)
- What sex were you assigned at birth, such as on an original birth certificate? (added in 2016)
- Do you identify as transgender? (added in 2016)
- Which term do you use to describe your gender identity? (added in 2016)
- What is your sexual orientation? (added in 2008; format changed in 2016 – see below)
- What term best describes your sexual orientation? (added in 2016)
- What is your height in inches?
- What is your weight in pounds?
- What is your year in school?
- What is your enrollment status?
- Have you transferred to this college or university within the last 12 months? (added in 2008)
- How do you usually describe yourself? (race/ethnicity)
- Are you an international student?
- What is your relationship status? (added in 2008)
- What is your marital status?
- Where do you currently live?
- Are you a member of a social fraternity or sorority?
- What is your approximate cumulative GPA? (added in 2008)

Demographics:

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------|-------------------------------------|----------|----------------------|----------|------------------------|----------|-----------------------------------------|----------------------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| How old are you? | | | | | | | | |
| 18 | 14.3% | 11.0% | 25.4% | 26.2% | 13.9% | 12.6% | 13.3% | 14.2% |
| 19 | 26.1% | 19.3% | 17.7% | 17.0% | 21.9% | 19.6% | 24.9% | 22.2% |
| 20 | 21.6% | 17.5% | 21.0% | 17.0% | 20.9% | 17.1% | 22.1% | 19.6% |
| 21 | 17.1% | 15.3% | 22.0% | 13.9% | 20.5% | 15.0% | 18.0% | 17.9% |
| 22 | 9.8% | 9.7% | 8.3% | 6.3% | 12.5% | 10.0% | 11.6% | 10.8% |
| 23 | 2.8% | 5.0% | 2.1% | 3.5% | 2.8% | 5.1% | 3.6% | 4.1% |
| 24 | 1.8% | 3.6% | 0.6% | 2.7% | 1.8% | 3.4% | 1.4% | 2.3% |
| 25 | 1.4% | 3.0% | 0.6% | 1.9% | 1.1% | 2.7% | 1.4% | 1.5% |
| 26 | 0.4% | 2.5% | 0.6% | 1.5% | 0.5% | 2.1% | 1.0% | 1.1% |
| 27 | 0.8% | 2.1% | 0.4% | 1.4% | 0.9% | 1.7% | 0.5% | 0.8% |
| 28 | 0.8% | 1.8% | 0.0% | 1.1% | 0.7% | 1.4% | 0.3% | 0.7% |
| 29 | 0.8% | 1.4% | 0.0% | 0.9% | 0.5% | 1.2% | 0.5% | 0.5% |
| 30 | 0.2% | 1.2% | 0.0% | 0.7% | 0.2% | 1.0% | 0.3% | 0.4% |
| 31 | 0.0% | 0.9% | 0.0% | 0.6% | 0.2% | 0.7% | 0.0% | 0.3% |
| Greater than 32 | 2.2% | 5.9% | 1.3% | 5.4% | 1.8% | 6.4% | 0.9% | 3.6% |
| Average age: | 20.81 | n/a | 20.18 | 21.53 | 20.76 | 22.36 | 20.47 | 21.24 |
| What is your gender? (In 2006, "your sex") | | | | | | | | |
| Female | 70.6% | 63.4% | 66.3% | 67.9% | 64.5% | 62.5% | <i>asked differently; see below</i> | |
| Male | 29.4% | 36.6% | 31.0% | 29.8% | 34.7% | 35.1% | | |
| Transgender | <i>not an option</i> | | 0.4% | 0.2% | 0.0% | 0.2% | | |
| What sex were you assigned at birth, such as on an original birth certificate? | | | | | | | | |
| Female | <i>asked differently; see above</i> | | | | | | 64.8% | not available |
| Male | | | | | | | 35.2% | |
| Do you identify as transgender? | | | | | | | | |
| No | <i>not asked</i> | | | | | | 97.6% | not available |
| Yes | | | | | | | 2.4% | |
| Which term do you use to describe your gender identity? | | | | | | | | |
| Woman | <i>not asked</i> | | | | | | 61.9% | <i>National data unavailable</i> |
| Man | | | | | | | 34.1% | |
| Trans woman | | | | | | | 0.2% | |
| Trans man | | | | | | | 0.3% | |
| Genderqueer | | | | | | | 0.9% | |
| Another identity | | | | | | | 2.6% | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Demographics:

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------------------------------------------------|--------------------------------------------------------------------------------|----------|----------------------|----------|------------------------|----------|-------------------------------------|----------------------------------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Which term best describes your sexual orientation? | | | | | | | | |
| Asexual | <i>asked differently in Spring 2006, Fall 2008, and Spring 2010; see below</i> | | | | | | 4.6% | <i>National data unavailable</i> |
| Bisexual | | | | | | | 6.7% | |
| Gay | | | | | | | 2.4% | |
| Lesbian | | | | | | | 1.4% | |
| Pansexual | | | | | | | 4.1% | |
| Queer | | | | | | | 1.0% | |
| Questioning | | | | | | | 1.5% | |
| Same Gender Loving | | | | | | | 0.0% | |
| Straight/Heterosexual | | | | | | | 76.5% | |
| Another identity | | | | | | | 1.7% | |
| What is your sexual orientation? | | | | | | | | |
| Heterosexual | <i>not asked</i> | | 88.9% | 93.4% | 88.4% | 92.8% | <i>asked differently; see above</i> | |
| Gay/Lesbian | | | 2.7% | 2.1% | 2.3% | 2.3% | | |
| Bisexual | | | 6.0% | 2.8% | 6.5% | 3.2% | | |
| Unsure | | | 2.3% | 1.7% | 2.8% | 1.7% | | |
| What is your height in inches? | | | | | | | | |
| low-36 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 37-48 | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.1% |
| 49-60 | 3.8% | 2.4% | 2.2% | 3.0% | 3.0% | 2.9% | 4.1% | 4.2% |
| 61-72 | 87.6% | 87.3% | 89.2% | 88.7% | 87.6% | 87.3% | 86.3% | 87.4% |
| 73-84 | 8.6% | 10.3% | 8.6% | 8.3% | 9.2% | 9.7% | 9.5% | 8.2% |
| Greater than 85 | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.0% |
| Average height: | 66.71 | n/a | 67.00 | 66.74 | 66.89 | 67.04 | 66.68 | 66.56 |
| What is your weight in pounds? | | | | | | | | |
| 0-50 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 51-100 | 1.2% | 1.6% | 1.6% | 1.9% | 2.0% | 1.9% | 0.5% | 2.1% |
| 101-150 | 44.7% | 53.8% | 42.6% | 56.0% | 38.1% | 52.7% | 42.3% | 53.8% |
| 151-200 | 35.0% | 35.2% | 38.5% | 32.8% | 41.5% | 34.6% | 37.8% | 33.5% |
| 201-250 | 14.1% | 7.5% | 10.4% | 7.1% | 11.3% | 8.2% | 13.3% | 8.0% |
| 251-300 | 3.8% | 1.6% | 5.7% | 1.8% | 5.9% | 2.0% | 4.1% | 2.0% |
| 301-350 | 0.8% | 0.3% | 1.0% | 0.4% | 1.1% | 0.4% | 1.2% | 0.4% |
| 351-400 | 0.4% | 0.1% | 0.2% | 0.0% | 0.0% | 0.1% | 0.5% | 0.1% |
| 401-450 | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.0% | 0.0% |
| Greater than 451 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% |
| Average weight: | 166.96 | n/a | 168.33 | 153.38 | 170.57 | 156.19 | 169.88 | 155.35 |
| What is your year in school? | | | | | | | | |
| 1st year undergraduate | 33.9% | 22.4% | 33.1% | 31.5% | 24.3% | 25.2% | 29.3% | 27.3% |
| 2nd year undergraduate | 27.6% | 20.7% | 18.3% | 17.5% | 24.8% | 21.2% | 28.3% | 22.3% |
| 3rd year undergraduate | 19.8% | 19.2% | 22.6% | 20.0% | 25.2% | 19.8% | 20.1% | 24.1% |
| 4th year undergraduate | 15.1% | 15.7% | 22.4% | 15.2% | 22.3% | 15.7% | 19.4% | 19.6% |
| 5th year undergraduate | 3.0% | 4.4% | 3.5% | 4.3% | 3.2% | 5.6% | 2.7% | 6.7% |
| Graduate or professional | 0.2% | 16.3% | 0.0% | 10.4% | 0.0% | 10.8% | 0.0% | 0.0% |
| Not seeking a degree | 0.2% | 0.5% | 0.0% | 0.4% | 0.2% | 0.7% | 0.0% | 0.0% |
| Other | 0.2% | 0.8% | 0.0% | 0.7% | 0.0% | 1.1% | 0.2% | 0.0% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Demographics:

| Response Rates: | ALL STUDENTS | | | | | | | |
|--------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| What is your enrollment status? (In 2006, "are you a full-time student?") | | | | | | | | |
| Full-time | 99.6% | 94.8% | 98.8% | 93.0% | 97.9% | 91.1% | 99.5% | 94.5% |
| Part-time | 0.4% | 5.2% | 1.2% | 6.4% | 1.6% | 8.2% | 0.3% | 5.1% |
| Other | <i>not an option</i> | | 0.0% | 0.5% | 0.5% | 0.8% | 0.2% | 0.4% |
| Have you transferred to this college or university within the last 12 months? | | | | | | | | |
| Yes | <i>not asked</i> | | 13.4% | 20.1% | 11.7% | 19.7% | 9.8% | 16.7% |
| How do you usually describe yourself? | | | | | | | | |
| White - not Hispanic | 71.3% | 72.8% | 76.2% | 75.8% | 72.0% | 71.2% | 72.8% | 69.9% |
| Black - not Hispanic | 19.5% | 5.1% | 11.2% | 7.1% | 16.6% | 5.1% | 16.0% | 6.3% |
| Hispanic or Latino | 1.9% | 6.1% | 3.0% | 8.3% | 3.8% | 8.6% | 7.8% | 13.2% |
| Asian or Pacific Islander | 3.3% | 11.5% | 4.0% | 10.2% | 4.2% | 11.9% | 4.4% | 13.1% |
| American Indian or Alaskan | 3.3% | 1.2% | 3.8% | 1.7% | 3.0% | 1.7% | 2.7% | 2.2% |
| Biracial or Multi racial | <i>not an option</i> | | 6.7% | 4.0% | 4.5% | 3.7% | 7.0% | 4.7% |
| Other | 5.3% | 3.6% | 3.8% | 3.1% | 4.5% | 2.8% | 6.0% | 3.0% |
| Are you an international student? | | | | | | | | |
| Yes | 7.0% | 7.1% | 7.0% | 7.0% | 8.9% | 8.3% | 7.4% | 5.5% |
| What is your relationship status? | | | | | | | | |
| Not in a relationship | <i>not asked</i> | | 54.9% | 51.4% | 47.3% | 47.8% | 56.5% | 53.1% |
| In a relationship, not living together | | | 36.8% | 35.5% | 44.7% | 36.5% | 35.3% | 36.1% |
| In a relationship, living together | | | 8.3% | 13.1% | 8.0% | 15.7% | 8.2% | 10.8% |
| What is your marital status? (in 2006, "What is your current relationship status?") | | | | | | | | |
| Single | 56.9% | 53.4% | 88.1% | 87.7% | 85.5% | 86.1% | 91.4% | 91.8% |
| Married/partnered | 6.4% | 9.4% | 7.6% | 8.9% | 8.1% | 10.2% | 5.5% | 5.7% |
| Engaged or committed dating | 34.1% | 36.0% | <i>not an option</i> | | | | | |
| Separated | 0.8% | 0.4% | 0.0% | 0.3% | 0.5% | 0.4% | 0.7% | 0.2% |
| Divorced | 1.6% | 0.7% | 1.0% | 1.1% | 1.8% | 1.3% | 1.4% | 0.8% |
| Widowed | 0.2% | 0.1% | <i>not an option</i> | | | | | |
| Other | <i>not an option</i> | | 3.3% | 2.0% | 4.1% | 2.1% | 1.0% | 1.5% |
| Where do you currently live? | | | | | | | | |
| Campus residence hall | 83.6% | 39.4% | 87.7% | 45.5% | 86.6% | 33.5% | 86.6% | 41.4% |
| Fraternity or sorority house | 0.0% | 1.8% | 0.2% | 0.9% | 0.0% | 1.4% | 0.0% | 1.5% |
| Other college/university housing | 6.2% | 38.8% | 3.9% | 6.4% | 3.7% | 4.6% | 2.8% | 5.5% |
| Parent/guardian's house | 0.4% | 6.4% | 0.0% | 10.8% | 0.7% | 18.6% | 0.2% | 14.7% |
| Other off-campus housing | 8.8% | 9.2% | 7.8% | 31.7% | 7.8% | 36.2% | 9.5% | 33.8% |
| Other | 1.0% | 4.4% | 0.4% | 4.8% | 1.2% | 5.8% | 1.0% | 3.2% |
| Are you a member of a social fraternity or sorority? | | | | | | | | |
| Yes | 2.6% | 8.6% | 1.0% | 8.0% | 2.7% | 9.6% | 3.1% | 11.6% |
| What is your approximate cumulative grade point average (GPA)? | | | | | | | | |
| A | <i>not asked</i> | | 23.2% | 36.8% | 25.6% | 37.2% | 29.3% | 37.2% |
| B | | | 53.6% | 47.2% | 51.0% | 47.6% | 52.6% | 49.0% |
| C | | | 20.8% | 9.6% | 21.7% | 12.7% | 16.1% | 11.9% |
| D/F | | | 1.0% | 0.6% | 0.9% | 0.8% | 1.0% | 0.8% |
| N/A | | | 1.4% | 5.9% | 0.9% | 1.7% | 1.0% | 1.1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Demographics:

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|---------------------------------------------------------------------------------------|-------------------|----------|-----------|----------|-------------|----------|-------------|----------|----------------------------|-------------------|-----------|----------|-------------|----------|-------------|----------|------|----------------------------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| How old are you? | | | | | | | | | | | | | | | | | | |
| 18 | 8% | 10% | 25% | 26% | 12% | 12% | 12% | 12% | 17% | 12% | 25% | 26% | 15% | 13% | 13% | 15% | | |
| 19 | 27% | 19% | 14% | 16% | 21% | 19% | 25% | 21% | 26% | 20% | 20% | 17% | 22% | 20% | 26% | 23% | | |
| 20 | 22% | 17% | 24% | 17% | 19% | 16% | 20% | 18% | 22% | 18% | 20% | 17% | 22% | 18% | 23% | 20% | | |
| 21 | 20% | 15% | 23% | 14% | 22% | 14% | 16% | 17% | 16% | 16% | 22% | 14% | 20% | 15% | 19% | 18% | | |
| 22 | 12% | 10% | 7% | 7% | 15% | 10% | 15% | 12% | 9% | 10% | 9% | 6% | 11% | 10% | 11% | 10% | | |
| 23 | 2% | 6% | 3% | 4% | 3% | 6% | 4% | 5% | 3% | 5% | 2% | 3% | 3% | 5% | 3% | 4% | | |
| 24 | 1% | 4% | 1% | 3% | 3% | 4% | 2% | 3% | 2% | 3% | 1% | 3% | 1% | 3% | 1% | 2% | | |
| 25 | 1% | 3% | 1% | 2% | 1% | 3% | 3% | 2% | 1% | 3% | 1% | 2% | 1% | 3% | 1% | 1% | | |
| 26 | 1% | 3% | 2% | 2% | 0% | 2% | 2% | 1% | <1% | 2% | 0% | 1% | 1% | 2% | 1% | 1% | | |
| 27 | 1% | 3% | 0% | 2% | 2% | 2% | 1% | 1% | 1% | 2% | <1% | 1% | 1% | 2% | 1% | 1% | | |
| 28 | 1% | 2% | 0% | 1% | 1% | 2% | 0% | 1% | 1% | 2% | 0% | 1% | 1% | 1% | 1% | 1% | | |
| 29 | 1% | 2% | 0% | 1% | 1% | 1% | 1% | 1% | 1% | 1% | 0% | 1% | 1% | 1% | 0% | 1% | | |
| 30 | 0% | 1% | 0% | 1% | 0% | 1% | 1% | 1% | <1% | 1% | 0% | 1% | <1% | 1% | <1% | 0% | | |
| 31 | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 1% | <1% | 1% | 0% | 0% | | |
| Greater than 32 | 3% | 6% | 1% | 5% | 2% | 6% | 1% | 4% | 2% | 6% | 2% | 6% | 1% | 6% | 1% | 3% | | |
| Average age: | 21.03 | n/a | 20.13 | 21.47 | 20.87 | 22.43 | 20.72 | 21.54 | 20.72 | n/a | 20.23 | 21.56 | 20.67 | 22.29 | 20.32 | 21.09 | | |
| What sex were you assigned at birth, such as on an original birth certificate? | | | | | | | | | | | | | | | | | | |
| Female | asked differently | | | | | | | 0% | not avail-able | asked differently | | | | | | | 100% | not avail-able |
| Male | | | | | | | | 100% | | | | | | | | | 0% | |
| Do you identify as transgender? | | | | | | | | | | | | | | | | | | |
| No | not asked | | | | | | | 100% | not avail-able | not asked | | | | | | | 100% | not avail-able |
| Yes | | | | | | | | 0% | | | | | | | | | 0% | |
| Which term do you use to describe your gender identity? | | | | | | | | | | | | | | | | | | |
| Woman | | | | | | | | 0% | | | | | | | | | 100% | |
| Man | | | | | | | | 100% | National data unavail-able | | | | | | | | 0% | National data unavail-able |
| Trans woman | not asked | | | | | | | 0% | | not asked | | | | | | | 0% | |
| Trans man | | | | | | | | 0% | | | | | | | | | 0% | |
| Genderqueer | | | | | | | | 0% | | | | | | | | | 0% | |
| Another identity | | | | | | | | 0% | | | | | | | | | 0% | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Demographics:

| | MALES | | | | | | | | FEMALES | | | | | | | | | | | | | |
|-----------------------------------------------------------|--------------------------------------------------------------------------------|----------|-----------|----------|-------------|----------|-------------------------------------|----------|--------------------------------------------------------------------------------|----------|-----------|----------|-------------|----------|------------------|----------|-----|----------------------------------|-----|----------------------------------|-------------------------------------|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | | | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | | | | | |
| Which term best describes your sexual orientation? | | | | | | | | | | | | | | | | | | | | | | |
| Asexual | <i>asked differently in Spring 2006, Fall 2008, and Spring 2010; see below</i> | | | | | | | | <i>asked differently in Spring 2006, Fall 2008, and Spring 2010; see below</i> | | | | | | | | 4% | <i>National data unavailable</i> | 5% | <i>National data unavailable</i> | | |
| Bisexual | | | | | | | | | | | | | | | | | 2% | | 9% | | | |
| Gay | | | | | | | | | | | | | | | | | 7% | | 0% | | | |
| Lesbian | | | | | | | | | | | | | | | | | 0% | | 2% | | | |
| Pansexual | | | | | | | | | | | | | | | | | 3% | | 4% | | | |
| Queer | | | | | | | | | | | | | | | | | 0% | | 1% | | | |
| Questioning | | | | | | | | | | | | | | | | | 1% | | 0% | | | |
| Same Gender Loving | | | | | | | | | | | | | | | | | 0% | | 7% | | | |
| Straight/Heterosexual | | | | | | | | | | | | | | | | | 83% | | 77% | | | |
| Another identity | | | | | | | | | | | | | | | | | 1% | | 1% | | | |
| What is your sexual orientation? | | | | | | | | | | | | | | | | | | | | | | |
| Heterosexual | <i>not asked</i> | | 88% | 93% | 88% | 92% | <i>asked differently; see above</i> | | | | | | | | <i>not asked</i> | | 90% | 94% | 88% | 93% | <i>asked differently; see above</i> | |
| Gay/Lesbian | | | 6% | 4% | 4% | 4% | | | | | | | | | | | 1% | 1% | 2% | 1% | | |
| Bisexual | | | 4% | 2% | 6% | 2% | | | | | | | | | | | 7% | 3% | 7% | 4% | | |
| Unsure | | | 2% | 2% | 2% | 2% | | | | | | | | | | | 2% | 2% | 3% | 2% | | |
| What is your height in inches? | | | | | | | | | | | | | | | | | | | | | | |
| low-36 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | | | | | |
| 37-48 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | <1% | <1% | <1% | <1% | 0% | 0% | | | | | |
| 49-60 | 0% | 0% | 0% | 0% | 0% | <1% | 1% | 0% | 5% | 4% | 3% | 4% | 5% | 4% | 6% | 6% | | | | | | |
| 61-72 | 72% | 73% | 76% | 74% | 74% | 74% | 74% | 75% | 94% | 96% | 95% | 95% | 95% | 95% | 94% | 93% | | | | | | |
| 73-84 | 28% | 27% | 24% | 26% | 26% | 26% | 25% | 25% | <1% | 1% | 2% | 1% | 1% | 1% | 1% | 1% | | | | | | |
| Greater than 85 | 0% | 0% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | | | | | | |
| Average height: | 70.70 | n/a | 70.63 | 70.69 | 70.63 | 70.66 | 70.51 | 70.49 | 65.04 | n/a | 65.32 | 65.01 | 64.93 | 65.02 | 64.67 | 64.74 | | | | | | |
| What is your weight in pounds? | | | | | | | | | | | | | | | | | | | | | | |
| 0-50 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | | | | | | |
| 51-100 | 0% | 0% | 0% | <1% | 0% | <1% | 0% | 0% | 2% | 2% | 2% | 3% | 3% | 3% | 1% | 3% | | | | | | |
| 101-150 | 21% | 24% | 32% | 26% | 23% | 25% | 25% | 27% | 54% | 71% | 48% | 69% | 46% | 68% | 51% | 67% | | | | | | |
| 151-200 | 50% | 58% | 46% | 56% | 54% | 55% | 49% | 54% | 29% | 22% | 35% | 22% | 35% | 23% | 31% | 24% | | | | | | |
| 201-250 | 21% | 14% | 10% | 13% | 13% | 15% | 18% | 15% | 11% | 4% | 10% | 5% | 10% | 4% | 11% | 5% | | | | | | |
| 251-300 | 6% | 3% | 9% | 3% | 7% | 4% | 5% | 3% | 3% | 1% | 4% | 1% | 5% | 1% | 4% | 1% | | | | | | |
| 301-350 | 1% | 1% | 3% | 1% | 3% | 1% | 3% | 1% | 1% | 0% | <1% | <1% | 0% | <1% | 1% | 0% | | | | | | |
| 351-400 | 1% | 0% | 1% | <1% | 0% | <1% | 1% | 0% | <1% | 0% | 0% | <1% | 0% | <1% | 1% | 0% | | | | | | |
| 401-450 | 0% | 0% | 0% | <1% | 1% | <1% | 0% | 0% | 0% | 0% | <1% | <1% | 0% | <1% | 0% | 0% | | | | | | |
| Greater than 451 | 0% | 0% | 0% | 0% | 0% | <1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | <1% | 0% | 0% | | | | | | |
| Average weight: | 185.12 | n/a | 181.01 | 175.13 | 185.25 | 177.01 | 184.60 | 176.42 | 159.28 | n/a | 162.01 | 143.75 | 162.69 | 144.42 | 162.75 | 145.41 | | | | | | |
| What is your year in school? | | | | | | | | | | | | | | | | | | | | | | |
| 1st year undergraduate | 30% | 22% | 36% | 33% | 25% | 26% | 34% | 27% | 36% | 23% | 32% | 31% | 24% | 25% | 27% | 28% | | | | | | |
| 2nd year undergraduate | 30% | 20% | 18% | 17% | 25% | 21% | 26% | 22% | 26% | 21% | 19% | 18% | 25% | 21% | 30% | 22% | | | | | | |
| 3rd year undergraduate | 22% | 18% | 22% | 20% | 23% | 19% | 18% | 24% | 19% | 20% | 23% | 20% | 27% | 20% | 20% | 24% | | | | | | |
| 4th year undergraduate | 16% | 15% | 22% | 14% | 25% | 15% | 20% | 19% | 15% | 16% | 23% | 16% | 21% | 16% | 20% | 20% | | | | | | |
| 5th year undergraduate | 1% | 5% | 2% | 5% | 3% | 6% | 3% | 8% | 4% | 4% | 4% | 4% | 4% | 5% | 3% | 6% | | | | | | |
| Graduate or professional | 0% | 19% | 0% | 11% | 0% | 11% | 0% | 0% | <1% | 15% | 0% | 10% | 0% | 111% | 0% | 0% | | | | | | |
| Not seeking a degree | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 0% | 0% | 1% | 0% | <1% | <1% | 1% | 0% | 0% | | | | | | |
| Other | 1% | 1% | 0% | 1% | 0% | 1% | 0% | 0% | 0% | 1% | 0% | 1% | 0% | 1% | <1% | 0% | | | | | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Demographics:

| | MALES | | | | | | | | FEMALES | | | | | | | |
|--------------------------------------------------------------------------------------------|----------------------|----------|----------------------|----------|-------------|----------|-------------|----------|----------------------|----------|----------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| What is your enrollment status? (In 2006, "are you a full-time student?") | | | | | | | | | | | | | | | | |
| Full-time | 100% | 95% | 98% | 93% | 97% | 91% | 100% | 94% | 99% | 95% | 99% | 93% | 98% | 91% | 99% | 95% |
| Part-time | 0% | 5% | 2% | 6% | 2% | 8% | 0% | 5% | 1% | 5% | 1% | 7% | 1% | 8% | 1% | 5% |
| Other | <i>not an option</i> | | 0% | 1% | 1% | 1% | 0% | 1% | <i>not an option</i> | | 0% | 1% | <1% | 1% | <1% | <1% |
| Have you transferred to this college or university within the last 12 months? | | | | | | | | | | | | | | | | |
| Yes | <i>not asked</i> | | 16% | 20% | 13% | 20% | 9% | 18% | <i>not asked</i> | | 13% | 20% | 11% | 19% | 9% | 16% |
| How do you usually describe yourself? | | | | | | | | | | | | | | | | |
| White - not Hispanic | 76% | 74% | 76% | 77% | 75% | 71% | 74% | 71% | 71% | 75% | 79% | 77% | 71% | 73% | 72% | 69% |
| Black - not Hispanic | 15% | 5% | 9% | 6% | 15% | 4% | 11% | 5% | 22% | 6% | 13% | 8% | 18% | 6% | 19% | 7% |
| Hispanic or Latino | 3% | 6% | 2% | 8% | 4% | 9% | 7% | 12% | 1% | 6% | 3% | 9% | 4% | 9% | 8% | 14% |
| Asian or Pacific Islander | 6% | 13% | 7% | 13% | 6% | 14% | 5% | 14% | 2% | 11% | 3% | 9% | 4% | 11% | 4% | 13% |
| American Indian or Alaskan | 4% | 1% | 3% | 2% | 2% | 2% | 4% | 2% | 3% | 1% | 5% | 2% | 4% | 2% | 2% | 2% |
| Biracial or Multi racial | <i>not an option</i> | | 7% | 4% | 4% | 3% | 5% | 4% | <i>not an option</i> | | 6% | 4% | 5% | 4% | 7% | 5% |
| Other | 5% | 4% | 4% | 3% | 5% | 3% | 8% | 4% | 6% | 4% | 4% | 3% | 4% | 3% | 4% | 3% |
| Are you an international student? | | | | | | | | | | | | | | | | |
| Yes | 9% | 10% | 9% | 8% | 11% | 9% | 10% | 6% | 6% | 6% | 6% | 6% | 8% | 8% | 6% | 5% |
| What is your relationship status? | | | | | | | | | | | | | | | | |
| Not in a relationship | <i>not asked</i> | | 49% | 58% | 47% | 54% | 53% | 58% | <i>not asked</i> | | 57% | 49% | 48% | 45% | 58% | 51% |
| In a relationship, not living together | <i>not asked</i> | | 45% | 31% | 46% | 33% | 40% | 32% | <i>not asked</i> | | 33% | 37% | 44% | 39% | 34% | 38% |
| In a relationship, living together | <i>not asked</i> | | 6% | 11% | 7% | 14% | 7% | 10% | <i>not asked</i> | | 9% | 14% | 8% | 17% | 9% | 11% |
| What is your marital status? (in 2006, "What is your current relationship status?") | | | | | | | | | | | | | | | | |
| Single | 59% | 58% | 91% | 89% | 86% | 87% | 92% | 91% | 56% | 51% | 87% | 87% | 85% | 86% | 91% | 92% |
| Married/domestic partner | 6% | 10% | 6% | 9% | 8% | 10% | 5% | 6% | 7% | 9% | 8% | 9% | 8% | 10% | 6% | 5% |
| Engaged or committed dating | 33% | 32% | <i>not an option</i> | | | | | | 35% | 39% | <i>not an option</i> | | | | | |
| Separated | 1% | 0% | 0% | <1% | 0% | <1% | 1% | <1% | 1% | 0% | 0% | <1% | 1% | <1% | 1% | <1% |
| Divorced | 1% | 0% | 0% | 1% | 2% | 1% | 1% | 1% | 2% | 1% | 1% | 1% | 2% | 2% | 2% | 1% |
| Widowed | 0% | 0% | <i>not an option</i> | | | | | | <1% | 0% | <i>not an option</i> | | | | | |
| Other | <i>not an option</i> | | 3% | 2% | 4% | 2% | 2% | 2% | <i>not an option</i> | | 4% | 2% | 4% | 2% | 1% | 1% |
| Where do you currently live? | | | | | | | | | | | | | | | | |
| Campus residence hall | 88% | 39% | 94% | 45% | 89% | 32% | 88% | 40% | 82% | 40% | 85% | 46% | 85% | 34% | 86% | 42% |
| Fraternity or sorority house | 0% | 3% | 0% | 1% | 0% | 2% | 0% | 2% | 0% | 1% | <1% | 1% | 0% | 1% | 0% | 1% |
| Other college/university housing | 7% | 7% | 2% | 5% | 2% | 4% | 1% | 5% | 6% | 6% | 5% | 7% | 5% | 5% | 4% | 6% |
| Parent/guardian's house | 0% | 8% | 0% | 11% | 1% | 20% | 0% | 14% | 1% | 10% | 0% | 11% | 1% | 18% | <1% | 15% |
| Other off-campus housing | 5% | 40% | 4% | 34% | 7% | 37% | 10% | 36% | 11% | 38% | 9% | 31% | 8% | 36% | 9% | 33% |
| Other | 1% | 3% | 0% | 4% | 1% | 5% | 2% | 3% | 1% | 5% | 1% | 5% | 1% | 6% | 1% | 3% |
| Are you a member of a social fraternity or sorority? | | | | | | | | | | | | | | | | |
| Yes | 4% | 9% | 2% | 8% | 2% | 9% | 5% | 11% | 2% | 8% | 1% | 8% | 3% | 10% | 2% | 12% |
| What is your approximate cumulative grade point average (GPA)? | | | | | | | | | | | | | | | | |
| A | <i>not asked</i> | | 27% | 33% | 25% | 34% | 26% | 34% | <i>not asked</i> | | 22% | 38% | 26% | 39% | 31% | 39% |
| B | <i>not asked</i> | | 47% | 48% | 49% | 48% | 53% | 50% | <i>not asked</i> | | 57% | 47% | 52% | 47% | 51% | 49% |
| C | <i>not asked</i> | | 25% | 12% | 24% | 15% | 19% | 14% | <i>not asked</i> | | 19% | 9% | 20% | 11% | 15% | 11% |
| D/F | <i>not asked</i> | | 1% | 1% | 2% | 1% | 1% | 1% | <i>not asked</i> | | 1% | 1% | 0% | 1% | 1% | 1% |
| N/A | <i>not asked</i> | | 1% | 6% | 0% | 2% | 1% | 1% | <i>not asked</i> | | 2% | 6% | 1% | 2% | 1% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Miscellaneous Questions

- In the last 12 months, have you participated in organized college athletics at any of the following levels? (added in 2008)
 - Varsity
 - Club
 - Intramurals
- How many hours a week do you...
 - Work for pay
 - Volunteer
- Do you have any kind of health insurance (including prepaid plans such as HMOs (health maintenance organizations))? (only asked in 2006)
- What is your primary source of health insurance? (added in 2008)
 - College/university sponsored
 - Parent's plan
 - Another plan
 - Don't have health insurance
 - Not sure if I have health insurance
- If you have a credit card(s), how much total credit card debt did you carry last month? (only asked in 2006)
- Are you currently or have you been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)? (added in 2016)

In the last 12 months, have you participated in organized college athletics at any of the following levels? (Percent indicating "yes.")

| Response Rates: | ALL STUDENTS | | | | | | | |
|-----------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Varsity | <i>not asked</i> | | 16.4% | 9.4% | 16.3% | 7.5% | 13.0% | 7.3% |
| Club sports | <i>not asked</i> | | 12.3% | 11.4% | 13.4% | 10.0% | 8.3% | 9.8% |
| Intramurals | <i>not asked</i> | | 22.8% | 18.9% | 24.4% | 20.4% | 19.0% | 18.2% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Varsity | <i>not asked</i> | | 23% | 12% | 23% | 9% | 18% | 9% | <i>not asked</i> | | 13% | 8% | 13% | 7% | 11% | 7% |
| Club sports | <i>not asked</i> | | 20% | 16% | 15% | 13% | 12% | 13% | <i>not asked</i> | | 8% | 9% | 12% | 8% | 7% | 8% |
| Intramurals | <i>not asked</i> | | 35% | 30% | 36% | 30% | 29% | 29% | <i>not asked</i> | | 17% | 14% | 18% | 15% | 14% | 13% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

How many hours a week do you...

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Work for pay | | | | | | | | |
| 0 hours | 0.6% | 39.8% | 0.4% | 42.0% | 0.2% | 42.1% | 1.2% | 42.9% |
| 1 - 9 hours | 4.2% | 18.1% | 5.3% | 18.5% | 4.4% | 17.6% | 5.1% | 18.1% |
| 10 - 19 hours | 88.2% | 19.2% | 86.9% | 19.9% | 86.4% | 18.5% | 88.5% | 20.2% |
| 20 - 29 hours | 6.2% | 12.2% | 5.8% | 10.7% | 8.1% | 12.0% | 4.3% | 11.7% |
| 30 - 39 hours | 0.4% | 4.2% | 0.8% | 3.7% | 0.7% | 4.3% | 0.3% | 3.8% |
| 40 hours | 0.2% | 3.2% | 0.4% | 2.9% | 0.0% | 3.1% | 0.3% | 1.9% |
| More than 40 hours | 0.2% | 3.2% | 0.4% | 2.4% | 0.2% | 2.5% | 0.2% | 1.4% |
| Volunteer | | | | | | | | |
| 0 hours | 55.3% | 62.8% | 57.4% | 62.4% | 61.1% | 64.5% | 64.6% | 61.3% |
| 1 - 9 hours | 42.3% | 33.3% | 38.3% | 33.6% | 37.3% | 30.6% | 34.4% | 33.8% |
| 10 - 19 hours | 1.8% | 2.7% | 3.2% | 2.8% | 1.1% | 3.3% | 0.7% | 3.6% |
| 20 - 29 hours | 0.4% | 0.8% | 0.6% | 0.8% | 0.5% | 1.0% | 0.3% | 0.9% |
| 30 - 39 hours | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.2% | 0.0% | 0.2% |
| 40 hours | 0.0% | 0.1% | 0.2% | 0.1% | 0.0% | 0.2% | 0.0% | 0.1% |
| More than 40 hours | 0.2% | 0.1% | 0.2% | 0.2% | 0.0% | 0.2% | 0.0% | 0.2% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|---------------------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|-------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| Work for pay | | | | | | | | | | | | | | | | |
| 0 hours | 1% | 44% | 1% | 48% | 0% | 46% | 1% | 48% | 1% | 37% | <1% | 40% | <1% | 40% | 1% | 41% |
| 1 - 9 hours | 8% | 17% | 3% | 16% | 5% | 16% | 4% | 16% | 3% | 19% | 7% | 20% | 4% | 19% | 7% | 19% |
| 10 - 19 hours | 84% | 17% | 89% | 18% | 87% | 17% | 93% | 18% | 90% | 21% | 86% | 21% | 86% | 20% | 86% | 21% |
| 20 - 29 hours | 8% | 11% | 6% | 10% | 8% | 12% | 2% | 11% | 6% | 13% | 6% | 11% | 8% | 12% | 5% | 12% |
| 30 - 39 hours | 0% | 4% | 0% | 3% | 1% | 4% | 1% | 3% | 1% | 4% | 1% | 4% | 1% | 4% | <1% | 4% |
| 40 hours | 0% | 3% | 1% | 3% | 0% | 3% | 0% | 2% | <1% | 3% | 0% | 3% | 0% | 3% | 1% | 2% |
| More than 40 hours | 0% | 4% | 1% | 3% | 0% | 3% | 0% | 2% | <1% | 3% | <1% | 2% | <1% | 2% | <1% | 1% |
| Volunteer | | | | | | | | | | | | | | | | |
| 0 hours | 55% | 67% | 58% | 68% | 64% | 69% | 67% | 66% | 55% | 60% | 57% | 60% | 60% | 62% | 62% | 59% |
| 1 - 9 hours | 42% | 29% | 35% | 28% | 35% | 26% | 31% | 29% | 43% | 36% | 39% | 36% | 39% | 33% | 37% | 36% |
| 10 - 19 hours | 2% | 3% | 4% | 3% | 2% | 3% | 2% | 3% | 2% | 3% | 3% | 3% | 1% | 3% | 0% | 4% |
| 20 - 29 hours | 1% | 1% | 2% | 1% | 0% | 1% | 0% | 1% | <1% | 1% | 0% | 1% | 1% | 1% | 1% | 1% |
| 30 - 39 hours | 0% | 0% | 1% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% |
| 40 hours | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | 0% | 0% | <1% | <1% | 0% | <1% | 0% | <1% |
| More than 40 hours | 0% | 0% | 0% | <1% | 0% | <1% | 0% | <1% | <1% | 0% | <1% | <1% | 0% | <1% | 0% | <1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

| Response Rates: | ALL STUDENTS | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| Do you have any kind of health insurance (including prepaid plans such as HMOs (health maintenance organizations)? | | | | | | | | |
| Yes | 86.0% | 87.3% | <i>not asked</i> | | | | | |
| No | 9.6% | 7.9% | | | | | | |
| Not sure | 4.4% | 4.8% | | | | | | |
| What is your primary source of health insurance? | | | | | | | | |
| College/University sponsored | <i>not asked</i> | | 48.3% | 12.5% | 50.3% | 12.8% | 16.2% | 9.2% |
| Parent's plan | | | 44.2% | 68.9% | 40.2% | 63.6% | 54.4% | 74.0% |
| Another plan | | | 3.7% | 11.7% | 4.1% | 13.6% | 17.9% | 11.8% |
| Don't have health insurance | | | 2.3% | 5.5% | 3.5% | 8.6% | 7.5% | 3.5% |
| Not sure if I have health insurance | | | 1.4% | 1.3% | 1.9% | 1.4% | 3.9% | 1.5% |

| | MALES | | | | | | | | FEMALES | | | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------|------------------|----------|------------------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|------------------|----------|-------------|----------|--|--|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | | |
| Do you have any kind of health insurance (including prepaid plans such as HMOs (health maintenance organizations)? | | | | | | | | | | | | | | | | | | |
| Yes | 86% | 86% | <i>not asked</i> | | | | | | | | 86% | 88% | <i>not asked</i> | | | | | |
| No | 10% | 8% | | | | | | | | | | | | | | | | |
| Not sure | 5% | 6% | | | | | | | | | | | | | | | | |
| What is your primary source of health insurance? | | | | | | | | | | | | | | | | | | |
| College/University sponsored | <i>not asked</i> | | 51% | 13% | 56% | 14% | 20% | 10% | <i>not asked</i> | | 47% | 12% | 47% | 12% | 15% | 9% | | |
| Parent's plan | | | 46% | 69% | 39% | 62% | 54% | 73% | | | 44% | 69% | 41% | 65% | 54% | 75% | | |
| Another plan | | | 1% | 11% | 3% | 13% | 14% | 12% | | | 5% | 12% | 5% | 14% | 21% | 12% | | |
| Don't have health insurance | | | 1% | 5% | 2% | 9% | 9% | 4% | | | 3% | 6% | 4% | 8% | 6% | 3% | | |
| Not sure if I have health insurance | | | 1% | 2% | 1% | 2% | 3% | 2% | | | 1% | 1% | 3% | 1% | 4% | 1% | | |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

If you have a credit card(s), how much total credit card debt did you carry last month?

| Response Rates: | ALL STUDENTS | | | | | | | |
|-------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| None, no credit card | 57.3% | 37.0% | <i>not asked</i> | | | | | |
| None, I pay full amount | 16.2% | 34.6% | | | | | | |
| \$1 - \$99 | 3.9% | 2.6% | | | | | | |
| \$100-\$249 | 3.3% | 3.7% | | | | | | |
| \$250-\$499 | 3.5% | 4.1% | | | | | | |
| \$500-\$999 | 5.2% | 4.6% | | | | | | |
| \$1000-\$1999 | 5.2% | 4.3% | | | | | | |
| \$2000-\$2999 | 2.3% | 2.4% | | | | | | |
| \$3000-\$3999 | 0.6% | 1.6% | | | | | | |
| \$4000-\$4999 | 0.8% | 1.1% | | | | | | |
| \$5000-\$5999 | 0.6% | 0.9% | | | | | | |
| \$6000 or more | 1.0% | 3.1% | | | | | | |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|-------------------------|-------------|----------|------------------|----------|-------------|----------|-------------|----------|-------------|----------|------------------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| None, no credit card | 59% | 36% | <i>not asked</i> | | | | | | 56% | 38% | <i>not asked</i> | | | | | |
| None, I pay full amount | 17% | 38% | | | | | | | 16% | 33% | | | | | | |
| \$1 - \$99 | 4% | 3% | | | | | | | 4% | 3% | | | | | | |
| \$100-\$249 | 3% | 3% | | | | | | | 4% | 4% | | | | | | |
| \$250-\$499 | 4% | 4% | | | | | | | 4% | 4% | | | | | | |
| \$500-\$999 | 3% | 4% | | | | | | | 6% | 5% | | | | | | |
| \$1000-\$1999 | 4% | 4% | | | | | | | 6% | 5% | | | | | | |
| \$2000-\$2999 | 4% | 2% | | | | | | | 2% | 3% | | | | | | |
| \$3000-\$3999 | 1% | 1% | | | | | | | 1% | 2% | | | | | | |
| \$4000-\$4999 | 1% | 1% | | | | | | | 1% | 1% | | | | | | |
| \$5000-\$5999 | 1% | 1% | | | | | | | 1% | 1% | | | | | | |
| \$6000 or more | 2% | 3% | | | | | | | 1% | 3% | | | | | | |

Response Rates: Spring 2006: 36.3%; Fall 2008: 35.2%; Spring 2010: 43.0%; Spring 2016: 35.8%

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys

Are you currently or have you been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

| Response Rates: | ALL STUDENTS | | | | | | | |
|----------------------------------|------------------------|----------|----------------------|----------|------------------------|----------|------------------------|----------|
| | Spring 2006 (36.3%) | | Fall 2008 (35.2%) | | Spring 2010 (43.0%) | | Spring 2016 (35.8%) | |
| | Berea | National | Berea | National | Berea | National | Berea | National |
| No | <i>not asked</i> | | | | | | 99.1% | 98.2% |
| Yes, deployed hazardous duty | | | | | | | 0.0% | 0.8% |
| Yes, not deployed hazardous duty | | | | | | | 0.9% | 1.0% |

| | MALES | | | | | | | | FEMALES | | | | | | | |
|----------------------------------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|------------------|----------|-----------|----------|-------------|----------|-------------|----------|
| | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | | Spring 2006 | | Fall 2008 | | Spring 2010 | | Spring 2016 | |
| | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National | Berea | National |
| No | <i>not asked</i> | | | | | | 98% | 96% | <i>not asked</i> | | | | | | 100% | 99% |
| Yes, deployed hazardous duty | | | | | | | 0% | 2% | | | | | | | 0% | <1% |
| Yes, not deployed hazardous duty | | | | | | | 2% | 2% | | | | | | | 0% | 1% |

NOTE: For Spring 2016, national comparison data are from Spring 2015.

Compiled by the Office of Institutional Research and Assessment, May 2016 from the National College Health Assessment (NCHA) surveys